DR. LIN SKINCARE ACNE- benzoyl peroxide lotion DR LIN SKINCARE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

BENZOYL PEROXIDE 2.5%

PURPOSE

ACNE TREATMENT

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE THIS MEDICATION IF YOU HAVE VERY SENSITIVE SKIN OR IF YOU ARE SENSITIVE TO BENZOYL PEROXIDE.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE USING OTHER TOPCAL ACNE MEDICATONS AT THE SAME TIME OR IMMEDIATELY FOLLOWING USE OF THIS PRODUCT. THIS MAY INCREASETHE DRYNESS OR IRRITATION OF THE SKIN. IF THIS OCCURS, ONLY ONEMEDICATION SHOULD BE USED UNLESS DIRECTED BY A DOCTOR.

WHEN USING THIS PRODUCT

- AVOID CONTACT WTH EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.
- KEEP AWAY FROM LIPS AND MOUTH.
- AVOID UNNECESSARY SUN EXPOSURE AND USE A SUNSCREEN.

STOP USE AND ASK A DOCTOR IF SKIN IRRITATION OCCURS.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

USE FOR THE TREATMENT OF ACNE

DIRECTIONS

- USE TWICE DAILY AM AND PM.
- AFTER CLEANSING, APPLY TO ENTIRE FACE AVOIDING THE EYE AREA.
- DO NOT RINSE.
- ALLOW TO DRY.
- IF GOING OUTSIDE, USE A SUNSCREEN. IF EXCESSIVE DRYNESS OR BOTHERSOME PEELING OCCURS, REDUCE APPLICATION USE.

OTHER INFORMATION

- THIS PRODUCT MAY BLEACH HAIR OR DYED FABRICS.
- STORE AT ROOM TEMPERATURE.
- AVOID STORING AT EXTREME TEMPERATURES (BELOW 40°F AND ABOVE 100°F).

INACTIVE NGREDIENTS

WATER, GLYCERIN, POLYACRYLAMIDE, C13-14 ISOPARAFFIN, LAURETH-7, ARBUTIN, KOJIC ACID, L-ASCORBIC ACID, SODIUM PCA, ALLANTOIN, PANTHENOL, HYDROGENATED METHYL ABIETATE, PHENOXYETHANOL, FRAGRANCE, METHYLISOTHIAZOLINONE



2 Acne Lotion

Benzoyl Peroxide Acne Treatment

NET WT 2 FL OZ (60 mL)

[Trug Facts
	ctive ingredient Purpose enzoyl Peroxide 2.5%Acne treatment
U	se for the treatment of acne
W	arnings For external use only
	o not use this medication if you have very sensitive skin or if u are sensitive to benzoyl peroxide.
foi	It a doctor or pharmaclst before use if you are using other pical acne medications at the same time or immediately lowing use of this product. This may increase the dryness or itation of the skin. If this occurs, only one medication should used unless directed by a doctor.
oc	hen using this product • avoid contact with eyes. If contact curs, rinse thoroughly with water. • keep away from lips and buth. • avoid unnecessary sun exposure and use a sunscreen.
St	op use and ask a doctor if skin irritation occurs.
	eep out of reach of children. If swallowed, get medical help contact a Poison Control Center right away.
ex	irections - Use twice daily AM and PM After cleansing ply to entire face avoiding the eye area Do not rinse. Allow to dry If going outside, use a sunscreen. If cessive dryness or bothersome peeling occurs, reduce plication use.
dy	ther Information • This product may bleach hair or ed products. • Store at room temperature. Avoid storing a treme temperatures (below 40° F and above 100° F).
Ac	active ingredients ther, Glycerin, Polyacrylamide 3-14 isoparanin, Laureth-7, Arbutin, Kojic Acio, L-Asconne Id, Sodium PCA, Allantoin, Canthenol, Hydrogenated Methyl letate, Phenoxyethanol, Fragrance, Methylisothiazolinone

Active Ingredient: Benzoyl Peroxide 2.5%

Use: for the treatment of acne

Directions: Cleanse the skin thoroughly before applying this product. Cover the entire affected area with a thin layer 1 to 3 times daily. Do not rinse. Because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 to 3 times daily if needed or as directed by a doctor. If bothersome dryness or pealing occurs, reduce application to once a day or every other day. If going outside, use a subscreen.

Warnings: For acternal use only. Do not use • If you have very sensitive skin or are sensitive to Benzoyi Peroxide. Ask a doctor or pharmaclet before use • If you are using other topical acne drugs at the same time or right after use of this product. When using this product • avoid unnacessary sun exposure and use a sunscreen.• avoid contact with the eyes, lips and mouth • skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Initiation may be reduced by using the product less frequently or in a lower concentration Stop use and ask a doctor if irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away. Other Information • sensitivity test: apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated. • avoid contact with hair and dyed fabrics, which may be bleached by this product. • Store at 60°F - 90°F.

See carlon for more information.

Questions or Comments? 1-877-445-4524 Mon-Fri 6AM - 5PM (PST) Distributed by Dr Lin Skin Care, Inc., • Beverly Hils, CA 90210 ©2013 Made in USA • driftenkingcare.com BTL-00480-002

oenzoyl peroxide lo	11011						
Product Informa	ition						
Product Type		HUMAN OTC DRUG	Ite m C	ode (Source)	NDC:58	876-104	
Route of Administr	ation	TOPICAL					
Active Ingredier	nt/Active Mo	iety					
	In	igredient Name		Ba	isis of Strength	Strength	
BENZOYL PEROXIDE (UNII: W9 WZN9 A0 GM) (BENZOYL PEROXIDE - BENZOYL UNII: W9 WZN9 A0 GM) PEROXIDE							
Inactive Ingredi	ents						
		Ingredient Nan	ne			Strength	
WATER (UNII: 059QF	0KO0R)						
GLYCERIN (UNII: PD	C6A3C0OX)						
POLYACRYLAMIDE	(1500 MW) (UN	II: 5D6TC4BRWV)					
C13-14 ISOPARAFFI	N (UNII: E4F12R0	DE70)					
LAURETH-7 (UNII: ZS	95S6G8201)						
ARBUTIN (UNII: C5IN	A23HXF)						
KOJIC ACID (UNII: 6	K23F1TT52)						
ASCORBIC ACID (UN	NII: PQ6CK8PD01	R)					
SO DIUM PYRRO LID	ONE CARBOXY	LATE (UNII: 469OTG57A	.2)				
ALLANTOIN (UNII: 3	44S277G0Z)						
PANTHENOL (UNII: V							
GLYCERYL ABIETA		- /					
PHENO XYETHANO L							
METHYLISOTHIAZO	DLINONE (UNII:	229 D0 E IQFA)					
Packaging							
# Item Code	Pac	kage Description	Marketin	g Start Date	Marketin	g End Date	
1 NDC:58876-104-12	60 mL in	1 BOTTLE					
Marketing In	formation						
Marketing Catego	y Applicati	on Number or Monogra	aph Citation	Marketing Sta	rt Date Marke	eting End Date	
OTC monograph final	part333D			06/26/2013			

Labeler - DR LIN SKINCARE (622329980)

Establishment										
Name	Address	ID/FEI	Business Operations							

Revised: 6/2013