

**CLE DE PEAU BEAUTE PROTECTIVE FORTIFYING N- avobenzone, octinoxate, octocrylene, and oxybenzone emulsion  
SHISEIDO AMERICAS CORPORATION**

-----  
**CLÉ DE PEAU BEAUTÉ PROTECTIVE FORTIFYING CREAM n**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
AVOBENZONE 2.0%	Sunscreen
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen
OXYBENZONE 2.0%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER•CYCLOPENTASILOXANE•GLYCERIN•DIISOPROPYL SEBACATE•BUTYLENE GLYCOL•DIETHYLHEXYL SUCCINATE•SD ALCOHOL 40-B•TREHALOSE•PEG/PPG-14/7 DIMETHYL ETHER•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•TOCOPHERYL ACETATE•PEG/PPG-17/4 DIMETHYL ETHER•PHYTOSTERYL MACADAMIATE•POLYQUATERNIUM-51•GINKGO BILOBA LEAF EXTRACT•ANGELICA ACUTILOBA ROOT EXTRACT•PAEONIA ALBIFLORA ROOT EXTRACT•CRATAEGUS MONOGYNA FLOWER EXTRACT•PANAX GINSENG ROOT EXTRACT•GLYCINE•ONONIS SPINOSA ROOT EXTRACT•HYDROLYZED SILK•ROSA CANINA FRUIT EXTRACT•ZANTHOXYLUM PIPERITUM PEEL EXTRACT•HIBISCUS ESCULENTUS FRUIT EXTRACT•FAGUS SYLVATICA BUD EXTRACT•SODIUM ACETYLATED HYALURONATE•PERILLA OCYMOIDES LEAF EXTRACT•ROSA ROXBURGHII FRUIT EXTRACT•HYDROLYZED CONCHIOLIN PROTEIN•ISODONIS JAPONICUS LEAF/STALK EXTRACT•BUPLEURUM FALCATUM ROOT EXTRACT•BEHENETH-20•PPG-17•BEHENYL ALCOHOL•CARBOMER•POLYSORBATE 20•TRIETHANOLAMINE•DISODIUM EDTA•STEARYL ALCOHOL•HYDROXYPROPYL METHYLCELLULOSE STEAROXY ETHER•THEANINE•SODIUM CITRATE•ALCOHOL•SODIUM METAPHOSPHATE•CITRIC ACID•BHT•TOCOPHEROL•PHENOXYETHANOL•METHYLPARABEN•BENZOIC ACID•FRAGRANCE•MICA•TITANIUM DIOXIDE•IRON OXIDES•

### **Other information**

- protect this product in this container from excessive heat and direct sun.

### **Questions or comments?**

Call toll free 1-800-906-7503

### **PRINCIPAL DISPLAY PANEL - 12 mL Bottle Carton**

clé de peau  
BEAUTÉ

PROTECTIVE FORTIFYING CREAM n  
BROAD SPECTRUM  
SPF 22  
SUNSCREEN

12mL NET WT. .43 OZ.

PROTECTIVE FORTIFYING CREAM n



clé de peau  
BEAUTÉ

PROTECTIVE FORTIFYING CREAM n  
BROAD SPECTRUM  
SPF 22  
SUNSCREEN

12mL NET WT. .43 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • CYCLOPENTASILOXANE • GLYCERIN • DIISOPROPYL SEBACATE • BUTYLENE GLYCOL • DIETHYLHEXYL SUCCINATE • SD ALCOHOL 40-B • TREHALOSE • PEG/PPG-14/7 DIMETHYL ETHER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • TOCOPHERYL ACETATE • PEG/PPG-17/4 DIMETHYL ETHER • PHYTOSTERYL MACADAMIATE • POLYQUATERNIUM-51 • GINKGO BILOBA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • PAEONIA ALBIFLORA ROOT EXTRACT • CRATAEGUS MONOGYNA FLOWER EXTRACT • PANAX GINSENG ROOT EXTRACT • GLYCINE • ONONIS SPINOSA ROOT EXTRACT • HYDROLYZED SILK • ROSA CANINA FRUIT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • HIBISCUS ESCULENTUS FRUIT EXTRACT • FAGUS SYLVATICA BUD EXTRACT • SODIUM ACETYLATED HYALURONATE • PERILLA OCYMOIDES LEAF EXTRACT • ROSA ROXBURGHII FRUIT EXTRACT • HYDROLYZED CONCHIOLIN PROTEIN • ISODONIS JAPONICUS LEAF/STALK EXTRACT • BUPLEURUM FALCATUM ROOT EXTRACT • BEHENETH-20 • PPG-17 • BEHENYL ALCOHOL • CARBOMER • POLYSORBATE 20 • TRIETHANOLAMINE • DISODIUM EDTA • STEARYL ALCOHOL • HYDROXYPROPYL METHYLCELLULOSE STEAROXY ETHER • THEANINE • SODIUM CITRATE • ALCOHOL • SODIUM METAPHOSPHATE • CITRIC ACID • BHT • TOCOPHEROL • PHENOXYETHANOL • METHYLPARABEN • BENZOIC ACID • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES



CLÉ DE PEAU BEAUTÉ  
PROTECTIVE FORTIFYING CREAM n

### Drug Facts

Active Ingredients	Purpose
AVOBENZONE 2.0%	Sunscreen
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen
OXYBENZONE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
Q.L.O. 16333  
www.cledepeaubeaute.com

### Drug Facts (continued)

#### Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

QRコード

<http://cpb1982.com/16333CP>  
See our website for more information.

### Drug Facts (continued)

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.85倍 10mmバー  
16mm×33mm

2次元  
コード



7 30852 16333 1

16333-41-5040  
AAA

## CLE DE PEAU BEAUTE PROTECTIVE FORTIFYING N

avobenzene, octinoxate, octocrylene, and oxybenzone emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-562
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.2472 g in 12 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.60564 g in 12 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.618 g in 12 mL
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.2472 g in 12 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIETHYLHEXYL SUCCINATE</b> (UNII: 69W9UMG3P8)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>PEG/PPG-17/4 DIMETHYL ETHER</b> (UNII: 4ET18WJG5K)	
<b>PHYTOSTERYL MACADAMIATE</b> (UNII: 233VSF903M)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>GINKGO</b> (UNII: 19FUJ2C58T)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PAEONIA LACTIFLORA ROOT</b> (UNII: 3Z3866YW6P)	
<b>CRATAEGUS MONOGYNA FLOWER</b> (UNII: NT52AMP29J)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>ONONIS SPINOSA ROOT</b> (UNII: FD2FMC53M1)	
<b>ROSA CANINA FRUIT</b> (UNII: 3TNW8D08V3)	
<b>ZANTHOXYLUM PIPERITUM FRUIT RIND</b> (UNII: 728JDI7G4M)	
<b>FAGUS SYLVATICA FLOWER BUD</b> (UNII: 6D5V13045W)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>PERILLA FRUTESCENS LEAF</b> (UNII: T4L5881Y68)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)	
<b>BEHENETH-20</b> (UNII: BJ4GP2IFLN)	
<b>PPG-17</b> (UNII: OVOQ322E0U)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>SODIUM POLYMETAPHOSPHATE</b> (UNII: P1BM4ZH95L)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-562-10	1 in 1 CARTON	03/01/2020	
1		12 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2020	

**Labeler - SHISEIDO AMERICAS CORPORATION (193691821)**

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-562) , manufacture(58411-562)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION