SYNOVEX C- progesterone and estradiol benzoate implant Zoetis Inc.

Synovex[®] C

Synovex ® C (progesterone and estradiol benzoate implants) 100 mg progesterone and 10 mg estradiol benzoate per implant

SUBCUTANEOUS IMPLANTS FOR BEEF CALVES AND GROWING BEEF STEERS IN CONFINEMENT FOR SLAUGHTER

This product was manufactured by a non-sterilizing process.

TAKE TIME OBSERVE LABEL DIRECTIONS

Important: Read ALL sides of carton For subcutaneous ear implantation only.

Approved by FDA under NADA # 009-576

Restricted Drug (California) — Use Only as Directed

WITHDRAWAL PERIODS AND RESIDUE WARNINGS

No withdrawal period is required when used according to labeling. Do not use in beef calves less than 45 days of age, dairy calves, and veal calves. Do not use in bull calves intended for reproduction. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in dairy cows or in animals intended for subsequent breeding. Use in these cattle may cause drug residues in milk and/or in calves born to these cows. Implant pellets subcutaneously in ear only. Any other location is a violation of Federal Law. Do not attempt salvage of implanted site for human or animal food.

USER SAFETY WARNINGS

Not for use in humans. Keep out of reach of children.

ANIMAL SAFETY WARNINGS

Bulling has occasionally been reported in implanted steers and heifers. Vaginal and rectal prolapse, udder development, ventral edema and elevated tailheads have occasionally been reported in heifers administered SYNOVEX® C implants.

DIRECTIONS

Implant complete contents of one cartridge cell to each steer or heifer at each implanting. Approved implantation technique is fully described in the package insert.

NOTE: Never sacrifice careful, clean technique for speed of implantation.

HOW TO IMPLANT WITH

(progesterone and estradiol benzoate implants) 100 mg progesterone and 10 mg estradiol benzoate per implant

Study the following instructions carefully, then proceed step by step, until the technique becomes routine. Many head can be implanted per hour by an experienced team, one member of which should be assigned to do nothing but the implantation. This person should maintain hand cleanliness and use sanitary instruments only.

HOW SUPPLIED

100 Dose

Revised: May 2023

- 2 -

SYNOVEX® C Implants

INDICATIONS FOR USE:

• For increased rate of weight gain in beef calves 45 days of age and older and weighing up to 400 lbs.

- For increased rate of weight gain in growing beef steers fed in confinement for slaughter in a reimplantation program where SYNOVEX[®] C is the first implant and a SYNOVEX[®] S implant is administered approximately 70 days later.
- Other than as described on the labeling, this implant is not approved for repeated implantation (reimplantation) with any other cattle ear implant as safety and effectiveness have not been evaluated.

Do not use in calves less than 45 days of age or veal calves because effectiveness and safety have not been evaluated.

Do not use in animals intended for subsequent breeding, or in dairy cows.

Store at controlled room temperature $20^{\circ} - 25^{\circ}C$ (68° - 77°F) with excursions between 15° -30°C

- 3 -

(59°-86°F). Avoid excessive heat or humidity.

SYNOVEX[®] C Implants

WITHDRAWAL PERIODS AND RESIDUE WARNINGS:

No withdrawal period is required when used according to labeling. Do not use in beef calves less than 45 days of age, dairy calves, and veal calves. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in dairy cows or in animals intended for subsequent breeding. Use in these cattle may cause drug residues in milk and/or in calves born to these cows. Implant pellets subcutaneously in ear only. Any other location is a violation of Federal Law. Do not attempt salvage of implanted site for human or animal food.

USER SAFETY WARNINGS: Not for use in humans. Keep out of reach of children.

ANIMAL SAFETY WARNINGS: Bulling has occasionally been reported in implanted steers and heifers. Vaginal and rectal prolapse, udder development, ventral edema and elevated tailheads have occasionally been reported in heifers administered SYNOVEX® C implants. Restricted Drug (California)—

- 4 -

Use Only as Directed.

SYNOVEX® EXACT 10® Applicator
SYNOVEX® SX10 Applicator
SYNOVEX® Metal Revolver

Image: Synove synope synop

STEP 1 Loading the Applicator



Load the applicator following the directions outlined in the instruction manual accompanying each applicator.

Additional information for the individual applicator user guides can be found at:

www.growwithsynovex.com.

STEP 2 Restraint



The animal must be confined in a restraint mechanism (squeeze chute or head gate). The implant site on the back of the ear should be prepared by scrubbing with a firm bristled brush that has been soaked in a

germicidal solution. Note: If implanting horned cattle, greater safety is provided when the head is controlled by the use of a bull lead (nose tongs).

- 8

STEP 3 Implant Site



Divide the ear into three imaginary sections as illustrated. The implanted pellets should be deposited in the center one-third of the ear as shown. To accomplish this, the applicator needle should be inserted in the outer


one-third of the ear as indicated by the "X" in the illustration. Implanting t cause abnormal sexual taken to avoid severing

STEP 4 Insert N



applicator forward (towa the full needle length is

STEP 5 Pellet Implantation



When the needle is completely inserted, activate the instrument by squeezing the trigger completely. Refer to instructions for individual applicator.

too close to the head may I behavior. Care should be g the major arteries of the ear.	STEP 6 Inspection				
Veedle		Check the implant site. If properly administered, the implants should lie in a straight line under the skin.			
Grasp the ear with one hand. While holding the applicator firmly with the other hand, penetrate the skin at the point shown by the "X". Thrust the needle under the skin taking		Re-cock the applicator. Disinfect the applicator needle in a germicidal solution. The applicator is now ready to implant the next animal.			
care not to penetrate the cartilage. Ease the vard the base of the ear) until s beneath the skin.	ZOETIS Distributed by: Zoetis Inc. Kalamazoo, MI 49007				
- 9 -		- 10 -	40039892		

INDICATIONS FOR USE

 For increased rate of weight gain in beef calves 45 days of age and older and weighing up to 400 lbs.

 For increased rate of weight gain in growing beef steers fed in confinement for slaughter in a reimplantation program where SYNOVEX® C is the first implant and a SYNOVEX® S implant is administered approximately 70 days later.

 Other than as described on the labeling, this implant is not approved for repeated implantation (reimplantation) with any other cattle ear implant as safety and effectiveness have not been evaluated.

Do not use in calves less than 45 days of age or veal calves because effectiveness and safety have not been evaluated.

Do not use in animals intended for subsequent breeding, or in dairy cows.

Storage

Store at controlled room temperature 20° - 25°C (68° - 77°F) with excursions between 15°-30°C (59°-86°F). Avoid excessive heat or humidity.

QUESTIONS/COMMENTS?

For a copy of the Safety Data Sheet or to report side effects, contact Zoetis Inc. at 1-888-963-8471. For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae.

NET CONTENTS: 10 CARTRIDGES

Each Cartridge Contains 10 implants (100 implants total)


Distributed by: Zoetis Inc. Kalamazoo, MI 49007

Revised: May 2023

40039892

PRINCIPAL DISPLAY PANEL - 10 Cartridge Implant Carton

40039892



progesterone and e	estradiol b	enzoate implant						
Product Informa	ation							
Product Type		OTC ANIMAL DRUG	ltem	Item Code (Source)		NDC:5477	NDC:54771-3903	
Route of Administr	ation	SUBCUTANEOUS						
Active Ingredien	t/Active	Moiety						
-				Basis	of Strength	Strength		
PROGESTERONE (UNII: 4G7DS2Q64Y) (PROGESTERONE - UNII:4G7DS2Q64Y)				52Q64Y)	PROGESTERONE 10		100 mg	
ESTRADIOL BENZOAT	E (UNII: 154	4CJB5ZGN) (ESTRADIO	L - UNII:4TI9	8Z838E)	ESTRAD	IOL BENZOATE	10 mg	
Packaging								
# Item Code	Packa	ge Description	Marketi	ng Start D	Date	Marketing	End Date	
1 NDC:54771-3903-1	2 in 1 CAF	RTON						
2 NDC:54771-3903-2	10 in 1 CA	ARTON						
Marketing In	format	ion						
Marketing	Applica	tion Number or M	onograph	Marke	tina St	art Mark	etina End	

Category	Citation	Date	Date
NADA	NADA009576	02/20/1956	

Labeler - Zoetis Inc. (828851555)

Revised: 7/2023

Zoetis Inc.