MG217 PSORIASIS MULTI SYMPTOM- coal tar gel Wisconsin Pharmacal Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Coal Tar 2%

Purpose

Psoriasis, Seborrheic Dermatitis, Dandruff Treatment (from Coal Tar Topical Solution, USP 20%)

Uses

For the temporary relief of these symptoms associated with psoriasis and/or seborrheic dermatitis including,

- itching
- scaling
- flaking
- redness
- irritation of the scalp

Helps prevent recurrence.

Warnings

For external use only. Use only as directed.

Ask doctor before use

- for prolonged periods
- if condition covers a large area of the body.
- around the rectum or in the genital area or groin
- with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs
- do not use for prolonged periods without consulting a physician

When using this product

- avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- If condition worsens or does not improve after regular use of this product as directed, consult a physician.
- **Use caution** in exposing skin to sunlight. It may increase your tendency to sunburn for up to 24 hours after application

Stop use and ask a doctor if

• condition worsens or does not improve after regular use of this product as directed.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately. This product

contains coal tar, a product known in the state of California to cause cancer.

Flamable. Keep away from heat and open flames. Store at room temperature.

Inactive ingredients

Purified Water, Alcohol, PEG-8, Polysorbate 80, PEG/PPG 18/18 Dimethicone, Propanediol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Caprylyl Glycol, Fragrance, Aloe Barbadensis Leaf Juice, Dexpanthenol, Sodium Hydroxide, Caprylhdroxamic Acid, Alpha-Bisabolol, Calcium Disodium EDTA

Directions

Adults aply to affected area 1 to 4 times daily or as directed by a physician.

Questions?

1-800-635-3696



Drug Facts

Active ingredient......Coal Tar 2.0% rpose.............Psoriasis/Seborrheic Dermatitis tment (from Coal Tar Topical Solution, USP 20%) Uses For the relief of symptoms associated with psoriasis and/or seborrheic dermatitis including a itching a scaling a flaking a redness a irritation of the skin. Helps prevent recurrence.

starting stating "stating" stating "stating" stating assist five procession and stating as the stating stating as the stating

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Center immediately.

Directions Auths apply to affected area 1 to 4 times day as a directed by physicians.

Other information - Farmants - Keep away from the act of continues - Store at coor thereoperates.

Inactive Ingredients - Purifica Visers.

Inactive Ingredients - Purifica Visers.

Direction - Purifica Visers.

And Store Indeed - Purification - Pu

Questions? 1-800-635-3696

"Doctor recommended active ingredient.
Manufactured for: Lake Consumer Products, Inc.
A Subsidiary of Wisconsin Pharmacal Company, LLC
1 Pharmacal Way, P.O. Box 193 • Jackson, WI 53037 U
MADE IN U.S.A. OF U.S. AND IMPORTED MATERIALS
62014

MG217 **PSORIASIS**

multi-symptom coal tar gel

extra strength

relieves

- itching, scaling, redness
- reduces
 inflammation and irritation

helps prevent

pleasant fragrance



NET WT 1.5 OZ (42.5 g)

Carton and Label

MG217 PSORIASIS MULTI SYMPTOM

coal tar gel

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:68093-7226 **Route of Administration TOPICAL Active Ingredient/Active Moiety** Basis of Strength **Ingredient Name** Strength

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
SO DIUM HYDRO XIDE (UNII: 55X04QC32I)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
PEG/PPG-18/18 DIMETHICO NE (UNII: 9H0 AO7T794)				
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)				
CARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO)				
DEXPANTHENO L (UNII: 106C93RI7Z)				
PROPANEDIOL (UNII: 5965N8W85T)				
CAPRYLHYDRO XAMIC ACID (UNII: UPY805K99W)				
EDETATE CALCIUM DISODIUM (UNII: 25IH6R4SGF)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
.ALPHABISABOLOL, (+)- (UNII: 105S6I733Z)				
ALOE VERA LEAF (UNII: ZY81Z83H0 X)				

Product Characteristics					
Color	Score				
Shape	Size				
Flavor	Imprint Code				
Contains					

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:68093-7226-1	1 in 1 CARTON	08/01/2014			
1		42.5 g in 1 TUBE; Type 0: Not a Combination Product				



Drug Facts Uses For the relief of symptoms associated with psoriasis and/or seborrheic dermatitis including ∎ itching ∎ scaling ∎ flaking ∎ redness ∎ irritation of the skin. Helps prevent recurrence. the skin-Holp prevent recurrence.

Warnings
For external use only. Use only as directed.
As a sodort before use a for protropic periods.
As a sodort before use a for protropic periods.
As a sodort before use a for protropic periods.
As a sodort before use a for protropic periods.
As a sodort before use a for protropic periods.
As a sodort before use a for protropic periods.
As a format of the protropic periods without consulting a physician.

When using this product a world constant with eyes. If contact course, rises yees throughly with water a consulting a physician.

If contact course, rises yees throughly with water a consulting a physician in the propriet of the protropic periods.

If contact course, rises yees throughly with water a consulting a physician because of the consulting and the propriets and the consulting and the propriets and the protropic periods and the protropic perio Stop using this product if a condition worsens or does not improve after regular use as directed. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Directions Adults apply to affected area 1 to 4 times daily or as directed by a physician.

Other information Flammable, Keep away from Other Innormation = Farmable. Keep away from better and open flames — Since at room beneparture.

Inactive ingredients Purified Water, Androhe, PEG-9, Polysochate 80, PEG-PPG-18118

Dimethicone, Prograndoli, Aleylates (C10-30 Aley)

Aryllate Orassyoliner, Caphyll Groyd, Pragrance, Aryllate Orassyoliner, Caphyll Groyd, Pragrance, Hydroxide, Caphyllydroxamic Add, Alpha-Beabold, Calcium Bloodium EDIA.

Questions? 1-800-635-3696

Checker personnered artibles incredient CUESTUMS: 1-80U-635-3696

**Doctor recommended active ingredient.

A Subsidiary of Wisconsin Pharmacal Company, LLC

1 Pharmacal Way, P.O. But 198 + Jackson, Wi 53037 U.S.A.

MADE IN U.S.A. OF U.S. AND IMPORTED MATERIALS.

©2014

PSORIASIS multi-symptom coal tar gel

extra strength

· itching, scaling, redness

reduces inflammation and irritation

helps prevent

pleasant fragrance



NET WT 1.5 OZ (42.5 g)

NET WT 1.5 OZ (42.5 g)

D5301B

IMPORTANT: Read all information on this packaging and keep for future reference.

Marketing Information

Questions or comments? 1-800-635-3696

Marketing Category Application Number or Monograph Citation **Marketing Start Date Marketing End Date** OTC monograph final part358H 08/01/2014

Labeler - Wisconsin Pharmacal Company (800873986)

Registrant - Wisconsin Pharmacal Company (800873986)



Revised: 11/2015

Wisconsin Pharmacal Company