

OXYGEN- oxygen gas
Oxarc, LLC

Oxygen

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

OXARC

4003 E. BROADWAY SPOKANE, WA 99202

1-800-536-9272

www.oxarc.com

NO SMOKING

NO VAPING

**OXYGEN,
COMPRESSED
USP**
UN1072
PRODUCED BY AIR LIQUEFACTION



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



4003 E. BROADWAY • SPOKANE, WA 99202
1-800-536-9272
www.oxarc.com



**NO SMOKING
NO VAPING**



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: LTRS: CU.FT.

WARNING: For emergency use when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical application, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34057-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
2	NDC:34057-001-02	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
3	NDC:34057-001-03	254 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
4	NDC:34057-001-04	311 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
5	NDC:34057-001-05	396 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
6	NDC:34057-001-06	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
7	NDC:34057-001-07	651 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
8	NDC:34057-001-08	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
9	NDC:34057-001-09	1557 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
10	NDC:34057-001-10	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
11	NDC:34057-001-11	1982 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
12	NDC:34057-001-12	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
13	NDC:34057-001-13	2831 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
14	NDC:34057-001-14	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
15	NDC:34057-001-15	3992 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
16	NDC:34057-001-16	4360 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
17	NDC:34057-001-17	5776 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
18	NDC:34057-001-18	6399 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
19	NDC:34057-001-19	7050 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
20	NDC:34057-001-20	7957 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
21	NDC:34057-001-21	9542 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
22	NDC:34057-001-22	14271 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
23	NDC:34057-001-23	62297 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
24	NDC:34057-001-24	127425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
25	NDC:34057-001-25	141867 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
26	NDC:34057-001-26	144132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
27	NDC:34057-001-27	154326 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
28	NDC:34057-	155742 L in 1 CYLINDER; Type 0: Not a	01/01/1977	12/31/2022

28	001-28	Combination Product	01/01/1977	12/31/2022
29	NDC:34057-001-29	184370 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
30	NDC:34057-001-30	185475 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
31	NDC:34057-001-31	202465 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
32	NDC:34057-001-32	207505 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	12/31/2022
33	NDC:34057-001-33	295911 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	01/01/1977	

Labeler - Oxarc, LLC (045704400)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		005126375	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		023413843	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		027588227	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		054029207	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		079397943	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		122450901	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		169175390	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		603889721	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		609558051	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		611947086	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		612414425	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		783197932	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		859257297	manufacture(34057-001)