

# **SIGNATURE CARE NASAL DECONGESTANT- oxymetazoline hcl spray, metered Safeway**

-----

## **Better Living Brands LLC Nasal Decongestant Drug Facts**

### **Active ingredient**

Oxymetazoline hydrochloride 0.05%

### **Purpose**

Nasal decongestant

### **Uses**

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

### **Warnings**

#### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

#### **When using this product**

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

#### **Stop use and ask a doctor if**

symptoms persist

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Shake well before use. Hold white tabs, SQUEEZE grooved area of cap FIRMLY and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

**Other information**

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, microcrystalline cellulose and carboxymethylcellulose sodium, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

**Questions or comments?**

**1-888-723-3929**

**Principal Display Panel**

Compare To Afrin® No Drip active ingredient

Quality Guaranteed

NO DRIP

12 HOUR

# #1 DOCTOR RECOMMENDED ADULT NASAL SPRAY ACTIVE INGREDIENT

Nasal Decongestant

Oxymetazoline Hydrochloride 0.05%

Original

Pump Mist

Won't drip from nose or down throat

Fast, powerful congestion relief

For colds & allergies

Maximum strength

1 FL OZ (30 mL)



\*This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of Afrin® No Drip. ♦OTU's physicians surveyed by an independent market research firm. DISTRIBUTED BY: BETTE L LING BRANDS LLC, P.O. BOX 99, PLEASANTON, CA 94566-0099, 1-888-723-3929 www.betterlivingbrands.com OUR PROMISE: QUALITY & SATISFACTION 100% GUARANTEED OR YOUR MONEY BACK.

Compare To Afrin® No Drip active ingredient\*



Quality Guaranteed

NDC 21130-801-10

Actual Size



NO DRIP  
12 HOUR

#1 DOCTOR RECOMMENDED ADULT NASAL SPRAY ACTIVE INGREDIENT\*


# Nasal Decongestant

Oxymetazoline Hydrochloride 0.05%

Original Pump Mist

- Won't drip from nose or down throat
- Fast, powerful congestion relief
- For colds & allergies
- Maximum strength

1 FL OZ (30 mL)



## Drug Facts

**Active ingredient** Oxymetazoline hydrochloride 0.05%...**Purpose** Nasal decongestant

### Uses

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

### Warnings

- Ask a doctor before use if you have**
- heart disease
  - high blood pressure
  - thyroid disease
  - diabetes
  - trouble urinating due to an enlarged prostate gland

### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

### Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
  - children under 6 years of age: ask a doctor
- To Use:** Shake well before use. Hold white tabs, **SQUEEZE** grooved area of cap **FIRMLY** and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

### Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

## Drug Facts (continued)


**Inactive ingredients** benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, microcrystalline cellulose and carboxymethylcellulose sodium, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

## Questions or comments?

1-888-723-3929

### How to use:

Hold white tabs, **SQUEEZE** grooved area of cap **FIRMLY** and turn counter clockwise. Secure cap after use.



**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**  
Scan here for more information



38810 LJ C2

# SIGNATURE CARE NASAL DECONGESTANT

oxymetazoline hcl spray, metered

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-801
<b>Route of Administration</b>	NASAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
BENZYL ALCOHOL (UNII: LKG8494WBH)				
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
WATER (UNII: 059QF0KO0R)				
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)				
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
<b>Product Characteristics</b>				
<b>Color</b>	WHITE (to off white, viscous)		<b>Score</b>	
<b>Shape</b>			<b>Size</b>	
<b>Flavor</b>			<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-801-10	1 in 1 CARTON	07/09/2015	
1		30 mL in 1 BOTTLE, PUMP; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/09/2015		

**Labeler** - Safeway (009137209)