DAYTIME NIGHTTIME SINUS RELIEF- acetaminophen, diphenhydramine hcl, guaifenesin, phenylephrine hcl Target Corporation

788R Target Daytime Nighttime Sinus Relief

Active ingredients (in each caplet) (Sinus Day)

Acetaminophen 325 mg Guaifenesin 200 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever Expectorant Nasal decongestant

Active ingredients (in each caplet) (Sinus Night)

Acetaminophen 325 mg Diphenhydramine HCl 12.5 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever Antihistamine/cough suppressant Nasal decongestant

Uses

- temporarily relieves these common cold symptoms:
 - nasal congestion
 - headache
 - minor aches and pains
 - sinus congestion and pressure
 - cough (Nighttime only)
 - runny nose and sneezing (Nighttime only)
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive (Daytime only)

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other product containing diphenhydramine, even one used on skin (Nighttime only)

Ask a doctor before use if you have

- heart disease
- liver disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis (Nighttime only)
- glaucoma (Nighttime only)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (Nighttime only)

When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children (Nighttime only)
- marked drowsiness may occur (Nighttime only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (Nighttime only)
- avoid alcoholic beverages (Nighttime only)
- use caution when driving a motor vehicle or operating machinery (Nighttime only)

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs
 of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not take DAYTIME and NIGHTTIME products at the same time.

Directions

- do not take more than directed
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

Other information

_

Inactive ingredients (Daytime only)

-

Inactive ingredients (Nighttime only)

-

Questions or comments?

Call 1-800-910-6874

Principal Display Panel



DAYTIME NIGHTTIME SINUS RELIEF

acetaminophen, diphenhydramine hcl, guaifenesin, phenylephrine hcl kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11673-530

	ka		

#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-530- 02	2 in 1 CARTON	04/06/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Quantity of Parts				
Part #	Package Quantity	Total Product Quantity		
Part 1	2 BLISTER PACK	12 in 2		

Part 1 of 2

DAYTIME SINUS RELIEF

acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

Product Information

Item Code (Source) NDC:11673-524

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	325 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1W5297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg		

Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			

Product Characteristics				
Color	orange (Light Orange to Orange)	Score	no score	
Shape	CAPSULE (capsule shaped)	Size	19mm	
Flavor		Imprint Code	153	
Contains				

l	Packaging					
	#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
	1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M012	04/06/2025	

Part 2 of 2

NIGHTTIME SINUS RELIEF

acetaminophen, diphenhydramine hcl, phenylephrine hcl tablet, film coated

Product Information

Item Code (Source)	NDC:11673-523
Route of Administration	ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1W5297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics				
Color	blue (Light Blue to Blue color)	Score	no score	
Shape	CAPSULE (Capsule shaped)	Size	19mm	
Flavor		Imprint Code	154	
Contains				

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information										
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date							
OTC Monograph Drug	M012	04/06/2025								
Marketing Information										
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date							
OTC Monograph Drug	M012	04/06/2025								

Labeler - Target Corporation (006961700)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment									
Na me	Address	ID/FEI	Business Operations						
MARKSANS PHARMA LIMITED		925822975	manufacture(11673-530)						

Revised: 1/2025 Target Corporation