

**DAYTIME NIGHTTIME SINUS RELIEF- acetaminophen, diphenhydramine hcl,
guaifenesin, phenylephrine hcl
Target Corporation**

788R Target Daytime Nighttime Sinus Relief

Active ingredients (in each caplet) (Sinus Day)

Acetaminophen 325 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Expectorant
Nasal decongestant

Active ingredients (in each caplet) (Sinus Night)

Acetaminophen 325 mg
Diphenhydramine HCl 12.5 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Antihistamine/cough suppressant
Nasal decongestant

Uses

- temporarily relieves these common cold symptoms:
 - nasal congestion
 - headache
 - minor aches and pains
 - sinus congestion and pressure
 - cough (**Nighttime only**)
 - runny nose and sneezing (**Nighttime only**)
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive (**Daytime only**)

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other product containing diphenhydramine, even one used on skin
(Nighttime only)

Ask a doctor before use if you have

- heart disease
- liver disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis **(Nighttime only)**
- glaucoma **(Nighttime only)**

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers **(Nighttime only)**

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children **(Nighttime only)**
- marked drowsiness may occur **(Nighttime only)**
- alcohol, sedatives, and tranquilizers may increase drowsiness **(Nighttime only)**
- avoid alcoholic beverages **(Nighttime only)**
- use caution when driving a motor vehicle or operating machinery **(Nighttime only)**

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not take DAYTIME and NIGHTTIME products at the same time.***Directions***

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

Other information***Other information***

- store at 25°C(77°F), excursion permitted between 15-30°C (59-86°F)

Inactive ingredients (Daytime only)***Inactive ingredients (Sinus Day only)***

colloidal silicon dioxide, croscarmellose sodium, crospovidone, FD&C red no. 40, FD&C yellow no. 6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, talc, titanium dioxide

Inactive ingredients (Nighttime only)***Inactive ingredients (Sinus Night only)***

colloidal silicon dioxide, croscarmellose sodium, FD&C blue no. 1, FD&C blue no. 2, magnesium stearate, methacrylic acid, mica, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, talc, titanium dioxide

Questions or comments?

Call 1-800-910-6874

Principal Display Panel

Compare to active ingredients in Maximum Strength Mucinex® SINUS-MAX® Day Night Caplets*

Daytime Nighttime Sinus Relief

Ages 12+ Years

Acetaminophen
(Pain Reliever)
Guaifenesin
(Expectorant)
Phenylephrine HCl
(Nasal Decongestant)

- Relieves sinus pressure, headache and congestion
- Thins and loosens mucus

12 CAPLETS
20 TOTAL CAPLETS

Acetaminophen
(Pain Reliever)
Diphenhydramine HCl
(Antihistamine / Cough Suppressant)
Phenylephrine HCl
(Nasal Decongestant)

- Relieves nasal congestion, sinus pressure and pain
- Runny nose, sneezing and cough

8 CAPLETS

up&up

Drug Facts (continued)

Active ingredients (in each caplet) (Sinus Day) Purposes
Acetaminophen 325 mg.....Pain reliever
Guaifenesin 200mg.....Expectorant
Phenylephrine HCl 5 mg.....Nasal decongestant

Drug Facts (continued)

Uses (Sinus Day)

- temporarily relieves:
 - nasal congestion and pressure
 - sinus congestion and pressure
 - stuffy nose
 - throat irritation
 - minor aches and pains
 - skin itching and hives
 - minor colds and allergies
 - runny nose
 - cough

Warnings The product is for use only when you have a cold or flu. Do not use if you have a fever, headache, or if you are taking other medicines that contain acetaminophen, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)

Active ingredients (in each caplet) (Sinus Night) Purposes
Acetaminophen 325 mg.....Pain reliever
Diphenhydramine HCl 12.5 mg.....Antihistamine/cough suppressant
Phenylephrine HCl 5 mg.....Nasal decongestant

Drug Facts (continued)

Uses (Sinus Night)

- temporarily relieves:
 - nasal congestion and pressure
 - sinus congestion and pressure
 - stuffy nose
 - throat irritation
 - minor aches and pains
 - skin itching and hives
 - minor colds and allergies
 - runny nose
 - cough

Warnings The product is for use only when you have a cold or flu. Do not use if you have a fever, headache, or if you are taking other medicines that contain acetaminophen, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)

Active ingredients (in each caplet) (Sinus Night) Purposes
Acetaminophen 325 mg.....Pain reliever
Diphenhydramine HCl 12.5 mg.....Antihistamine/cough suppressant
Phenylephrine HCl 5 mg.....Nasal decongestant

Drug Facts (continued)

Uses (Sinus Night)

- temporarily relieves:
 - nasal congestion and pressure
 - sinus congestion and pressure
 - stuffy nose
 - throat irritation
 - minor aches and pains
 - skin itching and hives
 - minor colds and allergies
 - runny nose
 - cough

Warnings The product is for use only when you have a cold or flu. Do not use if you have a fever, headache, or if you are taking other medicines that contain acetaminophen, ask a doctor or pharmacist before taking this product.

TAMPER EVIDENT: DO NOT USE IF INDIVIDUAL BLISTER IS OPEN OR TORN

788R1224 094 03 0452 R00 C-002262-01-009-0000

LOT: EXP: No Print/No Varnish

3 11673 53002 3

DAYTIME NIGHTTIME SINUS RELIEF				
acetaminophen, diphenhydramine hcl, guaifenesin, phenylephrine hcl kit				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-530	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-530-02	2 in 1 CARTON	04/06/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BLISTER PACK	12 in 2
Part 2	2 BLISTER PACK	8 in 2

Part 1 of 2

DAYTIME SINUS RELIEF

acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

Product Information

Item Code (Source)	NDC:11673-524
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

Product Characteristics

Color	orange (Light Orange to Orange)	Score	no score
Shape	CAPSULE (capsule shaped)	Size	19mm
Flavor		Imprint Code	153
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2025	

Part 2 of 2

NIGHTTIME SINUS RELIEF

acetaminophen, diphenhydramine hcl, phenylephrine hcl tablet, film coated

Product Information

Item Code (Source)	NDC:11673-523
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	blue (Light Blue to Blue color)	Score	no score
Shape	CAPSULE (Capsule shaped)	Size	19mm
Flavor		Imprint Code	154
Contains			

Packaging

Item	Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2025	

Labeler - Target Corporation (006961700)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(11673-530)

Revised: 6/2025

Target Corporation