

**HYDROGEN PEROXIDE- hydrogen peroxide solution**  
**NDC, Inc.**

-----  
**Hydrogen Peroxide 3%**

**Drug Facts**

**Active Ingredient**

Hydrogen Peroxide (stabilized) 3%

**Purpose**

First Aid Antiseptic/Oral Debriding Agent

**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

**Warnings**

**For external use only**

**Do not use**

- in the eyes or apply over large areas of the body
- longer than 1 week

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns.

**Stop use and ask a doctor if**

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

---

**Oral Debriding Agent (oral  
rinse):**

Adults and children 2 years of

### **First Aid Antiseptic**

- clean the affected area
- apply a small amount of product on the area 1 to 3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

age & over:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute and then spit out
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

- 
- children under 12 years of age should be supervised in the use of this product
  - children under 2 years of age: consult a dentist or doctor

### **Other Information**

- Keep tightly closed in a cool dark place
- Do not shake bottle
- Hold away from face when opening

### **Inactive Ingredient**

Purified Water

### **PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label**

**REF: P903016**

NDC 43128-001-16

Hydrogen

**Peroxide**

**3% USP**

*Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.*

**16oz. ( 473mL )**

Made in USA for:

NDC, Inc., 407 New Sanford Rd.

La Vergne, TN 37086

www.ProAdvantagebyNDC.com

**Pro**

**ADVANTAGE**®

by **NDC**

REF: **P903016**  
NDC 43128-001-16



# Hydrogen Peroxide 3% USP

Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.

## Agua Oxigenada 3% USP

Manipulación evidente casquillo para su protección. No utilice banda anillo o si está separado de la tapa.

Made in the USA for:  
Fabricado en Estados Unidos para:  
NDC, Inc., 407 New Sanford Rd.  
La Vergne, TN 37086  
www.ProAdvantagebyNDC.com

16 fl. oz. (473 mL)

1-07-D0012N05F

### Drug Facts

Active Ingredient	Purpose
Hydrogen Peroxide (stabilized) 3%	First Aid Antiseptic/ Oral Debriding Agent

**Uses** • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

### Warnings For external use only

**Do not use** • in the eyes or apply over large areas of the body • longer than 1 week

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns.

**Stop use and ask a doctor if** • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

**First Aid Antiseptic** • clean the affected area • apply a small amount of product on the area 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Oral Debriding Agent (oral rinse)** Adults and children 2 years of age & over: • mix with an equal amount of water • swish around in the mouth over the affected area for at least 1 minute and then spit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

• children under 12 years of age should be supervised in the use of this product • children under 2 years of age: consult a dentist or doctor

**Other information** • Keep tightly closed in a cool dark place • Do not shake bottle • Hold away from face when opening

**Inactive Ingredient Purified Water**

1-07-D0012N05B



\*M220P9030168X\*

## HYDROGEN PEROXIDE

hydrogen peroxide solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43128-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43128-001-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	
2	NDC:43128-001-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/01/2014	

**Labeler** - NDC, Inc. (009831413)

Revised: 1/2026

NDC, Inc.