

COPPERTONE EVERY TONE AGE DEFENSE SUNSCREEN SPF 60- avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion
Beiersdorf Inc

Coppertone Every Tone Face Age Defense Clear Sunscreen SPF 60+

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 15%,
Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

dicaprylyl carbonate, butylene glycol dicaprylate/dicaprate, silica dimethyl silylate, neopentyl glycol diheptanoate, dibutyl adipate, dimethicone, dextrin palmitate, cococaprylate/caprates, acetyl ethylhexyl polyhydroxystearate, butyloctyl salicylate, diethylhexyl 2,6-naphthalate, diisopropyl adipate, poly C10-30 alkyl acrylate, triheptanoin, silica, alcohol denat., dimethicone/vinyl dimethicone crosspolymer, bakuchiol, stearylalkonium hectorite, dimethicone crosspolymer, C12-15 alkyl benzoate, 12-hydroxy stearic acid, dilinoleic acid/butanediol copolymer, propylene carbonate, ethylhexyl palmitate, hydroxyacetophenone, quaternium-90 bentonite, fragrance, stearic acid, castor oil/IPDI copolymer, water, palmitic acid

Questions?

1-866-288-3330

NEW

Coppertone® Clear Sunscreen

Every Tone Invisible Finish

Face 60+

Age UV Defense plus Bakuchiol

Transparent on all skin tones

Won't clog pores

Broad Spectrum SPF 60+

1.7 FL OZ (50 mL)

NEW

DEVELOPED WITH DERMATOLOGISTS

Coppertone®
CLEAR SUNSCREEN

EVERY
TONE
INVISIBLE FINISH
FACE

60+

AGE UV DEFENSE

plus antioxidant Bakuchiol



Transparent On All Skin Tones
Won't Clog Pores

Broad Spectrum SPF 60+

1.7 FL OZ (50 mL)

DEVELOPED WITH DERMATOLOGISTS

Coppertone®
CLEAR SUNSCREEN



Non-comedogenic
(won't cause breakouts)



Good for use
under makeup



Free of Oxybenzone,
Octinoxate, PABA,
Phthalates and Dyes



how2recycle.info



Drug Facts

Active ingredients Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%.....Sunscreen **Purpose**

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings ■ For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply at least every 2 hours ■ use a water resistant sunscreen if swimming or sweating ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

Inactive ingredients dicaprylyl carbonate, butylene glycol dicaprylate/dicaprate, silica dimethyl silylate, neopentyl glycol diheptanoate, dibutyl adipate, dimethicone, dextrin palmitate, coco-caprylate/caprate, acetyl ethylhexyl polyhydroxystearate, butyloctyl salicylate, diethylhexyl 2,6-naphthalate, diisopropyl adipate, poly C10-30 alkyl acrylate, triheptanoin, silica, alcohol denat., dimethicone/vinyl dimethicone crosspolymer, bakuchiol, stearyltrimonium hectorite, dimethicone crosspolymer, C12-15 alkyl benzoate, 12-hydroxy stearic acid, diinoleic acid/butanediol copolymer, propylene carbonate, ethylhexyl palmitate, hydroxyacetophenone, quaternium-90 bentonite, fragrance, stearic acid, castor oil/IPDI copolymer, water, palmitic acid

Questions? 1-866-288-3330

www.coppertone.com

Store upright.

Beiersdorf

Made in Mexico/Distributed by:
Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG, Germany

49157.790.FA.99

COPPERTONE EVERY TONE AGE DEFENSE SUNSCREEN SPF 60

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-8002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
ALCOHOL (UNII: 3K9958V90M)	
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)	
C12-20 ALKYL BENZOATE (UNII: Y15I6XI14C)	
WATER (UNII: 059QF0KO0R)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
FRAGRANCE FRESH CITRUS FLORAL ORC1501495 (UNII: OU4GI2R2WB)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PALMITIC ACID (UNII: 2V16EO95H1)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DILINOLEIC ACID/BUTANEDIOL COPOLYMER (UNII: 1F2S8T535O)	
12-HYDROXYSTEARIC ACID (UNII: 933ANU3H2S)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
DIBUTYL ADIPATE (UNII: F4K100DXP3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
CASTOR OIL/IPDI COPOLYMER (UNII: GSA2TXZ34G)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CALCIUM SILICATE (UNII: S4255P4G5M)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
BAKUCHIOL (UNII: OT12HJU3AR)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
POLYVINYL ACETATE (UNII: 32K497ZK2U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-8002-1	1 in 1 CARTON	10/15/2024	
1		50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2024	

Labeler - Beiersdorf Inc (001177906)

Revised: 10/2024

Beiersdorf Inc