

**COPPERTONE EVERY TONE AGE DEFENSE SUNSCREEN SPF 60- avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion**  
Beiersdorf Inc

-----  
**Coppertone Every Tone Face Age Defense Clear Sunscreen SPF 60+**

***Drug Facts***

***Active ingredients***

Avobenzone 3%, Homosalate 15%,  
Octisalate 5%, Octocrylene 10%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

dicaprylyl carbonate, butylene glycol dicaprylate/dicaprate, silica dimethyl silylate, neopentyl glycol diheptanoate, dibutyl adipate, dimethicone, dextrin palmitate, cococaprylate/caprates, acetyl ethylhexyl polyhydroxystearate, butyloctyl salicylate, diethylhexyl 2,6-naphthalate, diisopropyl adipate, poly C10-30 alkyl acrylate, triheptanoin, silica, alcohol denat., dimethicone/vinyl dimethicone crosspolymer, bakuchiol, stearylalkonium hectorite, dimethicone crosspolymer, C12-15 alkyl benzoate, 12-hydroxy stearic acid, dilinoleic acid/butanediol copolymer, propylene carbonate, ethylhexyl palmitate, hydroxyacetophenone, quaternium-90 bentonite, fragrance, stearic acid, castor oil/IPDI copolymer, water, palmitic acid

### ***Questions?***

1-866-288-3330

NEW

Coppertone® Clear Sunscreen

Every Tone Invisible Finish

Face 60+

Age UV Defense plus Bakuchiol

Transparent on all skin tones

Won't clog pores

Broad Spectrum SPF 60+

1.7 FL OZ (50 mL)

NEW

DEVELOPED WITH DERMATOLOGISTS

Coppertone®  
CLEAR SUNSCREEN

EVERY  
TONE  
INVISIBLE FINISH  
FACE

60+

AGE UV DEFENSE

plus antioxidant Bakuchiol



Transparent On All Skin Tones  
Won't Clog Pores

Broad Spectrum SPF 60+

1.7 FL OZ (50 mL)

DEVELOPED WITH DERMATOLOGISTS

Coppertone®  
CLEAR SUNSCREEN



Non-comedogenic  
(won't cause breakouts)



Good for use  
under makeup



Free of Oxybenzone,  
Octinoxate, PABA,  
Phthalates and Dyes



**Drug Facts**

**Active ingredients** Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%.....Sunscreen **Purpose**

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** ■ For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply at least every 2 hours ■ use a water resistant sunscreen if swimming or sweating ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

**Inactive ingredients** dicaprylyl carbonate, butylene glycol dicaprylate/dicaprate, silica dimethyl silylate, neopentyl glycol diheptanoate, dibutyl adipate, dimethicone, dextrin palmitate, coco-caprylate/caprato, acetyl ethylhexyl polyhydroxystearate, butyloctyl salicylate, diethylhexyl 2,6-naphthalate, diisopropyl adipate, poly C10-30 alkyl acrylate, triheptanoin, silica, alcohol denat., dimethicone/vinyl dimethicone crosspolymer, bakuchiol, stearylalkonium hectorite, dimethicone crosspolymer, C12-15 alkyl benzoate, 12-hydroxy stearic acid, diinoleic acid/butanediol copolymer, propylene carbonate, ethylhexyl palmitate, hydroxyacetophenone, quaternium-90 bentonite, fragrance, stearic acid, castor oil/IPDI copolymer, water, palmitic acid

**Questions?** 1-866-288-3330

www.coppertone.com

Store upright.

**Beiersdorf**

Made in Mexico/Distributed by:  
Beiersdorf Inc. Stamford, CT 06901  
©=reg. TM. of Beiersdorf AG, Germany

49157.790.FA.99

**COPPERTONE EVERY TONE AGE DEFENSE SUNSCREEN SPF 60**

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-8002
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>STEARALKONIUM HECTORITE</b> (UNII: OLX698AH5P)	
<b>C12-20 ALKYL BENZOATE</b> (UNII: Y15I6XI14C)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>FRAGRANCE FRESH CITRUS FLORAL ORC1501495</b> (UNII: OU4GI2R2WB)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y1O)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DILINOLEIC ACID/BUTANEDIOL COPOLYMER</b> (UNII: 1F2S8T535O)	
<b>12-HYDROXYSTEARIC ACID</b> (UNII: 933ANU3H2S)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)	
<b>TRIHEPTANOIN</b> (UNII: 2P6O7CFW5K)	
<b>CASTOR OIL/IPDI COPOLYMER</b> (UNII: GSA2TXZ34G)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)	
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>BAKUCHIOL</b> (UNII: OT12HJU3AR)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>DIMETHICONE CROSSPOLYMER</b> (UNII: UF7620L1W6)	
<b>POLYVINYL ACETATE</b> (UNII: 32K497ZK2U)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-8002-1	1 in 1 CARTON	10/15/2024	
1		50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2024	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc