

MEIJER MAX GAS 30CT- simethicone tablet, chewable **Meijer**

Calcium Carbonate 750 mg
Simethicone 250 mg

Active ingredient (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 250 mg

Purpose

Antacid

Anti-gas

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not take more than 2 chewable tablets in a 24-hour period, or use the maximum dosage for this product for more than 2 week, except under the advice and supervision of a physician.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets as symptoms occur. Children under 12 years consult a doctor

Other information

- **Each chewable tablet contains:** Calcium 300 mg
- Contains soy
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Beeswax, carmine, carnauba was, corn starch, corn syrup, dextrin, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake,

FD&C red no. 40, FD&C red no. 40 aluminum lake, FDYC yellow no. 5 aluminum lake, glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural & artificial flavors, phosphoric acid, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

Questions? Call 1-800-245-2898 M - F, 9AM - 4PM EST

Drug Facts (continued)

Other information ■ Each chewable tablet contains:
Calcium 300 mg ■ Contains soy ■ Contains FD&C yellow No. 5 (tartrazine) as a color additive ■ Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients Beeswax, carmine, carnauba wax, corn starch, corn syrup, dextrin, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 aluminum lake, glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural & artificial flavors, phosphoric acid, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

Questions? Call 1-800-245-2898 M - F, 9AM - 4PM EST

* This product is not manufactured or distributed by the owner of the registered trademark Gas-X®

NO INK OR VARNISH

7 13733 68035 6

PID 5442599
PN 60002488

OWNED BY MEIJER
GRAND RAPIDS, MI 49504
www.meijer.com

NDC-00000-0000-0


meijer.

**MAXIMUM STRENGTH
Gas Relief
Superchews®**

Calcium Carbonate 750 mg
Simethicone 250 mg

RELIEVES: HEARTBURN, GAS,
PRESSURE & BLOATING

STRAWBERRY & MIXED BERRY



**30
CHEWABLE
TABLETS**

Chewy,
Not Chalky®

Drug Facts

Active ingredients (in each chewable tablet) Purpose
Calcium carbonate 750 mg.....Antacid
Simethicone 250 mg.....Anti-gas

Uses Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion
■ Upset stomach due to these symptoms ■ Bloating, pressure or
stuffed feeling commonly referred to as gas

Warnings
Do not use if you have ever had an allergic reaction to this product or
any of its ingredients.
Do not take more than 2 chewable tablets in a 24-hour period, or use the
maximum dosage for this product for more than 2 weeks, except under the
advice and supervision of a physician.
Ask a doctor or pharmacist before use if you are now taking
a prescription drug. Antacids may interact with certain prescription drugs.
When using this product constipation may occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow
1 to 2 chewable tablets as symptoms occur. Children under 12 years
consult a doctor.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
SuperChews® and Chewy not Chalky® are registered trademarks of BestCo, LLC.

MEIJER MAX GAS 30CT

simethicone tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0095
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	250 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red (Red and Purple)	Score	no score
Shape	ROUND	Size	17mm
Flavor	STRAWBERRY (Strawberry and Mixed Berry)	Imprint Code	SR

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0095-1	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/08/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	10/08/2024	

Labeler - Meijer (006959555)**Registrant** - Bestco (002149136)**Establishment**

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Bestco

002149136

manufacture(79481-0095)

Revised: 12/2025

Meijer