

COPPERTONE KIDS SPORT SPF 60 SUNSCREEN- avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% aerosol, spray
Beiersdorf Inc

Kids Sport Sunscreen Spray SPF 60+

Drug Facts

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 15%,
Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (46.2% v/v), isobutane, butyloctyl salicylate, acrylates/octylacrylamide copolymer, polyester-8, ethylhexyl methoxycrylene, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, diethylhexyl syringylidenemalonate, fragrance

Questions?

1-866-288-3330

Coppertone® Sunscreen Spray

Kids Sport

#1 Pediatrician Recommended Sunscreen Brand

60+

Stays on Strong

Through

Sweat & Water

Stops up to 98% UV Rays

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 60+



Shake well before each use.
Broad Spectrum UVA/UVB protection in a durable formula that keeps up with active kids. Resists sweat. Resists water.

Drug Facts

Active ingredients	Purpose
(To Deliver) Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Flammable: Do not use near heat, flame, or while smoking
Do not use on damaged or broken skin
When using this product
■ keep away from face to avoid breathing it
■ keep out of eyes. Rinse with water to remove.
■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other information
■ protect this product from excessive heat and direct sun
■ store between 20° to 25°C (68° to 77°F)
■ may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (46.2% v/v), isobutane, butyloctyl salicylate, acrylates/octylacrylamide copolymer, polyester-8, ethylhexyl methoxycrylene, bis-octyldodecyl dimer dilinoleate/propanediol copolymer diethylhexyl syringylidenemalonate, fragrance

Questions? 1-866-288-3330

www.coppertone.com

Empty Before Recycling
how2recycle.info
METAL CAN
DOT-2P M5655
10013057

Coppertone
SUNSCREEN SPRAY

KID'S SPORT

PEDIATRICIAN RECOMMENDED
#1
SUNSCREEN BRAND

60+

STAYS ON STRONG THROUGH SWEAT & WATER

Stops up to 98% UV Rays

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 60+

NET WT 5 OZ (142 g)

COPPERTONE KIDS SPORT SPF 60 SUNSCREEN

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% aerosol, spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:66800-8006

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ALCOHOL (UNII: 3K9958V90M)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
ISOBUTANE (UNII: BXR49TP611)	
BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98ZR7R)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
FRAGRANCE CLEAN ORC0600327 (UNII: 329LCV5BTF)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-8006-1	142 g in 1 CAN; Type 0: Not a Combination Product	10/18/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/18/2024	

Labeler - Beiersdorf Inc (001177906)