

MAXIMUM REPAIR SPF 50 BROAD SPECTRUM- spf 50 cream EVI LABS

ZERMAT_MAXIMUN REPAIR_SPF 50

Active Ingredient

- Avobenzone 3%
- Homosalate 10%
- Octinoxate 6%
- Octisalate 5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see directions), decrease the risk of skin cancer and early skin aging caused by the sun.
- Higher SPF gives more sunburn protection

Directions

- Apply liberally 15 minutes before sun exposure.
- At least, every two hours.
- Immediately after swimming, sweating, or towel drying.

Administration

For external use

Warnings

- Do not use on damaged or broken skin.
- When using this product keep out of eyes.
- Rinse with water to remove.
- Stop use and consult physician if irritation or rash develops.
-

Keep out of reach of children's

Keep out of children. If the product is swallowed, get medical attention or contact the poison control center immediately.

Inactive Ingredients

Water purified, Aloe Barbadensis Leaf (aloe Vera Gel) Juice, Glycerin, Cetearyl Alcohol, Zemea-Propylene Glycol, Caprylic/Capric Triglyceride, Glyceryl Stearate, Beeswax, Jojoba Oil, Organic (Simmondsia Chinensis Seed Oil), Dicaprylyl Carbonate, Isopropyl Myristate, Stearyl Alcohol, Acrylate Copolymer, Dimethicone Fluido, Polysorbate-20, Vitamin E (Tocopheryl Acetate), Phenoxyethanol SA, Carbomer, Butyloctyl Salicylate, Hydrolyzed Collagen, Hydrolyzed Jojoba Protein, Methyl Methacrylate Crosspolymer, Vitamin B3 (Niacinamide), Sodium EDTA, Sodium Ascorbyl Phosphate (Vitamin C), Xanthan Gum, Fragrance and Ehyhexylglyrecin.



zermat®
MAXIMUM REPAIR
privilege



zermat®
MAXIMUM REPAIR
privilege



zermat®
Lote / Cad.
Cad. / Exp. Date.

Distributed by: Zermat USA Inc.
3540 W T C Jester Blvd
Houston, TX 77018
www.zermatusa.com

Questions or comments?

1-877-659-1552 Monday to Friday
(9 a.m. – 5 p.m. CT)

Dudas o comentarios?

1-877-659-1552 Lunes a Viernes
(9 a.m. – 5 p.m. CT)

Follow us / Síguenos:

www.facebook.com/zermatusa

www.instagram.com/zermat

www.zermatusa.com

Lot No.: 010924
Exp. Date: 09/03/26



27121

Broad Spectrum
Sunscreen SPF 50

Amplio Espectro
Protector Solar FPS 50

NOT WATER RESISTANT
NO RESISTENTE AL AGUA

Net Wt. 1.7 oz / Cont. Net. 48 g

Drug Facts	
Active Ingredients:	Purpose:
Avobenzone.....3.00%.....	Sunscreen
Homosalate.....10.00%.....	Sunscreen
Octinoxate.....6.00%.....	Sunscreen
Octisalate.....5.00%.....	Sunscreen
Uses:	
<ul style="list-style-type: none"> Helps prevent sunburn. If used as directed with other sun protection measure (see directions), decreases the risk of skin cancer and early skin aging caused by the sun. Higher SPF gives more sunburn protection. 	
Warnings:	
<ul style="list-style-type: none"> Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and consult physician if irritation or rash develops. Keep out of reach of children. If product is swallowed, get medical attention or contact poison control center immediately. 	
For external use only.	
Directions:	
<ul style="list-style-type: none"> Apply liberally 15-minutes before sun exposure. Reapply. At least, every two-hours. Immediately after swimming, sweating or towel drying. 	
Sun Protection Measures:	
<p>Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with broad spectrum protection and an SPF rating of 15 or higher, along with other sun protection measures including:</p> <ul style="list-style-type: none"> Limit time in the sun, especially between 10am and 2pm. Wear long sleeve shirts, pants, hats and sunglasses. For children under 6-months, consult a physician. 	
Inactive Ingredients:	
<p>Distilled Water, Aloe Barbadensis Leaf (Aloe Vera Gel) Juice, Glycerin, Cetearyl Alcohol, Zeme-Propylene Glycol, Caprylic/Capric Triglyceride, Glyceryl Stearate, Behenyl Jojoba Oil, Organic Simmondsium Chinensis Seed Oil, Dicaprylyl Carbonate, Isopropyl Myristate, Stearyl Alcohol, Acrylate Copolymer, Dimethicone Fluid, Polyorbite-20, Vitamin E (Tocopherol) Acetate, Phenylethanol SA, Carbomer, Butyl Octyl Salicylate, Hydrolyzed Collagen, Hydrolyzed Jojoba Protein, Methyl Methacrylate Crosspolymer, Vitamin B3 (Niacinamide), Sodium EDTA, Sodium Ascorbyl Phosphate (Vitamin C), Xanthan Gum, Fragrance and Ethylhexylglycerin.</p>	
Uses: Cosmetic for use external.	
Other Information:	
<ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sun. 	

Información del Medicamento:	
Ingredientes Activos:	Propósito:
Avobenzone (p-tert-butyl Methoxybenzoin).....3.00%.....	Protector Solar
Homosalate.....10.00%.....	Protector Solar
Octinoxate (Octyl Methoxycinnamate).....6.00%.....	Protector Solar
Octisalate (Octyl Salicylate).....5.00%.....	Protector Solar
Usos:	
<ul style="list-style-type: none"> Ayuda a prevenir quemaduras por el sol. Si es usado como se indica, que es tomando en cuenta otras medidas de protección anti-solar (vea instrucciones de uso), reduce el riesgo de contraer cáncer de piel y el envejecimiento prematuro de la piel causado por el sol. Un FPS más alto brinda más protección contra las quemaduras solares. 	
Advertencias:	
<ul style="list-style-type: none"> No usar sobre una piel dañada o cuarteada. Cuando use este producto manténgalo alejado de los ojos. Enjuague con suficiente agua para removerlo completamente. Descontinúe su uso y consulte a su médico si se desarrollara alguna irritación o erupción. Mantener fuera del alcance de los niños. En caso de ingestión, póngase en contacto con un médico o centro de control de intoxicaciones de inmediato. 	
Solo para uso externo.	
Instrucciones de Uso:	
<ul style="list-style-type: none"> Aplique con libertad 15 minutos antes de exponerse al sol. Aplique nuevamente. Al menos cada dos horas. Inmediatamente después de nadar, sudar, o secarse con toallas. 	
Medidas de Protección Anti-solar:	
<p>Passer tiempo bajo el sol aumenta el riesgo de contraer cáncer de piel y contribuye al envejecimiento prematuro de su piel. Para minimizar dichos riesgos, use regularmente protectores solares con amplio espectro de protección y que tengan un rango de SPF de 15 o superior, conjuntamente con otras medidas de protección anti-solar que incluyen:</p> <ul style="list-style-type: none"> Limite el tiempo de exposición al sol, especialmente entre las 10 AM y las 2 PM. Use camisas de mangas largas, pantalones, sombreros, y gafas de sol. Para niños menores de 6 meses, consulte a su médico. 	
Ingredientes Inactivos:	
<p>Acetato de Tocoferol, ácido ascórbico (vitamina C), Agua, Alcohol Ceteárico, Aloe, Barbádenis (Gel de Aloe Vera) Jugo, Butyrospermum parkii (mantequilla de karité), Camelia, emulsión (tinte) Extracto de hoja, Ciclopentasiloxano, Ciclotetrasiloxano, Cocamidopropilbetaina, Colágeno Soluble, Cucumis sativus (pepino) extracto, Extracto de Glicerilo, Extracto de Glicerilo SE, Extracto PEG-100, Fenoxietanol, Glicerina, Helianthus, Heptihexilglicerina, Isoparafina C13-14, Laureth-7, Mangifera indica (mango) mantequilla, Minato de Isopropilo, Olivato Ceteárico, Olivato de Sorbitano, Perfume (Fragancia), Poliacrilamida, Polisorbato -20, Propanodiol/Punicia Granatum (granada) extracto.</p>	
Otra información:	
<ul style="list-style-type: none"> Proteja el producto en este recipiente del calor excesivo y del sol directo. 	

MAXIMUM REPAIR SPF 50 BROAD SPECTRUM

spf 50 cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:84178-008

Route of Administration CUTANEOUS

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4.8 g in 48 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.4 g in 48 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.44 g in 48 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.88 g in 48 g

Inactive Ingredients

Ingredient Name	Strength
YELLOW WAX (UNII: 2ZA36H0S2V)	0.96 g in 48 g
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	0.72 g in 48 g
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	0.96 g in 48 g
GLYCERIN (UNII: PDC6A3C0OX)	1.44 g in 48 g
ALOE (UNII: V5VD430YW9)	2.4 g in 48 g
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	0.096 g in 48 g
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	0.48 g in 48 g
CUCUMBER JUICE (UNII: 61845009SP)	0.96 g in 48 g
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	0.144 g in 48 g
EDETATE DISODIUM (UNII: 7FLD91C86K)	0.096 g in 48 g
HYDROGENATED JOJOBA OIL, RANDOMIZED (UNII: Q47ST02F58)	0.96 g in 48 g
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	0.72 g in 48 g
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	0.01 g in 48 g
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	1.44 g in 48 g
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	1.44 g in 48 g
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	0.24 g in 48 g
SODIUM BENZOATE (UNII: OJ245FE5EU)	0.144 g in 48 g
PANTHENOL (UNII: WW9CM0067Z)	0.12 g in 48 g
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.48 g in 48 g
NIACINAMIDE (UNII: 25X5118RD4)	0.24 g in 48 g
COLLAGEN ALPHA-1(I) CHAIN BOVINE (UNII: FB3DQM32F2)	0.24 g in 48 g
WATER (UNII: 059QF0KO0R)	20.39 g in 48 g
DIMETHICONE 20 (UNII: H8YMB5QY0D)	0.48 g in 48 g
POLYSORBATE 20 (UNII: 7T1F30V5YH)	0.24 g in 48 g
HYDROLYZED JOJOBA ESTERS (POTASSIUM SALTS) (UNII: CH428W5O62)	0.24 g in 48 g
XANTHAN GUM (UNII: TTV12P4NEE)	0.096 g in 48 g
PEG-120 GLYCERYL STEARATE (UNII: 6941286E4I)	1.032 g in 48 g
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.576 g in 48 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84178-008-01	1 in 1 BOX	10/09/2024	
1		48 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/09/2024	

Labeler - EVI LABS (123617598)

Establishment

Name	Address	ID/FEI	Business Operations
EVI LABS		123617598	manufacture(84178-008)

Revised: 10/2024

EVI LABS