

**NIGHTTIME SLEEP AID MAXIMUM STRENGTH- diphenhydramine hydrochloride capsule, liquid filled**

**Best Choice (Valu Merchandisers Company)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient (in each softgel)**

Diphenhydramine HCl 50 mg

**Purpose**

Nighttime sleep-aid

**Use**

for relief of occasional sleeplessness.

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

avoid alcoholic drinks.

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

**Other information**

- store between 15-30°C (59-86°F)

**Inactive ingredients**

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol, sorbitan, white ink

**Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENT IN UNISOM® SLEEPGELS®†

MAXIMUM STRENGTH

NIGHTTIME

**Sleep Aid****DIPHENHYDRAMINE HCl 50 mg**

Helps to reduce difficulty falling asleep

Safe, Non-Habit Forming

LIQUID FILLED

**SOFTGELS**

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

**Package Label**

COMPARE TO THE ACTIVE INGREDIENT IN UNISOM® SLEEPGELS®†

MAXIMUM STRENGTH  
NIGHTTIME

# Sleep Aid

Best  
Choice®

Actual Size



**DIPHENHYDRAMINE HCl 50 mg**  
Helps to reduce difficulty falling asleep  
Safe, Non-Habit Forming

LIQUID FILLED  
**16 SOFTGELS**

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.  
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106

Best Choice,  
100% Guaranteed

[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

BEST CHOICE



PLD-G633A  
FC006442

†This product is not manufactured or distributed by Chatten, Inc., distributor of Unisom® SleepGels®.

<b>Use</b> For relief of occasional sleeplessness.
<b>Warnings</b> ■ Do not use ■ for children under 12 years of age ■ with any other product containing diphenhydramine, even one used on skin ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. ■ When using this product, avoid alcoholic drinks.
<b>Stop use and ask a doctor</b> if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
<b>Directions</b> ■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor
<b>Other information</b> ■ store between 15-30°C (59-86°F)
<b>Inactive ingredients</b> FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Diphenhydramine HCl 50 mg  
Nighttime sleep-aid



**BEST CHOICE Maximum Strength Sleep Aid**

**NIGHTTIME SLEEP AID MAXIMUM STRENGTH**

diphenhydramine hydrochloride capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-860
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

**Inactive Ingredients**

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

**Product Characteristics**

<b>Color</b>	BLUE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	P50
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-860-16	16 in 1 CARTON	09/30/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	09/30/2019	

---

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 10/2019

Best Choice (Valu Merchandisers Company)