

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet
Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&Cyellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to active ingredients of Mucinex® DM*

Mucus Relief DM

Guaifenesin 600 mg

Expectorant

Dextromethorphan HBr 30 mg

Cough Suppressant

- Controls cough
- Thins & loosen mucus

Extended-Release Tablets

*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Package Label

Drug Facts

Active ingredients (in each extended-release tablet)
Dextromethorphan HBr 30 mg
Guaifenesin 600 mg

Purposes
Cough Suppressant
Expectorant

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
■ temporarily relieves
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
■ the intensity of coughing
■ the impulse to cough to help you get to sleep

Warnings
Do not use ■ for children under 12 years of age
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
■ cough accompanied by too much phlegm (mucus)

When using this product, do not use more than directed.

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ do not crush, chew, or break tablet
■ take with a full glass of water
■ this product can be administered without regard for timing of meals
■ adults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
■ children under 12 years of age: do not use

Other information ■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments? Call 1-888-309-9030

*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072



DG™ health

Compare to active ingredients of Mucinex® DM*

Mucus Relief DM

**Guaifenesin 600 mg
Expectorant
Dextromethorphan HBr 30 mg
Cough Suppressant**

- Controls cough
- Thins and loosens mucus

12 HOUR

20 Extended-Release Tablets

Actual Tablet Size

600 mg Expectorant

30 mg Cough Suppressant

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

DOLLAR GENERAL Mucus Relief DM

MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:559 10-733
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

CARBOMER 934 (UNII: Z135WT9208)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POVIDONE (UNII: FZ989GH94E)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
TALC (UNII: 7SEV7J4R1U)				
Product Characteristics				
Color	YELLOW	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	AN038	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:559 10-733-06	6 in 1 CARTON	03/31/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:559 10-733-20	20 in 1 CARTON	03/31/2019	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA209692		03/31/2019	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 6/2019

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)