

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 25N- octinoxate, octocrylene, titanium dioxide cream
Aekyung Industrial Co., Ltd.

67225-5125-2 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 25N

Octinoxate 6.50 %

Octocrylene 3.00 %

Titanium Dioxide 5.12 %

Sunscreen

Helps prevent sunburn.

For external use only.

damaged skin or broken skin.

keep out of eyes. Rinse with water to remove.

If swallowed, get medical help or contact a poison control center right away.

■ Apply the product on your skin with the included applicator by rubbing the product with the applicator and gently patting it on your skin.

■ Apply liberally 15 minutes before sun exposure.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

■ Children under 6 months of age: Ask a doctor.

■ Reapply at least every 2 hours.

■ Use a water-resistant sunscreen if swimming or sweating.

■ Protect the product in this container from excessive heat and avoid storing it under direct sun.


■ Do not crush or drop product.

■ Handle with care.

■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Betula Platyphylla Japonica Bark Extract, Betula Platyphylla Japonica Juice, Dipropylene Glycol, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Phenyl Trimethicone, Niacinamide, Hydrogenated Poly(C6-14 Olefin), Euphorbia Cerifera (Candelilla) Wax, Dimethicone, Cyclopentasiloxane, Butylene Glycol, Squalane, Aloe Barbadensis Leaf Extract, Triisostearin, 1,2-Hexanediol, Cyclohexasiloxane, Polymethylsilsesquioxane, Propanediol, Cetyl PEG/PPG-10/1 Dimethicone, Sodium Glutamate, VP/Hexadecene Copolymer, Aluminum Hydroxide, C30-45 Alkyl Methicone, p-Anisic Acid, Dimethicone/PEG-10/15 Crosspolymer, Stearic Acid, C30-45 Olefin, Glyceryl Caprylate, Glycerin,

Triethoxycaprylylsilane, Alumina, Tocopheryl Acetate, Panthenol, Ceramide NP, Stearyl Heptanoate, Myristoyl/Palmitoyl Oxostearamide/Arachamide MEA, Adenosine, Cholesterol, Water, Sodium Hyaluronate, Polyhydroxystearic Acid, Hydrolyzed Hyaluronic Acid, Lactobacillus Ferment Lysate, Haematococcus Pluvialis Extract, Linoleic Acid, Boron Nitride, Astaxanthin, Aphanothece Sacrum Polysaccharide, Glycine Soja (Soybean) Oil, Lecithin, Ethylhexylglycerin, sh-Polypeptide-60, Fragrance, Alpha-Isomethyl Ionone, Benzyl Benzoate, Benzyl Salicylate, Linalool, +/- may contain (Titanium Dioxide (CI 77891), Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499))



AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 25N

octinoxate, octocrylene, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67225-5125
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.7168 g in 14 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.91 g in 14 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	0.42 g in 14 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PANTHENOL (UNII: WW9CM0O67Z)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SOYBEAN OIL (UNII: 241ATL177A)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERIN (UNII: PDC6A3C0OX)	
MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA (UNII: 1211AIM8G7)	
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (UNII: ANQ870JD20)	
TRISOSTEARIN (UNII: 71503RH8KG)	
POLYHYDROXYSTEARIC ACID STEARATE (UNII: 8KQ7I65XZE)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
BETULA PLATYPHYLLA BARK (UNII: ZF70YKN0YO)	
CERAMIDE NP (UNII: 4370DF050B)	
SQUALANE (UNII: GW89575KF9)	
ADENOSINE (UNII: K72T3FS567)	
C30-45 ALKYL METHICONE (UNII: NFX970DSI2)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ASTAXANTHIN (UNII: 8XPW32PR7I)	
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: POTX083987)	
C30-45 OLEFIN (UNII: 6DWD51M0O8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
STEARYL HEPTANOATE (UNII: 2M4UGL1NCN)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BETULA PLATYPHYLLA VAR. JAPONICA RESIN (UNII: 1B33PG6N4K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0KO0R)	
HAEMATOCOCCUS PLUVIALIS (UNII: 31TOFF0472)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PROPANEDIOL (UNII: 5965N8W85T)	
CANDELILLA WAX (UNII: WL0328HX19)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
HYALURONIC ACID (UNII: S270N0TRQY)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67225-5125-2	2 in 1 PACKAGE	10/11/2024	
1		14 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/11/2024	

Labeler - Aekyung Industrial Co., Ltd. (690511126)

Establishment

Name	Address	ID/FEI	Business Operations
Aekyung Industrial Co., Ltd.		690511126	manufacture(67225-5125)

Revised: 12/2025

Aekyung Industrial Co., Ltd.