

MEIJER BABY TEAR FREE SPF 50 - titanium dioxide, zinc oxide lotion

Meijer Distributing Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Titanium Dioxide 3.2%, Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Dimethicone, Phenoxyethanol, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Sodium Citrate, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.

Other information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-697-9868 Mon-Fri

Principle Display Panel

NDC: 4150-705-57

meijer

tear free

baby

Sunscreen

lotion

pediatrician tested

UVA/UVB protection

50


Broad Spectrum

SPF 50

Water Resistant

(80 minutes)

10 FL. OZ. (295 mL)



MEIJER BABY TEAR FREE SPF 50

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-705
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.2 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISOHEXADECANE (UNII: 918X10UF1E)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
ALUMINUM OXIDE (UNII: LM26O6933)	
GLYCERIN (UNII: PDC6A3C0OX)	

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-705-57	295 g in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/01/2016	

Labeler - Meijer Distributing Inc. (006959555)

Revised: 6/2016

Meijer Distributing Inc.