ITSRT TEA TREE OIL AND ARGAN OIL- itsrt tea tree oil and argan oil emulsion Guangzhou Qiaoyangzi Cosmetics Technology Co Ltd

Active ingredients

Selenium Sulfide 0.50%

Salicylic Acid 0.10%

Biotin 0.01%

Rosmarinus Officinalis (Rosemary) Leaf Extract 0.09%

Caffeine 0.10%

Panthenol 0.50%

Camellia Sinensis Leaf Extract 0.100%

Polygonum Multiflorum Root Extract 0.150%

Aloe Barbadensis Leaf Water 1.000%

Glycerin 1.500%

Purpose

Shampoo

Hair Care

Body Wash / Bathing

Dandruff Control

Hair Loss Prevention

Fragrance

Uses

Directions

Shampoo usage instructions

Wet hair or body. Pour out an appropriate amount of shampoo and rubit with your palm to create bubbles. Apply the product to hair or gently rub on the body for a few minutes to ensure even coverage.

Rinse hair and body with running warm water, do notrub vigorously. The water temperature should not betoo high to prevent hair from losing its luster. Simplyrinse it off thoroughly.

If necessary, repeat the above steps for shampooingFinally, gently pinch dry hair with your hands or wipehair and body with a dry towel.

Wamings

For external use only. Avoid contact with eyes. If irritation occurs, discontinue use.

Stop use

If irritation, redness, or discomfort occurs, discontinue use immediately and consult a doctor.

Do not use

Allergy to Ingredients: Do not use if you have an allergic reaction to any ingredient in this product.

Skin Damage or Inflammation: Do not use if there is any skin damage, inflammation, or infection during use.

Eye Contact: Avoid contact with eyes; if contact occurs, rinse immediately with water and seek medical help.

Use by Children: Do not use in children under 12 years old unless directed by a doctor. Pregnancy or Breastfeeding: Consult a doctor before use if you are pregnant or breastfeeding.

Keep out of reach of children!

Keep away from children!

Use by Children: Do not use in children under 12 years old unless directed by a parent or doctor.

Precautions for Use

Eye Contact: Avoid contact with eyes; if contact occurs, rinse immediately with water and seek medical help.

INACTIVE INGREDIENT SECTON

Aqua 71.650%
Sodium Laureth Sulfate 8.300%
Decyl Glucoside 2.000%
Butylene Glycol 2.000%
Sodium Chloride 1.750%
Cetrimonium Chloride 1.650%
Potassium Cocoate 1.500%
Cocamidopropyl Betaine 1.500%
Glycol Distearate 1.000%
Silanetriol Arginate 1.000%
Fragrance 0.500%
Glycerol Formal 0.500%
Glyceryl Stearate 0.500%
Ethylhexylglycerin 0.500%
Hydroxyacetophenone 0.350%

Sorbic Acid 0.300%
Magnesium Chloride 0.100%
Magnesium Nitrate 0.100%
Glycyrrhiza Glabra Root Extract 0.30%
Scutellaria Baicalensis Root Extract 0.30%
Melaleuca Alternifolia (Tea Tree) Leaf Oil 0.05%
Centella Asiatica Extract 0.05%
Polygonum Cuspidatum Root Extract 0.05%

Instructions for Use

Instructions for Use

Wet Hair: Thoroughly wet your hair and scalp before using the shampoo.

Dispense the Right Amount: Squeeze out an appropriate amount of shampoo (usually about the size of a coin), adjusting the amount based on the length and thickness of your hair.

Apply Evenly: Apply the shampoo evenly to your hair and scalp, gently massaging to create lather.

Rinse: Rinse thoroughly with warm water, ensuring that all the shampoo is washed out.

Repeat if Necessary: If you have special cleansing needs, you may use the shampoo again.

Follow with Conditioner: After using the shampoo, it is recommended to use a conditioner to keep your hair moisturized and smooth.

Frequency of Use: It is advisable to use the shampoo regularly based on your hair type and needs. Typically, using it 2-3 times a week is appropriate.

DOSAGE & ADMINISTRATION SECTION

Frequently Asked Questions

How often should I use ITSRT?

You only need to use ITSRT every 3 to 4 days (about twice a week) for 8 weeks. On the days you don't use ITSRT, you can use your regular shampoo and conditioner.

Can I continue to use ITSRT?

Always follow the label instructions. You may use ITSRT every 3 to 4 days (about twice a week) for 8 weeks, then as needed to control dandruff.

Is ITSRT safe to use on color-treated or keratin-treated hair? Yes, ITSRT is safe to use on color-treated, chemically processed, and gray hair.

Is it okay to use a conditioner with ITSRT?

We recommend using a conditioner between uses of ITSRT. Some dandruff shampoos don't smell very good; how does ITSRT smell? ITSRT has a clean, fresh scent and a pearlescent, soft look and feel.

Does ITSRT work on severe dandruff?

Clinical studies show that ITSRT is effective in controlling symptoms of mild, moderate,

and even severe dandruff, such as flaking, dryness, and itching.

How fast does ITSRT work?

Always follow the label instructions and use ITSRT every 3 to 4 days (about twice a week) for 8 weeks. Published clinical study results show that ketoconazole, the active ingredient in ITSRT, starts working from the first use to relieve dandruff symptoms and control the fungus that causes dandruff.

PRINCIPAL DISPLAY PANEL



ITSRT TEA TREE OIL AND ARGAN OIL

itsrt tea tree oil and argan oil emulsion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84751-141	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	0.1 mg in 100 mg	
PANTHENOL (UNII: WW9CM0067Z) (PANTHENOL - UNII:WW9CM0067Z)	PANTHENOL	0.5 mg in 100 mg	
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1.5 mg in 100 mg	
ALOE VERA LEAF (UNII: ZY81Z83H0X) (ALOE VERA LEAF - UNII:ZY81Z83H0X)	ALOE VERA LEAF	1 mg in 100 mg	
GREEN TEA LEAF (UNII: W2ZU1RY8B0) (GREEN TEA LEAF - UNII:W2ZU1RY8B0)	GREEN TEA LEAF	0.1 mg in 100 mg	
ROSEMARY (UNII: IJ67X351P9) (ROSEMARY - UNII:IJ67X351P9)	ROSEMARY	0.09 mg in 100 mg	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.01 mg in 100 mg	
FALLOPIA MULTIFLORA ROOT (UNII: AUZ3VD75MC) (FALLOPIA MULTIFLORA ROOT - UNII:AUZ3VD75MC)	FALLOPIA MULTIFLORA ROOT	0.15 mg in 100 mg	
SELENIUM SULFIDE (UNII: Z69D9E381Q) (SELENIUM SULFIDE - UNII: Z69D9E381Q)	SELENIUM SULFIDE	0.5 mg in 100 mg	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.1 mg in 100 mg	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)	71.65 mg in 100 mg		

Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:84751- 141-01	500 mg in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/01/2024		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M032	10/01/2024		

Labeler - Guangzhou Qiaoyangzi Cosmetics Technology Co Ltd (705198354)

Registrant - Guangzhou Qiaoyangzi Cosmetics Technology Co Ltd (705198354)

Establishment				
Name	Address	ID/FEI	Business Operations	
Guangzhou Qiaoyangzi Cosmetics Technology Co Ltd		705198354	label(84751-141) , manufacture(84751-141)	

Revised: 10/2024 Guangzhou Qiaoyangzi Cosmetics Technology Co Ltd