

CITROMA- magesium citrate liquid
Perrigo Direct, Inc

Good Sense 166.000/166AA rev 1-AB
Lemon Magnesium Citrate

Active Ingredient (in each fl oz)

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask A Doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask help professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30°C)

Directions

- Shake well before using.
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

other information

- each fl oz contains: **magnesium 290 mg**
- each fl oz contains: **sodium 1 mg**

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions?

Call 1-888-593-0593

Disclaimer

Non-USP; Non-Carbonated, Non-Pasteurized; Contains Preservatives

Adverse Reaction

Distributed By: Perrigo Direct, Inc.

Peachtree City, GA 30269

www.PerrigoDirect.com 1-888-593-0593

GoodSense is a registered trademark of L. Perrigo Company.

Principal Display Panel

NDC 50804-166-38

GOODSENSE®

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN, OR SEPARATED FROM NECKRING

Magnesium

Citrate

Saline Laxative

Oral Solution

- Non-pasteurized
- Saccharin free

Pleasing Lemony Flavor

10 FL OZ (296 mL)

NDC 50804-166-38

GOODSENSE®

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Magnesium Citrate

Saline Laxative

Oral Solution

• Non-pasteurized • Saccharin free

Pleasing Lemony Flavor

10 FLOZ (296 mL)

Drug Facts Active ingredient (in each fl oz) Purpose Magnesium citrate 1.745 g Saline laxative	Drug Facts (continued) or contact a Poison Control Center right away. Store at temperatures between 48° and 86° F (8° and 30° C)
Uses ■ for relief of occasional constipation (irregularity). ■ Generally produces bowel movement in ½ to 6 hours	Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses
Warnings Ask a doctor before use if you have ■ kidney disease ■ a magnesium restricted diet ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ already used a laxative for a period longer than 1 week Ask a doctor or pharmacist before use if you are ■ taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.	adults and children 12 years of age and over 6.5 to 10 fl oz maximum 10 fl oz in 24 hours children 6 to under 12 years of age 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age 2 to 3 fl oz maximum 3 fl oz in 24 hours children under 2 years of age ask a doctor
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help ▶	Other information ■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg
L0017564SC Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives	Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water Questions? Call 1-888-593-0593

8 46036 00949 1

Distributed by: Perrigo Direct, Inc.
Peachtree City, GA 30299
www.PerrigoDirect.com 1-888-593-0593
GoodSense® is a registered trademark of L. Perrigo Company.



CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-166
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)		MAGNESIUM CITRATE	1.745 g in 29.6 mL	
Inactive Ingredients				
Ingredient Name			Strength	
BENZOIC ACID (UNII: 8SKN0B0MIM)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-166-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/18/2018	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	02/18/2018		

Labeler - Perrigo Direct, Inc (076059836)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(50804-166)

Revised: 2/2026

Perrigo Direct, Inc