

MICONAZOLE- miconazole nitrate cream
Chain Drug Consortium, LLC

Miconazole Nitrate Cream, USP

Drug Facts

Active ingredient

Miconazole nitrate, USP 2%

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot, jock itch, and ringworm
- for effective relief of itching, scaling, cracking, burning, and discomfort

Warnings

For external use only

Do not use

on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or within 2 weeks (for jock itch)

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night), or as directed by a doctor

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition lasts longer, contact a doctor
- this product is not effective on the scalp or nails

Other information

- do not use if foil seal on tube opening is broken or missing
- to open tube: unscrew cap, lift tab, and pull to remove foil seal prior to use
- store at room temperature 15-30°C (59-86°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients

benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxyglycerides, pegoxol 7 stearate, purified water

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal display panel

COMPARE TO THE ACTIVE INGREDIENT IN MICARIN® ANTIFUNGAL CREAM*

Antifungal Cream

Miconazole nitrate cream, USP 2%

Cures Most

Athlete's Foot,

Jock Itch & Ringworm.

Soothes Itching, Scaling, Cracking, and Burning

*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, distributor of Micatin® Antifungal Cream.

Distributed By: Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

Package label



COMPARE TO THE ACTIVE INGREDIENT IN MICATIN® ANTIFUNGAL CREAM*

Antifungal Cream

Miconazole nitrate cream, USP 2%

Cures Most Athlete's Foot, Jock Itch & Ringworm.



Soothes Itching, Scaling, Cracking, and Burning



COMPARE TO THE ACTIVE INGREDIENT IN MICATIN® ANTIFUNGAL CREAM*

Antifungal Cream

Miconazole nitrate cream, USP 2%

NET WT. 1 OZ (28g)



Distributed By: Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



CODE: 60/DRUGS/361 AAK3B/02 PLD-C652D FC007316 Product of Spain

*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, distributor of Micatin® Antifungal Cream.

<p>Directions</p> <ul style="list-style-type: none"> Do not use on children under 2 years of age unless directed by a doctor. When using this product, avoid contact with the eyes. Stop use and ask a doctor if <ul style="list-style-type: none"> irritation occurs there is no improvement within 4 weeks (for athlete's foot and ringworm) or within 2 weeks (for jock itch) Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. <p>Directions</p> <ul style="list-style-type: none"> clean the affected area and dry thoroughly 	<p>Important Information</p> <ul style="list-style-type: none"> do not use if foil seal on tube opening is broken or missing to open tube: unscrew cap, lift tab, and pull to remove foil seal prior to use store at room temperature 15-30°C (59-86°F) before using any medication, read all label directions. Keep carton, it contains important information. <p>Inactive ingredients benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxyglycerides, pigoxol 7 stearate, purified water</p> <p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>
--	--

<p>Other Information</p> <ul style="list-style-type: none"> ■ apply a thin layer of the product over affected area twice daily (morning and night) ■ or as directed by a doctor ■ supervise children in the use of this product ■ for athlete's foot: pay special attention to the spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily ■ for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks ■ if condition lasts longer, contact a doctor ■ this product is not effective on the scalp or nails <p>Drug Facts (continued)</p>	<p>Warnings For external use only</p> <p>■ proven clinically effective in the treatment of most athlete's foot, jock itch, and ringworm</p> <p>■ for effective relief of itching, cracking, burning, and discomfort</p> <p>Uses</p> <p>Miconazole Nitrate, USP 2%.....Antifungal</p> <p>Active Ingredient Purpose</p>
---	--

PREMIER VALUE Antifungal Cream

MICONAZOLE

miconazole nitrate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-291
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
MINERAL OIL (UNII: T5L8T28FGP)	
PEGOXOL 7 STEARATE (UNII: 3EW5AXE5X5)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-291-01	1 in 1 CARTON	05/15/2009	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	05/15/2009	

