

**KINESYS PRO SPORT CLEAR MINERAL SUNSCREEN STICK BROAD SPECTRUM
SPF45- zinc oxide stick
Wilc Healthcare Inc**

Active Ingredient

Zinc Oxide 22%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product avoid contact with eyes. If contact occurs, rinse with water.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center immediately.

Directions

Apply liberally 15 minutes before sun exposure

Reapply: after 80 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- Children under 6 months, ask a doctor.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10am-2pm
- wear long sleeved shirts, pants, hats and sunglasses.

Other Information

Protect this product from excessive heat and direct sun

Inactive Ingredients

PPG-2 Myristyl Ether Propionate, C18-36 Acid Triglyceride, Beeswax, Pentaerythrityl Tetracaprylate /Tetracaprate, Caprylic/Capric Triglyceride, Polyhydroxystearic Acid, Stearyl Alcohol, Butyloctyl Salicylate, C10-30 Cholesterol/Lanosterol Esters

Question or Comments?

1-888-546-3797

Product label

pro
SPORT

ELEVATE YOUR GAME

Pro Sport delivers what an athlete needs to stay well protected and feel unstoppable in their sport.

Drug Facts

Active Ingredient Zinc Oxide 22%
Purpose.....Sunscreen

Uses: Helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product avoid contact with eyes. If contact occurs, rinse with water. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a poison control center immediately.

Directions: • Apply liberally 15 minutes before sun exposure. • Reapply: after 80 minutes of swimming or sweating • immediately after toweldrying • at least every 2 hours • Children under 6 months, ask a doctor.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10am-2pm • wear long sleeved shirts, pants, hats and sunglasses.

Other Information:

Protect this product from excessive heat and direct sun.

Inactive Ingredients: PPG-2 Myristyl Ether Propionate, C18-36 Acid Triglyceride, Beeswax, Pentaerythrityl Tetraacrylate/Tetraacrylate, Caprylic/Capric Triglyceride, Polyhydroxystearic Acid, Stearyl Alcohol, Butyloctyl Salicylate, C10-30 Cholesterol/Lanosterol Esters.

Questions or Comments?

1-888-546-3797

FORMULATED FOR SPORT

- Water/Sweat Resistant (80 mins)
- For Face & Body
- Easy No-Touch Application
- Ultra Skin Comfort Formula

KINeSYS®

pro
SPORT

CLEAR MINERAL
SUNSCREEN STICK

100% Mineral
Active
Ingredient

Reef Safe,
Vegetarian &
Cruelty Free

45

Broad Spectrum SPF 45
Fragrance Free
80 Min. Water/
Sweat Resistant

0.5 OZ (14.2g)



ECO SMART® CONTAINER
MADE IN THE USA

KINESYSACTIVE.COM

DISTRIBUTED BY:
WILC HEALTHCARE INC.
VANCOUVER BC
V6H 4E4, CANADA



7 78817 06512 2

KINESYS PRO SPORT CLEAR MINERAL SUNSCREEN STICK BROAD SPECTRUM SPF45

zinc oxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61481-3008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	22 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
WHITE WAX (UNII: 7G1J5DA97F)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
PENTAERYTHRITYL TETRACAPRYLATE/TETRACAPRATE (UNII: 832C4KF14X)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
C10-30 CHOLESTEROL/LANOSTEROL ESTERS (UNII: 137SL7ILOY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61481-3008-1	4.2 g in 1 TUBE; Type 0: Not a Combination Product	04/10/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/10/2023	

Labeler - Wilc Healthcare Inc (203499140)

Revised: 10/2025

Wilc Healthcare Inc