

**LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch**  
**Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.**

-----  
**Liuquanmiao, LIDOCAINE PAIN RELIEF Gel-Patch, Lidocaine 4%, 15-41 Patches**

**Active ingredients**

Lidocaine 4% ..... Purpose: Topical Analgesic

**Purpose**

Topical Anesthetic

**Uses**

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only

**Do not use**

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

**Stop use ... if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**... ask a doctor if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**If pregnant or breast-feeding**

ask a health professional before use.

## **KEEP OUT OF REACH OF CHILDREN**

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

## **Directions**

### **Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

**Children under age of 12:** Consult a doctor

## **Inactive Ingredients**

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

## **Usage**

CUT OPEN HERE

Sumifun®

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**Numbing muscle and relieve pain:**

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

▪ Knee	▪ Back	▪ Neck
▪ Elbow	▪ Shoulders	

**4% LIDOCAINE**



**1** PATCH  
5.5" x 3.94"  
(14cm x 10cm)

**Drug Facts**

**Active ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical Anesthetic

**Uses**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**  
For external use only

**Do not use**

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

**Stop use and ask a doctor if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**If pregnant or breast-feeding,**  
ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**  
Adults and Children above 12 years old:  
· Clean and dry the affected area.  
· Tear off the protective film and apply the exposed part of the patch to the affected area.  
· Carefully remove remaining film while pressing the patch firmly on the skin.  
· Remove patch from the skin after at most 8-hour application.  
Children under age of 12: Consult a doctor

**Inactive Ingredients**  
Dihydroxyaluminum Aminoacetate,  
Disodium Ethylenediaminetetraacetic Acid, Glycerin,  
Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol,  
Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben,  
Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water

**Usage**



**Questions or Comments:** [supports@sumifunofficial.com](mailto:supports@sumifunofficial.com)  
**Business Cooperation:** [business@sumifunofficial.com](mailto:business@sumifunofficial.com)

Guangzhou Liuguang Import & Export Trade Co., Ltd.  
417, Building A, No. 8, Dong Heng San Road,  
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Child Resistant Packaging



## Questions or Comments

[supports@sumifunofficial.com](mailto:supports@sumifunofficial.com)

**158-16**

www.sumifunofficial.com  
 INST: @sumifunofficial  
 YouTube: @sumifun  
 Facebook: @sumifunOfficial  
 TikTok: @sumifunofficial  
 Twitter: @sumifunOfficial

Sumifun®

# LIDOCAINE PAIN RELIEF Gel-Patch



Numbing muscle and relieve pain:

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

• Knee	• Back	• Neck
• Elbow	• Shoulders	



**16** PATCHES  
 5.5" x 3.94"  
 (14cm x 10cm)

Guangzhou Lidoanmed Import & Export Trade Co., Ltd.  
 #12, Building 8, No. 81, Dongfeng Road, Baiyuan,  
 Zhanu, Tianhe District, Guangzhou/Guangdong, China

Made in PRC



unjunns

**Drug Facts**

**Active ingredients** ..... Purpose  
 Lidocaine, etc. .... Topical Anesthetic

**Uses**  
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hip, shoulders, elbows.

**Warnings**  
 For external use only

**Do not use**  
 on wounds or damaged skin  
 with a heating pad or device  
 with other creams, ointments, sprays, or liniments  
 if you are allergic to any ingredients of this product

**When using this product**  
 use only as directed  
 avoid contact with the eyes, mucous membranes, or mucus  
 do not bandage tightly

**Stop use and ask a doctor if**  
 skin reactions such as redness, swelling, blistering or other discomfort occur  
 symptoms persist for more than 7 days

**If pregnant or breast-feeding,**  
 ask a health professional before use  
**KEEP OUT OF REACH OF CHILDREN.**  
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**

Adults and Children above 12 years old:  
 Clean and dry the affected area.  
 Peel off the protective film and apply the exposed part of the patch to the affected area.  
 Carefully remove remaining film while pressing the patch firmly on the skin.  
 Remove patch from the skin after at most 8-hour application.  
 Children under age of 12: Consult a doctor

**Inactive ingredients**

Dihydroxyaluminum Aminoacetate,  
 Disodium Ethylenediaminetetraacetic Acid, Glycolin,  
 Kapton, Methylpropane Polycarbonate (3), Polyurethane Glycol,  
 Polyacrylic Acid, Polyvinylpyrrolidone (K90), Propylparaben,  
 Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

**Usage**



**Questions or Comments:** support@sumifunofficial.com  
**Business Cooperation:** business@sumifunofficial.com

Child Resistant Packaging





www.sumifunofficial.com  
 Instagram: @sumifunofficial  
 YouTube: @sumifun  
 Facebook: @sumifunOfficial  
 TikTok: @sumifunofficial  
 Twitter: @sumifunOfficial

Sumifun®

# LIDOCAINE

## PAIN RELIEF Gel-Patch



Numbing muscle and relieve pain:

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

• Knee	• Back	• Neck
• Elbow	• Shoulders	



**20** PATCHES  
 5.5" x 3.94"  
 (14cm x 10cm)

Guangzhou Liguangshan Import & Export Trade Co., Ltd.  
 17, Zhilong 3, No. 8, Changyang San Road,  
 Zhuzhou, Tianhu District, Guangzhou, Guangdong, China

Made in PRC

Sumifun®

**Drug Facts**

Active Ingredients: Lidocaine 4% Purpose: Topical Anesthetic

Uses: Temporarily relieves muscle soreness and minor joint pain in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only

**Do not use**

on wounds or damaged skin with a healing pad or device with other ointments, creams, ointments, or lotions if you are allergic to any ingredients of this product

**When using this product**

use only as directed avoid contact with the eyes, mucous membranes, or mouth do not bandage tightly

**Stop use and ask a doctor if**

skin reactions such as redness, swelling, blistering or other discomfort occur symptoms persist for more than 7 days

**If pregnant or breast-feeding,**

ask a health professional before use. **KEEP OUT OF REACH OF CHILDREN.** If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**

Adults and Children above 12 years old: Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor

**Inactive Ingredients**

Dihydroxyaluminum Ammonioacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polyethylene Glycol, Polyethylene Glycol, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water

**Usage**



Questions or Comments: support@sumifunofficial.com Business Cooperation: business@sumifunofficial.com

Child Resistant Packaging





Sumifun®

# LIDOCAINE

## PAIN RELIEF Gel-Patch



Numbing muscle and relieve pain:

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

• Knee	• Back	• Neck
• Elbow	• Shoulders	

**21** PATCHES  
5.5" x 3.94"  
(14cm x 10cm)

www.sumifunofficial.com  
INS: @sumifunofficial  
YouTube: @sumifun  
Facebook: @sumifunOfficial  
TikTok: @sumifunofficial  
Twitter: @sumifunOfficial



Sumifun®

**Drug Facts**

Active Ingredients: Lidocaine 4% Purpose: Topical Anesthetic

**Uses**

Temporarily relieves muscle soreness and minor joint pain in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only.

**Do not use**

on wounds or damaged skin with a healing pad or device with other ointments, creams, sprays, or lotions. If you are allergic to any ingredients of this product.

**When using this product**

use only as directed and avoid contact with the eyes, mucous membranes, or mouth. Do not bandage tightly.

**Stop use and ask a doctor if**

skin reactions such as redness, swelling, blistering or other discomfort occur; symptoms persist for more than 7 days.

**If pregnant or breast-feeding,**

ask a health professional before use. **KEEP OUT OF REACH OF CHILDREN.** If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**

Adults and Children above 12 years old: Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor.

**Inactive Ingredients**

Dihydroxyaluminum Ammonioacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polyethylene Glycol, Polyethylene Glycol, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water.

**Usage**



Questions or Comments: [cs@sumifunofficial.com](mailto:cs@sumifunofficial.com)  
Business Cooperation: [business@sumifunofficial.com](mailto:business@sumifunofficial.com)

Child Resistant Packaging



Guangzhou Liguangshan Import & Export Trade Co., Ltd.  
17, Zhilang 2, No. 8, Changyang San Road,  
Zhuocun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

**Sumifun®**

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**4% LIDOCAINE**

**Numbing muscle and relieve pain:**

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

• Knee	• Back	• Neck
• Elbow	• Shoulders	

**28** PATCHES  
3.5" x 3.94"  
(9cm x 10cm)

Guangdong Cooperation Support & Export Trade Co., Ltd.  
617 Building A, No. 8, Song Hong Sun Road,  
Duzhou, Foshan City, Guangdong, China

Made in PRC

www.sumifunofficial.com  
INS: @sumifunofficial  
YouTube: @sumifun  
Facebook: @sumifunofficial  
TikTok: @sumifunofficial  
Twitter: @sumifunofficial

**Sumifun**

<p><b>Drug Facts</b></p> <p><b>Active ingredients</b> ..... Purpose Lidocaine 4% ..... Topical Anesthetic</p> <p><b>Uses</b> Temporarily relieves muscle spasms and minor joint pain in the wrist, lower back, neck, hip, shoulders, elbow.</p> <p><b>Warnings</b> For external use only</p> <p><b>Do not use</b> on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product</p> <p><b>When using this product</b> use only as directed avoid contact with the eyes, mucous membranes, or mouth do not bandage tightly</p> <p><b>Stop use and ask a doctor if</b> skin reactions such as redness, swelling, itching or other discomfort occur symptoms persist for more than 7 days</p> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>KEEP OUT OF REACH OF CHILDREN.</b> If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p>	<p><b>Directions</b> Adults and Children above 12 years old: Clean and dry the affected area. Tear away dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor</p> <p><b>Inactive ingredients</b> Diphenylmethane Antimonate, Dioxolane Ethylhexanoate/terephthalate Acid, Glycerin, Kathon, Methacrylates, Polyethylene Glycol, Propylene Glycol, Polyethylene Glycol, Polyethylene Glycol Propylacetate, Sodium Polyacrylate, Titanium Dioxide, Terephthalic Acid, Water</p> <p><b>Usage</b></p> <p><b>Child-Resistant Packaging</b></p>
---	--

Questions or Comments: support@sumifunofficial.com  
Business Cooperation: business@sumifunofficial.com

**Sumifun®**

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**4% LIDOCAINE**

**Numbing muscle and relieve pain:**

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

• Knee	• Back	• Neck
• Elbow	• Shoulders	

**30 PATCHES**  
3.5" x 3.94"  
(9cm x 10cm)

Guangdong Cooperation Support & Export Trade Co., Ltd.  
617 Building A, No. 8, Dong Hong Sun Road,  
Duzhou, Foshan City, Guangdong, China

Made in PRC

www.sumifunofficial.com  
 Instagram: @sumifunofficial  
 Facebook: @sumifunofficial  
 YouTube: @sumifun  
 Twitter: @sumifunofficial



**Sumifun**

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Lidocaine 4%	Topical Anesthetic
<b>Uses</b>	
Temporarily relieves muscle spasms and minor joint pains in the neck, lower back, neck, hip, shoulders, elbow.	
<b>Warnings</b>	
For external use only	
<b>Do not use</b>	
on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or liniments if you are allergic to any ingredients of this product	
<b>When using this product</b>	
use only as directed avoid contact with the eyes, mucous membranes, or mouth do not bandage tightly	
<b>Stop use and ask a doctor if</b>	
skin reactions such as redness, swelling, itching or other discomfort occur symptoms persist for more than 7 days	
<b>If pregnant or breast-feeding,</b>	
ask a health professional before use. <b>KEEP OUT OF REACH OF CHILDREN.</b> If swallowed accidentally, get medical help or contact with Poison Control Center immediately.	
<b>Directions</b>	
Adults and Children above 12 years old: Clean and dry the affected area. Tear away the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor	
<b>Inactive ingredients</b>	
Diphenylmethane Antimonate, Dioxolane Ethylhexadecylsuccinate, Acid, Glycerin, Kathon, Methacrylates, Polyurethane 80, Propylene Glycol, Polyethylene Glycol, Polyethylene Glycol Propylacetate, Sodium Polymethacrylate, Titanium Dioxide, Terephthalic Acid, Water	
<b>Usage</b>	
<b>Questions or Comments:</b> support@sumifunofficial.com Business Cooperation: business@sumifunofficial.com	
<b>Child Resistant Packaging</b>	

www.sumifunofficial.com  
 Instagram: @sumifunofficial  
 YouTube: @sumifun  
 Facebook: @sumifunOfficial  
 TikTok: @sumifunofficial  
 Twitter: @sumifunOfficial

Sumifun®

# LIDOCAINE PAIN RELIEF Gel-Patch



Numbing muscle and relieve pain:

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

• Knee	• Back	• Neck
• Elbow	• Shoulders	



**15** PATCHES  
 5.5" x 3.94"  
 (14cm x 10cm)

Guangzhou Lidoanmed Import & Export Trade Co., Ltd.  
 #12, Building 8, No. 81, Dongfeng Road, Baihu,  
 Zhanou, Tianhe District, Guangzhou/Guangdong, China

Made in PRC



sumifun

**Drug Facts**

Active ingredients: Lidocaine, etc. Purpose: Topical Anesthetic.

Uses: Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only.

Do not use on wounds or damaged skin with a healing pad or device with other creams, ointments, sprays, or liniments if you are allergic to any ingredients of this product.

**When using this product**

use only as directed. avoid contact with the eyes, mucous membranes, or mucus. do not bandage tightly.

**Stop use and ask a doctor if**

skin reactions such as redness, swelling, blistering or other discomfort occur. symptoms persist for more than 7 days.

**If pregnant or breast-feeding,**

ask a health professional before use. **KEEP OUT OF REACH OF CHILDREN.** If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**

Adults and Children above 12 years old: Clean and dry the affected area. Peel off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor.

**Inactive Ingredients**

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycolin, Kapton, Methylpropane Polycarbonate, Polyethylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

**Usage**



Questions or Comments: support@sumifunofficial.com  
 Business Cooperation: business@sumifunofficial.com

Child Resistant Packaging



www.sumifun.com  
 @sumifunofficial  
 YouTube: @sumifun  
 Facebook: @sumifunofficial  
 TikTok: @sumifunofficial  
 Twitter: @sumifunofficial

Sumifun®

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**4% LIDOCAINE**

**Numbing muscle and relieve pain:**

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

• Knee	• Back	• Neck
• Elbow	• Shoulders	

**31** PATCHES  
 5.5" x 3.94"  
 (14cm x 10cm)

Sumifun (China) Pharmaceutical Import & Export Trade Co., Ltd.  
 217, Building A, No. 4, Changyang San Road,  
 Zhuzhou, Hunan District, Guangzhou, Guangdong, China

Made in PRC

sumifun

**Drug Facts**

Active Ingredients: Lidocaine 4%  
 Lidocaine 4% is a Local Anesthetic.

**Directions**  
 Adults and Children above 12 years old:  
 Clean and dry the affected area.  
 Tear off the protective film and apply the exposed part of the patch to the affected area.  
 Carefully remove remaining film while pressing the patch firmly on the skin.  
 Remove patch from the skin after at most 8-hour application.  
 Children under age of 12: Consult a doctor.

**Warnings**  
 For external use only.

**Do not use**  
 on wounds or damaged skin with a heating pad or device with other ointments, creams, sprays, or lotions, if you are allergic to any ingredients of this product.

**When using this product**  
 use only as directed.  
 avoid contact with the eyes, mucous membranes, or surfaces.  
 do not bandage tightly.

**Stop use and ask a doctor if**  
 skin reactions such as redness, swelling, blistering or other discomfort occur.  
 symptoms persist for more than 7 days.

**If pregnant or breast feeding,**  
 ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.**  
 If inhaled accidentally, get medical help or contact with Poison Control Center immediately.

**Contains Ingredients:**  
 Diphenylmethane Anesthetics, Dioxane Ethylmethylmethacrylate, ASA, Glycerin, Acetic Acid, Polypropylene, Polyethylene Glycol, Polyacrylate Acid, Polyvinylpyrrolidone K90, Polyisobutylene, Sodium Polycrylate, Titanium Dioxide, Terephthalic Acid, Water.

**Usage**

Remove patch from outer package. Peel away protective film. Place on clean, dry skin. Remove remaining film while pressing patch to skin.

**Questions or Comments:** support@sumifun.com  
**Business Cooperation:** business@sumifun.com

Child Resistant Packaging

6 18 773 14 24 907 8



www.sumifunofficial.com  
 @NSF@sumifunofficial  
 YouTube: @sumifun  
 Facebook: @sumifunofficial  
 TikTok: @sumifunofficial  
 Twitter: @sumifunofficial

Sumifun®

# LIDOCAINE PAIN RELIEF Gel-Patch



Numbing muscle and relieve pain:

- Odor-Free
- Maximum Strength
- Easy to apply and remove
- Single-Use Application

▪ Knee	▪ Back	▪ Neck
▪ Elbow	▪ Shoulders	



**39** PATCHES  
 5.5" x 3.94"  
 (14cm x 10cm)

Guangzhou Lidaqianhua Import & Export Trade Co., Ltd.  
 507 Building, A No. 4, South Hong Sun Road,  
 Zhujiang, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC.

Sumifun

**Drug Facts**

Active ingredients: LIDOCAINE 4%  
 Purpose: Topical Anesthetic

**Uses**  
 Temporarily relieves muscle soreness and minor joint pains in the wrist, lower back, neck, hips, shoulders, elbow.

**Warnings**  
 For external use only.

**Do not use**  
 - on wounds or damaged skin  
 - with a heating pad or device  
 - with other creams, ointments, sprays, or lotions  
 - if you are allergic to any ingredients of this product

**When using this product**  
 - use only as directed  
 - avoid contact with the eyes, mucous membranes, or neck  
 - do not bandage tightly

**Stop use and ask a doctor if**  
 - skin reactions such as redness, swelling, blistering or other discomfort occur  
 - symptoms persist for more than 7 days

**Management of breath-holding**  
 ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**  
 If misused, overused, get medical help or contact with Poison Control Center immediately.

**Directions**  
 Adults and Children above 12 years old:  
 - Clean and dry the affected area.  
 - Peel off the protection film and apply the exposed part of the patch to the affected area.  
 - Gently remove remaining film while pressing the patch being on the skin.  
 - Remove patch from the skin after at most 8-hour application.  
 Children under age of 12: Consult a doctor

**Inactive Ingredients**  
 Ethylhexylmethacrylate, Dimethylsiloxane, Hydroxyethylmethacrylate, Glyceryl Stearate, Hexyl Methacrylate, Polyurethane 60, Polyurethane Glycol, Polyurethane Acrylate, Polyurethane Glycol, Tripropylene Glycol, Polystyrene, Titanium Dioxide, Sorbic Acid, Water

**Usage**

**Questions or Comments:** support@sumifunofficial.com  
 Business Cooperation: business@sumifunofficial.com

OTC Medication Packaging

Sumifun®

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**4%**  
LIDOCAINE

**Numbing muscle and relieve pain:**

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

• Knee	• Back	• Neck
• Elbow	• Shoulders	

**40 PATCHES**  
3.5" x 3.84"  
(10cm x 10cm)

Sumifun LidoCaine Patch (Lidocaine) Patch, 4% Lidocaine Patch, 3.5" x 3.84" (10cm x 10cm)  
Sumifun LidoCaine Patch (Lidocaine) Patch, 4% Lidocaine Patch, 3.5" x 3.84" (10cm x 10cm)  
Sumifun LidoCaine Patch (Lidocaine) Patch, 4% Lidocaine Patch, 3.5" x 3.84" (10cm x 10cm)

Made in PRC

Sumifun®

**Drug Facts**

**Active Ingredients:** Lidocaine HCl  
**Typical Amount:** 4%

**Purpose:** Temporary relief of muscle aches and pains.

**Use:** Temporarily relieves muscle aches and minor joint pains in the arms, lower back, neck, hip, shoulders, elbow.

**Warnings:** For external use only.

**Do not use:** if wounds or damaged skin with a heavy coat of ointment with other ointments, creams, lotions, or liniments. If you experience any symptoms of the product.

**When using this product:** avoid contact with the eyes, mucous membranes, or broken skin.

**Stop use and ask a doctor if:** skin reactions such as redness, swelling, blistering or other discomfort occur. Stop use if you experience any symptoms for more than 7 days.

**If pregnant or breast-feeding, ask your health care provider before use. KEEP OUT OF REACH OF CHILDREN. If you have had an allergic reaction to any medicine, tell your doctor or pharmacist immediately.**

**Directions:** Wash and dry the affected area. Peel off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8 hour application. Children under age of 12: Consult a doctor.

**Inactive Ingredients:** Chlorobutene, Ammonium Acrylate, Dimethyl Styrene-maleic Anhydride, Acryl Glycol, Acrylic Acid, Methacrylate, Propylene Glycol, Polyacrylic Acid, Polyethylene Glycol, Polyethylene Glycol, Polystyrene, Titanium Dioxide, Triethylamine, Triethylamine, Triethylamine, Triethylamine.

**Usage:**

Remove patch from skin carefully. Partially peel back protective film. Place on affected area. Remove remaining film while pressing patch to skin.

**Questions or Comments:** support@sumifun.com

**Business Cooperation:** business@sumifun.com

Child Resistant Packaging

**Sumifun®**

# LIDOCAINE

## PAIN RELIEF Gel-Patch




**Numbing muscle and relieve pain:**

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

• Knee	• Back	• Neck
• Elbow	• Shoulders	

**38** PATCHES  
 5.9" x 3.94"  
 (14.9cm x 10cm)

Sumifun (Lidocaine) Transdermal Patch, 4% Lidocaine Gel-Patch, 38 Patches, 5.9" x 3.94" (14.9cm x 10cm)

Made in PRC

**Sumifun®**

<p><b>Drug Facts</b></p> <p><b>Active ingredients</b> Lidocaine HCl</p> <p><b>Purpose</b> Topical Anesthetic</p> <p><b>Uses</b> Temporarily relieves muscle aches and minor joint pains in the aches, knees, back, neck, hip, shoulders, elbows.</p> <p><b>Warnings</b> For external use only</p> <p><b>Do not use</b> on cracked or damaged skin with a heating pad or device with other heating systems, wraps, or blankets if you are allergic to any ingredients of this product</p> <p><b>When using this product</b> use only as directed avoid contact with the eyes, mucous membranes, or injury do not bandage tightly</p> <p><b>Stop use and ask a doctor if</b> skin reactions such as redness, swelling, blistering or other reactions occur symptoms persist for more than 7 days</p> <p><b>If pregnant or breast-feeding</b> ask a health care provider before use. <b>KEEP OUT OF REACH OF CHILDREN.</b> For more information, get medical help or contact with Poison Control Center immediately.</p>	<p><b>Directions</b> Adults and Children about 12 years old Clean and dry the affected areas. Tear off the adhesive film and apply the exposed part of the patch to the affected area. Carefully remove covering film while pressing the patch firmly on the skin. Remove patch from the skin after or most 6 hour application. Children under age of 12: Consult a doctor</p> <p><b>Inactive Ingredients</b> Chrysothamnus Anisatoide, Dimethyl Ethylhexylamine Hydrochloride, HCl, Glycolic Acid, Methylparaben, Polyethylene Glycol, Propylene Glycol, Polyethylene Glycol, Polyethylene Glycol, Propylene Glycol, Sodium Hydroxide, Terephthalic Acid, Water</p> <p><b>Usage</b></p>     <p><b>Questions or Comments</b> <a href="mailto:support@sumifun.com">support@sumifun.com</a> Business Cooperation: <a href="mailto:business@sumifun.com">business@sumifun.com</a></p> <p><b>Child-Resistant Packaging</b></p> 
---	--



# LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83602-158
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3COOX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	

<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-158-15	15 in 1 BOX	10/14/2024	
1		12 g in 1 BAG; Type 0: Not a Combination Product		
2	NDC:83602-158-16	16 in 1 BOX	10/14/2024	
2		12 g in 1 BAG; Type 0: Not a Combination Product		
3	NDC:83602-158-20	20 in 1 BOX	10/14/2024	
3		12 g in 1 BAG; Type 0: Not a Combination Product		
4	NDC:83602-158-21	21 in 1 BOX	10/14/2024	
4		12 g in 1 BAG; Type 0: Not a Combination Product		
5	NDC:83602-158-28	28 in 1 BOX	10/14/2024	
5		12 g in 1 BAG; Type 0: Not a Combination Product		
6	NDC:83602-158-30	30 in 1 BOX	10/14/2024	
6		12 g in 1 BAG; Type 0: Not a Combination Product		
7	NDC:83602-158-31	31 in 1 BOX	10/14/2024	
7		12 g in 1 BAG; Type 0: Not a Combination Product		
8	NDC:83602-158-32	32 in 1 BOX	10/14/2024	
8		12 g in 1 BAG; Type 0: Not a Combination Product		

9	NDC:83602-158-38	38 in 1 BOX	10/14/2024	
9		12 g in 1 BAG; Type 0: Not a Combination Product		
10	NDC:83602-158-39	39 in 1 BOX	10/14/2024	
10		12 g in 1 BAG; Type 0: Not a Combination Product		
11	NDC:83602-158-40	40 in 1 BOX	10/14/2024	
11		12 g in 1 BAG; Type 0: Not a Combination Product		
12	NDC:83602-158-41	41 in 1 BOX	10/14/2024	
12		12 g in 1 BAG; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/08/2023	

**Labeler** - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

**Registrant** - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 7/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.