

**CONZOL - miconazole nitrate lotion
MWI**

Conzol Lotion 1% and Spray 1% (Miconazole Nitrate)

ANADA #200-196, approved by FDA.

DESCRIPTION: Miconazole Nitrate Lotion and Spray is a synthetic antifungal agent for use in dogs and cats. It contains: 1.15% miconazole nitrate (equivalent to 1% miconazole base by weight), polyethylene glycol 400 and ethyl alcohol 55%.

INDICATIONS: Miconazole Nitrate Lotion and Spray is indicated for the treatment of fungal infections in dogs and cats caused by *Microsporum canis*, *Microsporum gypseum* and *Trichophyton mentagrophytes*.

PRECAUTIONS: In the event of sensitization or irritation due to Miconazole Nitrate Lotion and Spray, treatment should be discontinued. Avoid contact with eyes, since irritation may result. Wash hands thoroughly after administration to avoid spread of fungal infection.

DOSAGE AND ADMINISTRATION: Accurate diagnosis of the infecting organism is essential. Identification should be made either by direct microscopic examination of a mounting of infected tissue in a solution of potassium hydroxide, or by culture on an appropriate medium.

Lotion: Apply a light covering of Miconazole Nitrate Lotion to affected areas, once daily, for 2 to 4 weeks. Application is best accomplished using a gauze pad or cotton swab. Medication must be continued until the infecting organism is completely eradicated as indicated by appropriate clinical or laboratory examination. If no improvement is noticed within 2 weeks, diagnosis should be re-evaluated. Difficult cases may require treatment for 6 weeks.

Spray: Spray affected areas from a distance of 2 to 4 inches to apply a light covering, once daily for 2 to 4 weeks. Medication must be continued until the infecting organism is completely eradicated as indicated by appropriate clinical or laboratory examination. If no improvement is noticed within 2 weeks, diagnosis should be re-evaluated. Difficult cases may require treatment for 6 weeks.

General measures in regard to hygiene should be observed to control sources of infection or reinfection. Clipping of hair around and over the sites of infection should be done at the start of treatment and again as necessary.

HOW SUPPLIED: Miconazole Nitrate Lotion in 60 mL containers.

Miconazole Nitrate Spray in 120 mL and 240 mL containers.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

August 1997

NDC 13985-008-06

60 mL



Conzol™ 1%

(Miconazole Nitrate)

Lotion

DOSAGE: Apply a light covering to affected areas, once daily for 2 to 4 weeks. See accompanying literature for full directions. Avoid contact with eyes, since irritation may result. Wash hands thoroughly after administration to avoid spread of fungal infection.

Topical Antifungal Agent
For use in dogs and cats only.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

ANADA 200-196
Approved by FDA

Distributed by: MWI
Boise, ID 83705
(888) 694-8381
www.VetOne.net
Rev. 12/13



V1 501008

Net Contents: 60 mL

Lot #/Exp. Date:



3

NDC 13985-008-12

120 mL



Conzol™ 1%

(Miconazole Nitrate)

Spray

Topical Antifungal Agent
For use in dogs and cats only

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

ANADA 200-196
Approved by FDA

Distributed by: MWI
Boise, ID 83705
(888) 694-8381
www.VetOne.net
Rev. 12/13

V1 502008

Net Contents: 120 mL




DOSAGE: Spray affected areas from a distance of 2 to 4 inches to apply a light covering, once daily for 2 to 4 weeks. See accompanying literature for full directions.

Avoid contact with eyes, since irritation may result.

Wash hands thoroughly after administration to avoid spread of fungal infection.

CONTAINS:
1.15% Miconazole Nitrate (equivalent to 1% miconazole base by weight), Polyethylene Glycol 400, and Ethyl Alcohol 55%.

Lot #/Exp. Date:



NDC 13985-008-24

240 mL



Conzol™ 1%

(Miconazole Nitrate)

Spray

Topical Antifungal Agent
For use in dogs and cats only.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

ANADA 200-196
Approved by FDA




Distributed by: MWI
Boise, ID 83705
(888) 694-8381
www.VetOne.net
Rev. 12/13

V1 503008

Net Contents: 240 mL

Lot #/Exp. Date:



DOSAGE: Spray affected areas from a distance of 2 to 4 inches to apply a light covering, once daily for 2 to 4 weeks. See accompanying literature for full directions.

Avoid contact with eyes, since irritation may result. Wash hands thoroughly after administration to avoid spread of fungal infection.

CONTAINS: 1.15% Miconazole Nitrate (equivalent to 1% miconazole base by weight), Polyethylene Glycol 400, and Ethyl Alcohol 55%.

CONZOL

miconazole nitrate lotion

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:13985-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M)	Miconazole Nitrate	1.0 g in 100 mL
-----------------------------------------------------------------------------	--------------------	-----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-008-06	60 mL in 1 BOTTLE		
2	NDC:13985-008-12	120 mL in 1 BOTTLE, SPRAY		
3	NDC:13985-008-24	240 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200196	10/08/2012	

Labeler - MWI(019926120)

Registrant - Med-Pharmex, Inc (025353699)

Establishment

Name	Address	ID/FEI	Business Operations
Med-Pharmex, Inc		025353699	manufacture

Revised: 10/2012

MWI