

SALICYLIC ACID- corn removers patch
Walgreen Company

Walgreens Medicated Corn Removers

Active ingredient

Salicylic acid 40%

Purpose

Corn remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

Stop use and ask a doctor

If discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

Walgreens

Corn

Removers

SALICYLIC ACID 40%

MAXIMUM STRENGTH

MEDICATED

- Safe & effective corn removal treatment
- Cushioned pads protect against friction & reduced pressure

9 MEDICATED PATCHES

9 PADS

Drug Facts

Active ingredient	Purpose
Salicylic acid 40%	Corn remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings
For external use only.

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

Stop use and ask a doctor if discomfort persists

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information
store between 15° and 30°C (59° and 86°F)

Inactive ingredients
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions? Call 1-866-964-0939

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
†† This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

52-003WG-02



Corn Removers

Compare to Dr. Scholl's® active ingredient††

NDC 0363-9757-09

SALICYLIC ACID 40%

MAXIMUM STRENGTH

MEDICATED

- Safe & effective corn removal treatment
- Cushioned pads protect against friction & reduce pressure

9 MEDICATED PATCHES
9 PADS

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

Walgreens.com ©2017 Walgreen Co.
MADE IN USA WITH U.S. AND IMPORTED PARTS

ITEM 579757 W00000-0000-0

3 119171 07877 9

ORIG0917-F-R1

SALICYLIC ACID

corn removers patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9757
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 9

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9757-09	9 in 1 PACKAGE; Type 0: Not a Combination Product	07/22/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	07/22/2008	

Labeler - Walgreen Company (008965063)

Revised: 1/2026

Walgreen Company