

VBBV NUMBING CREAM- lidocaine cream
Guangzhou Haishi Biological Technology Co., Ltd.

VBBV Numbing cream

Active ingredients

Lidocaine 5%

Purpose

Topical Analgesic

Uses

1. Thoroughly clean hands and treatment area with mild soap and warm water, then gently dry.
2. Apply a thick layer of numbing cream to the treatment area, covering the tattoo area and its surroundings. Wash your hands immediately after application:
3. Wrap the treatment area securely with plastic wrap and leave it on for 40-60 minutes for best results (the longer you leave it on, the better the results).
4. When the numbness reaches its peak, you can peel off the plastic wrap, wipe off the numb cream, and officially start the tattoo work.

Warnings

For external use only

Avoid contact with the eyes.

Do not use in large quantities, particularly over raw surfaces or blistered areas and do not exceed the recommended daily dosage unless directed by a doctor.

Stop Use

If symptoms of redness or allergy occur, discontinue use and consult a physician.

Do not use

on damaged or broken skin.

When Using

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Children under 12 years of age: Consult a physician.

Dosage

Apply a thick layer of numbing cream to the treatment area, covering the tattoo area and its surroundings.

Inactive ingredients

AQUA 73%
PROPYLENE GLYCOL 4%
CARBOMER 0.3%
GLYCERIN 5%
DISODIUM EDTA 0.05%
HYDROXYACETOPHENONE 0.5%
1,2-HEXANEDIOL 0.4%
MENTHA ARVENSIS LEAF EXTRACT 3.05%
CHRYSANTHELLUM INDICUM EXTRACT 3.5%
PORTULACA OLERACEA EXTRACT 3%
PEG-40 HYDROGENATED CASTOR OIL 0.2%
Tetracaine 1%
Prilocaine 1%

Drug Facts: Active Ingredient (in each dosage unit): Lidocaine 5% Purpose: Topical Anesthetic	VBBV Fast Action Long Lasting Clean Ingredients 5% Lidocaine	Directions: For the temporary relief of pain and itching associated with minor burns, sunburn, insect bites, minor skin irritations. Warnings: For external use only. Avoid contact with the eyes. Do not use in large quantities particularly over raw surfaces or blistered areas and do not exceed the recommended daily dosage unless directed by a doctor. When using this product: Ask a doctor before use if you have: - If pregnant or breast feeding, ask a health professional before use. - Avoid contact with eyes. In case of accidental contact/rinse eyes with a large amount of cool tap water. Stop use and ask a doctor if: - If symptoms of numbness or allergy occur, discontinue use and consult a physician.
--	---	---

TATTOO NUMBING CREAM VBBV			
Drug Facts: Active Ingredient (in each dosage unit): Lidocaine 5% Purpose: Topical Anesthetic	Extra Strength Lasting Relief 5% Lidocaine - a clinically proven local anesthetic that provides a numbing and soothing effect to painful, uncomfortable areas. Just one simple application, with a noticeable reduction in skin discomfort after application. Notes: It is ideal for physical or topical anesthesia and general pain/discomfort relief during tattooing.	VBBV Fast Action Long Lasting Clean Ingredients 5% Lidocaine	Directions: Children under 12 years of age: Consult a physician. Adults: 1. Thoroughly clean hands and treatment area with mild soap and warm water; then gently dry. 2. Apply a thick layer of numbing cream to the treatment area, covering the tattoo area and its surroundings. Wash your hands immediately after application. 3. Wrap the treatment area securely with plastic wrap and leave it on for 45-60 minutes for best results (the longer you leave it on, the better the results). 4. When the numbness reaches its peak, you can peel off the plastic wrap, wipe off the numb cream, and officially start the tattoo work. When using this product: Ask a doctor before use if you have: - If pregnant or breast feeding, ask a health professional before use. - Avoid contact with eyes. In case of accidental contact/rinse eyes with a large amount of cool tap water. Stop use and ask a doctor if: - If symptoms of numbness or allergy occur, discontinue use and consult a physician.
		VBBV TATTOO NUMBING CREAM	

VBBV NUMBING CREAM

lidocaine cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60771-0005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

GLYCERIN (UNII: PDC6A3C0OX)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60771-0005-1	60 g in 1 JAR; Type 0: Not a Combination Product	10/17/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/17/2024	

Labeler - Guangzhou Haishi Biological Technology Co., Ltd. (421262738)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Haishi Biological Technology Co., Ltd.		421262738	manufacture(60771-0005)

Revised: 10/2024

Guangzhou Haishi Biological Technology Co., Ltd.