

**QIUNINGTANG HEMORRHOID- lidocaine 4%, phenylephrine hcl 0.25%,
hemorrhoid ointment
Jiangxi Hemei Pharmaceutical Co., Ltd**

84010-037

Active Ingredient

Lidocaine 4%

Phenylephrine HCl 0.25%

Purpose

Analgesic (pain relief) Vasoconstrictor

Use

Temporarily shrinks hemorrhoidal tissue, for the temporary relief of pain, soreness, or burning, and helps relieve the local itching and discomfort associated with hemorrhoids.

Warnings

For external use only including the skin of the anal canal.

Do not use

Do not put this product into the rectum

When Using

When using this product do not exceed recommended daily dosage unless directed by a doctor, when using finger cots or an applicator, apply externally or the skin of the anal canal only. Do not put this product into the rectum. Ask a doctor before use if you have allergies to any of the components of this product, difficulty in urination due to enlargement of the prostate gland, diabetes, heart disease, high blood pressure, thyroid disease, or presently taking a prescription for high blood pressure or depression.

Stop Use

Stop use and ask a doctor if condition worsens or does not improve within seven days, bleeding occurs, an allergic reaction develops, the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase.

Ask Doctor

Stop use and ask a doctor if condition worsens or does not improve within seven days, bleeding occurs, an allergic reaction develops, the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase.

Keep Out Of Reach Of Children

If swallowed, seek medical help or contact a Poison Control Center right away.

Directions

Children under 12 years of age consult your pediatrician. Adults: apply to affected area up to 3 times daily. Clean affected area with mild soap and warm water, rinse thoroughly, and then gently dry (patting or blotting) with tissue or soft cloth before use. To use dispensing cap, attach it to tube, lubricate well then gently insert part way into anus and squeeze tube to deliver medication. Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.

Other information

If pregnant or breast-feeding, ask a health care professional before use.

Inactive ingredients

Borneol, Carbomer Homopolymer, Chlorhexidine Acetate, Glycerin, Thymol, Aloe

PRINCIPAL DISPLAY PANEL

说明书: 90*130mm

50x150x30mm
350克银卡 亮膜 凹凸

QiuNingTang™ HEMORRHOID instructions

Drug Facts

•ACTIVE INGREDIENT	•PURPOSE
Lidocaine 4%.....	Analgesic(pain relief)
Phenylephrine HCl 0.25%.....	Vasoconstrictor

•INDICATIONS&USAGE
Temporarily shrinks hemorrhoidal tissue,for the temporary relief of pain,soresness,or burning,and helps relieve the local itching and discomfort associated with hemorrhoids.

•DO NOT USE
Do not put this product into the rectum

•WARNINGS
For external use only including the skin of the anal canal.

•WHEN USING SECTION
When using this product do not exceed recommended daily dosage unless directed by a doctor,when using finger cots or an applicator,apply externally or the skin of the anal canal only.Do not put this product inot the rectum.Ask a doctor before use if you have allergies to any of the components of this product,difficuity in urination due to enlargement of the prostate gland,diabetes,heart disease,high blood pressure,theroid disease,or presently taking a prescription for high blood pessure or depression.

•STOP USE SECTION
Stop use and ask a doctor if condition worsens or does not improve within seven days,bleeding occurs,an allergic reaction develops,the symptom being treated does not subside or if redness,irritation,swelling,pain or other symptoms develop or increase.


•KEEP OUT OF REACH OF CHILDREN
If swallowed,seek medical help or contact a Poison Control Center right away.

•DOSAGE&ADMINISTRATION
Children under 12 years of age consult your peiatrician.Adults:apply to affected area up to 3 times daily,cleanaaffected area with mild soap and warm water,rinse thoroughly,and then gently dry (patting or blotting) with tissue or soft cloth before use.To use dispensing cap, attach it to tube,lubricate well hen gently insert part way into anus and squeeze tube to deliver medication.Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.

•INACTIVE INGREDIENT
Borneol,Carbomer Homopolymer,Chlorhexidine Acetate,Glycerin,Thymol,Aloe

•PREGNANCY OR BREAST REEDING
If pregnant or breast-feeding,ask a health care professional before use.

QiuNingTang

<p>Drug Facts</p> <table border="0"> <tr> <td>•ACTIVE INGREDIENT</td> <td>•PURPOSE</td> </tr> <tr> <td>Lidocaine 4%.....</td> <td>Analgesic(pain relief)</td> </tr> <tr> <td>Phenylephrine HCl 0.25%.....</td> <td>Vasoconstrictor</td> </tr> </table> <p>•INDICATIONS&USAGE Temporarily shrinks Hemorrhoidal tissue,for the temporary relief of pain,soresness,or burning,and helps relieve the local itching and discomfort associated with hemorrhoids.</p> <p>•DO NOT USE Do not put this product into the rectum</p> <p>•WARNINGS For external use only including the skin of the anal canal.</p> <p>•WHEN USING SECTION When using this product do not exceed recommended daily dosage unless directed by a doctor,when using finger cots or an applicator,apply externally or the skin of the anal canal only.Do not put this product inot the rectum.Ask a doctor before use if you have allergies to any of the components of this product,difficuity in urination due to enlargement of the prostate gland,diabetes,heart disease,high blood pressure,theroid disease,or presently taking a prescription for high blood pessure or depression.</p> <p>•STOP USE SECTION Stop use and ask a doctor if condition worsens or does not improve within seven days,bleeding occurs,an allergic reaction develops,the symptom being treated does not subside or if redness,irritation,swelling,pain or other symptoms develop or increase.</p> <p>•KEEP OUT OF REACH OF CHILDREN If swallowed,seek medical help or contact a Poison Control Center right away.</p> <p>•DOSAGE&ADMINISTRATION Children under 12 years of age consult your pediatrician.Adults:apply to affected area up to 3 times daily,cleanaaffected area with mild soap and warm water,rinse thoroughly,and then gently dry (patting or blotting) with tissue or soft cloth before use.To use dispensing cap, attach it to tube,lubricate well hen gently insert part way into anus and squeeze tube to deliver medication.Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.</p> <p>•INACTIVE INGREDIENT Borneol,Carbomer Homopolymer,Chlorhexidine Acetate,Glycerin,Thymol,Aloe</p> <p>•PREGNANCY OR BREAST REEDING If pregnant or breast-feeding,ask a health care professional before use.</p>	•ACTIVE INGREDIENT	•PURPOSE	Lidocaine 4%.....	Analgesic(pain relief)	Phenylephrine HCl 0.25%.....	Vasoconstrictor	<p>MANUFACTURED BY:JIANGXI HEMEI PHARMACEUTICAL CO., LTD. ADD:Fourth Floor, Building 1956,Shanelli Zhanqianmen Medical Education Park, Zhanqianmen City, Nanchang City,Jiangxi Province, CN</p> <p>Instantly Relieves Swelling, Pain,Itching&Burning</p> <p>HEMORRHOID OINTMENT</p> <p>Medicine Contains Lidocaine and Phenylephrine HCl</p> <ul style="list-style-type: none"> -Soothing Pain Relief from Burning,Itching, &Discomfort -Shrinks Swollen Hemorrhoidal Tissue -Protects Irritated Tissue -Relieves External Discomfort <p>●●● NET:1.5oz (42.5g)</p>  <p>6 974603 692501</p>
•ACTIVE INGREDIENT	•PURPOSE						
Lidocaine 4%.....	Analgesic(pain relief)						
Phenylephrine HCl 0.25%.....	Vasoconstrictor						

40x140x25mm
350克银卡亮膜凹凸

QiuNingTang

HEMORRHOID instructions

Drug Facts

ACTIVE INGREDIENT **PURPOSE**
Lidocaine 4%.....Analgesic(pain relief)
Phenylephrine HCl 0.25%.....Vasoconstrictor

INDICATIONS&USAGE
Temporarily shrinks hemorrhoidal tissue,for the temporary relief of pain,soresness,or burning,and helps relieve the local it ching and discomfort associated with hemorrhoids.

DO NOT USE
Do not put this product into the rectum

WARNINGS
For external use only including the skin of the anal canal.

WHEN USING SECTION
When using this product do not exceed recommended daily dosage unless directed by a doctor,when using finger cots or an applicator,apply externally or the skin of the anal canal only.Do not put this product into the rectum,ask a doctor before use if you have allergies to any of the components of this product,difficuly in urination due to enlargement of the prostate gland,diabetes,heart disease,high blood pressure,thyroid disease,or presently taking a prescription for high blood pressure or depression.

STOP USE SECTION
Stop use and ask a doctor if condition worsens or does not improve within seven days,bleeding occurs,an allergic reaction develops,the symptom being treated does not subside or if redness,irritation,swelling,pain or other symptoms develop or increase.

KEEP OUT OF REACH OF CHILDREN
If swallowed,seek medical help or contact a Poison Control Center right away.

DOSAGE&ADMINISTRATION
Children under 12 years of age consult your pediatrician.Adults:apply to affected area up to 3 times daily,Clean affected area with mild soap and warm water,rinse thoroughly,and then gently dry (patting or blotting) with tissue or soft cloth before use.To use dispensing cap, attach it to tube,lubricate well then gently insert part way into anus and squeeze tube to deliver medication.Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.

INACTIVE INGREDIENT
Borneol,Carbomer, Homopolymer,Chlorhexidine Acetate,Glycerin,Thymol,Alloe

PREGNANCY OR BREAST FEEDING
If pregnant or breast-feeding,ask a health care professional before use.

说明书: 85*85mm

QiuNingTang

HEMORRHOID OINTMENT

Instantly Relieves Swelling, Pain,Itching&Burning

QiuNingTang

HEMORRHOID OINTMENT

Medicine Contains Lidocaine and Phenylephrine HCl

- Soothing Pain Relief from Burning,Itching,&Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue
- Relieves External Discomfort

NET:1.06oz (30g)

6 197460316925251

MANUFACTURED BY: JIANGXI HEMEI PHARMACEUTICAL CO., LTD. ADD: Fourth Floor, Building 1956,Phase III, Zhangshen Medical Incubation Park, Zhangshu City, Yichuan City, Jiangxi Province CN

Drug Facts

ACTIVE INGREDIENT **PURPOSE**
Lidocaine 4%.....Analgesic(pain relief)
Phenylephrine HCl 0.25%.....Vasoconstrictor

INDICATIONS&USAGE
Temporarily shrinks hemorrhoidal tissue,for the temporary relief of pain,soresness,or burning,and helps relieve the local it ching and discomfort associated with hemorrhoids.

DO NOT USE
Do not put this product into the rectum

WARNINGS
For external use only including the skin of the anal canal.

WHEN USING SECTION
When using this product do not exceed recommended daily dosage unless directed by a doctor,when using finger cots or an applicator,apply externally or the skin of the anal canal only.Do not put this product into the rectum,ask a doctor before use if you have allergies to any of the components of this product,difficuly in urination due to enlargement of the prostate gland,diabetes,heart disease,high blood pressure,thyroid disease,or presently taking a prescription for high blood pressure or depression.

STOP USE SECTION
Stop use and ask a doctor if condition worsens or does not improve within seven days,bleeding occurs,an allergic reaction develops,the symptom being treated does not subside or if redness,irritation,swelling,pain or other symptoms develop or increase.

KEEP OUT OF REACH OF CHILDREN
If swallowed,seek medical help or contact a Poison Control Center right away.

DOSAGE&ADMINISTRATION
Children under 12 years of age consult your pediatrician.Adults:apply to affected area up to 3 times daily,Clean affected area with mild soap and warm water,rinse thoroughly,and then gently dry (patting or blotting) with tissue or soft cloth before use.To use dispensing cap, attach it to tube,lubricate well then gently insert part way into anus and squeeze tube to deliver medication.Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.

INACTIVE INGREDIENT
Borneol,Carbomer, Homopolymer,Chlorhexidine Acetate,Glycerin,Thymol,Alloe

PREGNANCY OR BREAST FEEDING
If pregnant or breast-feeding,ask a health care professional before use.

QIUNINGTANG HEMORRHOID

lidocaine 4%, phenylephrine hcl 0.25%, hemorrhoid ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
GLYCERIN (UNII: PDC6A3C0OX)	
BORNEOL (UNII: M89NIB437X)	
THYMOL (UNII: 3J50XA376E)	
ALOE (UNII: V5VD430YW9)	
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-037-01	20 g in 1 TUBE; Type 0: Not a Combination Product	10/17/2024	
2	NDC:84010-037-02	30 g in 1 TUBE; Type 0: Not a Combination Product	10/17/2024	
3	NDC:84010-037-03	42.5 g in 1 TUBE; Type 0: Not a Combination Product	10/17/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/17/2024	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-037)

Revised: 10/2024

Jiangxi Hemei Pharmaceutical Co., Ltd