DERMFREE LIQUID WART CORN CALLUS REMOVER- salicylic acid 17% liquid wart corn callus remover liquid Jiangxi Hemei Pharmaceutical Co., Ltd

84010-038

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts.Common warts have a rough"cauliflower-like" surface and are easily recognizable.Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Flammable.

Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened.On moles, birthmarks,warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes.Non-edible.Cap tightly and store at room temperature,away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222)right away.

Directions

Wash the affected area.

May soak wart in warm water for 5 minutesDry area thoroughly.

Use a cotton swab to apply a sufficientamount to cover each wart. Let it dry.

Repeat this procedure once or twice dailyas needed (until wart is removed) for upto 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C /99°F)Skin discoloration may occur during or after use.Wipe the tip of the tube with apaper towel between uses.

Inactive ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Podofilox

PRINCIPAL DISPLAY PANEL

DERMFREE®

50*38*88

DERMFREE®	Stop use and ask a doctor if discomfort persists. Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away. Directions	DERMFREE®	Drug Facts Active ingredient: Purpose Salicylic acid 17%······ Wart remover Uses For the removal of common warts and plantar warts. Common warts have a rough "cauliflower
LIQUID WART CORN & CALLUS REMOVER FORM A PROTECTIVE MASK IN A MINUTE	Wash the affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks. Other information Store at room temperature. Avoid excessive heat (37°C / 99°F).	LIQUID WART CORN &CALLUS REMOVER FORM A PROTECTIVE MASK IN A MINUTE	-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern. Warnings For external use only. Flammable.Keep away from fire and flame. Do not use on irritated skin or on any area that is infected or reddened.On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or
HIGHLY EFFICIENT Dries and drops off in 7-15 days ADVANCED TECHNOLOGY The liquid turns into a mask in seconds SAFE & HYGIENIC Doesn't hurt dermis and prevents spreading NET WT: 1fl oz (30mL)	Skin discoloration may occur during or after use. Inactive ingredients: Water	HIGHLY EFFICIENT Dries and drops off in 7-15 days ADVANCED TECHNOLOGY The liquid turns into a mask in seconds SAFE & HYGIENIC Doesn't hurt dermis and prevents spreading NET WT: 1fl oz (30mL)	mucous membranes. If you have diabetes or poor blood circulation. When using this product Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

DERMFREE LIQUID WART CORN CALLUS REMOVER

salicylic acid 17% liquid wart corn callus remover liquid

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:8	DC:84010-038	
Route of Administration	TOPICAL					
Active Ingredient/Active	e Moiety					
Ingredient Name Basis of Strengt				gth	Strength	
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) SALICYLIC ACID				17 g in 100 ml		
Inactive Ingredients						
	Ingredient Name				Strength	
WATER (UNII: 059QF0K00R)						
GLYCERIN (UNII: PDC6A3C0OX)						
POLYETHYLENE GLYCOL, UNSP	PECIFIED (UNII: 3WJQ0SDW1	۹)				
PODOFILOX (UNII: L36H50F353)						
BORNEOL (UNII: M89NIB437X)						

Packaging							
# Item Code	Package Description	Marketing Start Date	Marketing End Date				
NDC:84010-038-	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/17/2024					
01							
	Information						
	Information Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-038)

Revised: 11/2024

E.

Jiangxi Hemei Pharmaceutical Co., Ltd