

COPPERTONE SUNSCREEN SPF 60- avobenzene 3%, homosalate 15%, octisalate 5%, octocrylene 10% aerosol, spray
Beiersdorf Inc

Sport Spray 60+

Drug Facts

Active ingredients

Avobenzene 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (46.2% v/v), isobutane, butyloctyl salicylate, acrylates/octylacrylamide copolymer, polyester-8, ethylhexyl methoxycrylene, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, diethylhexyl syringylidenemalonate, fragrance

Questions?

1-866-288-3330

Coppertone Sunscreen Spray

Sport 60+

4-in-1 Performance

Stops up to 98% UV Rays

Resists Sweat + Heat + Water

Free of Oxybenzone, Octinoxate, PABA, Phthalates & Dyes

Water Resistant (80 Minutes)

Broad Spectrum SPF 60+



60+

4-IN-1 PERFORMANCE

Stops up to 98% UV Rays

RESISTS

Sweat + Heat + Water

Free of Oxybenzone, Octinoxate, PABA, Phthalates & Dyes

Water Resistant (80 Minutes)
Broad Spectrum SPF 60+

NET WT 5 OZ (142 g)

Shake well before each use.

Broad Spectrum UVA/UVB protection in a durable formula to keep up with your active lifestyle. Feels light & breathable. High performance formula.

Drug Facts	
Active ingredients (To Deliver) Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%	Purpose Sunscreen
Uses	
<ul style="list-style-type: none"> ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Flammable: Do not use near heat, flame, or while smoking	
Do not use on damaged or broken skin	
When using this product	
<ul style="list-style-type: none"> ■ keep away from face to avoid breathing it ■ keep out of eyes. Rinse with water to remove. ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. 	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: <ul style="list-style-type: none"> ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor 	
Other information	
<ul style="list-style-type: none"> ■ protect this product from excessive heat and direct sun ■ store between 20° to 25°C (68° to 77°F) ■ may stain or damage some fabrics or surfaces 	
Inactive ingredients SD alcohol 40-B (46.2% v/v), isobutane, butyloctyl salicylate, acrylates/octylacrylamide copolymer, polyester-8, ethylhexyl methoxycrylene, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, diethylhexyl syringylidenemalonate, fragrance	
Questions? 1-866-288-3330	

www.coppertone.com



DOT-2P M5655



10013058

Beiersdorf

Beiersdorf Inc. Stamford, CT 06901
©reg. TM. of Beiersdorf AG, Germany

COPPERTONE SUNSCREEN SPF 60

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-8007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
FRAGRANCE CLEAN ORC0600327 (UNII: 329LCV5BTF)	
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
ALCOHOL (UNII: 3K9958V90M)	
BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98ZR7R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-8007-1	142 g in 1 CAN; Type 0: Not a Combination Product	10/31/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/31/2024	

Labeler - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc