

**GENCARE-ASPIRIN LOW DOSE PAIN RELIEVER (NSAID)- aspirin tablet**  
**Pioneer Life Sciences, LLC**

-----  
**Gencare-Aspirin Low Dose Pain reliever (NSAID)**

**Active Ingredient (in each tablet)**

Aspirin 81mg (NSAID)\*nonsteroidal anti-inflammatory drug

**Purpose**

Pain reliever

**Uses:**

- for the temporary relief of minor aches and pains or as recommended by your doctor.  
**Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief**
- ask your doctor about other uses for Safety Coated 81 mg Aspirin

**Warnings:**

**Reye's syndrome**

Children and teenagers who have or are recovering from chickenpox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert**

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning**

This product contains an NSAID, which may cause severe stomach bleeding.

The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

- take more or for a longer time than directed

### **Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are** taking a prescription drug for • gout • diabetes • arthritis

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away
- you experience any of the following signs of
- stomach bleeding
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

### **PREGNANCY**

**If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

### **KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **DIRECTIONS**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

## OTHER INFORMATION

- store at room temperature. Avoid excessive heat above 40°C (104°F).

## INACTIVE INGREDIENTS

Triacetin, Stearic Acid, Povidone, Triethyl citrate, Sodium Lauryl Sulfate, Microcrystalline Cellulose, Starch Corn, Pregelatinized Starch, Silicon Dioxide, Methacrylic Acid - Ethyl Acrylate copolymer, Titanium Dioxide, Sodium Bicarbonate, Talc, D & C Yellow No. 10, Hypromellose 2910 (6 Mpa.S)

## QUESTIONS OR COMMENTS?

Call +1-(732) 994-2808 or email support@gencare.health

Compare to BAYER®  
LOW DOSE ASPIRIN  
active ingredient.



# Aspirin

## Low Dose

pain reliever (nsaid)

Safety Coated Aspirin Regimen

Talk to your doctor or other healthcare provider before using this product for your heart.

81  
mg

500  
tablets



NDC 720990-037-01

not actual size

TAMPER EVIDENT: Do not use if safety seal under cap is broken or missing.

<b>Drug Facts</b>	<p><b>Purpose</b> Aspirin 81 mg (NSAID)* ..... Pain reliever *nonsteroidal anti-inflammatory drug</p> <p><b>Uses:</b> • for the temporary relief of minor aches and pains or as recommended by your doctor. <b>Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief</b> • ask your doctor about other uses for Safety Coated 81 mg Aspirin</p> <p><b>Warnings: <u>Reye's syndrome:</u></b> Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.</p> <p><b>Allergy alert:</b> Aspirin may cause a severe allergic reaction which may include: • hives • facial swelling • asthma (wheezing) • shock</p> <p><b>Stomach bleeding warning:</b> This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or</p>
-------------------	---

(continued under label)

†This product is not manufactured or distributed by Bayer Healthcare, LLC owner of the Registered Trademark BAYER® Low Dose Aspirin Tablets  
Distributed by: **GenCare Consumer Products, LLC**  
40E Cottlers Ln, Suite A, East Brunswick, NJ 08816 www.gencare.health



Lot No.  
Exp. Dt.

X002MZ0FDJ

**PEEL HERE**

PL0236-00

**Drug Facts** (continued)

nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed

**Do not use** • if you are allergic to aspirin or any other pain reliever/fever reducer • if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if** • stomach bleeding warning applies to you • you have a history of stomach problems, such as heartburn • you have high blood pressure, heart disease, liver cirrhosis, or kidney disease • you are taking a diuretic • you have asthma

**Ask a doctor or pharmacist before use if you are** taking a prescription drug for • gout • diabetes • arthritis

**Stop use and ask a doctor if** • an allergic reaction occurs. Seek medical help right away • you experience any of the following signs of stomach bleeding: • feel faint • vomit blood • have bloody or black stools • have stomach pain that does not get better • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • ringing in the ears or a loss of hearing occurs

**If pregnant or breast-feeding**, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions:** • drink a full glass of water with each dose • adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor • children under 12 years: consult a doctor

**Other information:** • store at room temperature. Avoid excessive heat above 40°C (104°F).

**Other Ingredients:** Triacetin, Stearic Acid, Povidone, Triethyl Citrate, Sodium Lauryl Sulfate, Microcrystalline Cellulose, Starch, Corn, Pregelatinized Starch, Silicon Dioxide, Methacrylic Acid - Ethyl Acrylate Copolymer, Titanium Dioxide, Sodium Bicarbonate, Talc, D&C Yellow No. 10, Hypromellose 2910 (6 Mpa.S)

**Questions or comments?** Call +1 (732) 994-2808 or email support@gencare.health

.5" Glue Area

# GENCARE-ASPIRIN LOW DOSE PAIN RELIEVER (NSAID)

aspirin tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72090-037
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>Triacetin</b> (UNII: XHX3C3X673)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Povidone</b> (UNII: FZ989GH94E)	
<b>Triethyl Citrate</b> (UNII: 8Z96QXD6UM)	
<b>Sodium Lauryl Sulfate</b> (UNII: 368GB5141J)	
<b>Microcrystalline Cellulose</b> (UNII: OP1R32D61U)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYL ACRYLATE AND METHYL METHACRYLATE COPOLYMER (2:1; 600000 MW)</b> (UNII: XRK36F13ZZ)	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)	
<b>Sodium Bicarbonate</b> (UNII: 8MDF5V39QO)	
<b>Talc</b> (UNII: 7SEV7J4R1U)	
<b>D&amp;C Yellow No. 10</b> (UNII: 35SW5USQ3G)	
<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	

## Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	S17
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72090-037-01	500 in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2024	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013	11/07/2024	

**Labeler** - Pioneer Life Sciences, LLC (014092742)

**Registrant** - Pioneer Life Sciences, LLC (014092742)

Revised: 12/2025

Pioneer Life Sciences, LLC