

FORMULA EM- dextrose (glucose), levulose (fructose), phosphoric acid solution
Major Pharmaceuticals

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Major Pharmaceuticals Formula EM Drug Facts

Active ingredients (per 5 mL)

Dextrose (glucose) 1.87g

Levulose (fructose) 1.87g

Phosphoric acid 21.5mg

Purpose

Upset stomach reliever

Uses

- for relief of upset stomach associated with nausea

Warnings

- this product contains fructose and should not be taken by persons with hereditary fructose intolerance (HFI)

Do not use

if you have

- allergic reactions to any of the ingredients in this product

Ask a doctor before use if you have

- diabetes

Stop use and ask a doctor if

- symptoms persist, return or get worse

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for maximum effectiveness, never dilute or drink fluids of any kind immediately before or after taking this product
- repeat dose every 15 minutes or until distress subsides
- do not take more than 5 doses in 1 hour without consulting a doctor
- measure only with dosing cup provided. Dosing cup to be used with this product only. Do not use with other products.
- mL = milliliters

| age | dose |
|--|----------------|
| adults and children 12 years of age and over | 15 mL or 30 mL |
| children 2 to under 12 years of age | 5 mL or 10 mL |

Other information

- store at 20-25°C (68-77°F) away from heat and direct light; keep from freezing.
- **do not use if printed neckband is broken or missing**

Inactive ingredients

FD&C red no. 40 aluminum lake, flavor, glycerin, methylparaben, purified water

Questions or comments?

1-800-616-2471

Package/Label Principal Display Panel

Formula EM

Anti-Nausea Liquid

For children and adults

Relief for nausea due to upset stomach

Cherry Flavor

No Antihistamines, Aspirin, Alcohol, Caffeine

COMPARE TO the active ingredients of EMETROL®

4 FL. OZ. (118 mL)



FORMULA EM

dextrose (glucose), levulose (fructose), phosphoric acid solution

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0904-0049 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| DEXTROSE (UNII: IY9XDZ35W2) (DEXTROSE - UNII:IY9XDZ35W2) | DEXTROSE | 1.87 g in 5 mL |
| FRUCTOSE (UNII: 6YSS42VSEV) (FRUCTOSE - UNII:6YSS42VSEV) | FRUCTOSE | 1.87 g in 5 mL |
| PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN) | PHOSPHORIC ACID | 21.5 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| METHYLPARABEN (UNII: A2I8C7H9T) | |
| WATER (UNII: 059QF0K00R) | |

Product Characteristics

| | | | |
|-----------------|-------------|---------------------|--|
| Color | RED (clear) | Score | |
| Shape | | Size | |
| Flavor | CHERRY | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0904-0049-20 | 1 in 1 CARTON | 04/15/1994 | |
| 1 | | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| Unapproved drug other | | 04/15/1994 | |

Labeler - Major Pharmaceuticals (191427277)

Revised: 5/2019

Major Pharmaceuticals