

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid  
bandage liquid  
SELECT BRAND DISTRIBUTORS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Select Brand Liquid Bandage**

***Active ingredients***

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

***Purpose***

First aid antiseptic

Topical analgesic

***Uses***

- first aid to prevent bacteria contamination in minor cuts and scrapes

***Warnings***

**For external use only.**

**Flammable:**

do not use while smoking or near heat or flame.

**Do not use**

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

**Ask a doctor before use if you have**

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

**When using this product**

- do not store at temperature above 120 °F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Stop use and ask a doctor if**

- conditions persists or gets worse
- infection occurs

**Keep out of reach of children.**

If swallowed, get medical help or call a Poison Control Center right away.

***Directions***

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

***Other information***

- ***cap bottle tightly***
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces - will stain

***Inactive ingredients***

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

***Questions***

Call 1-866-964-0939

**Principal Display Panel**

**SELECT BRAND**

**Liquid Bandage**

Antiseptic to Help Prevent Infection

- Invisible
- Flexible
- Waterproof
- Easy to Use

Over 50 Applications

Use liquid bandage for:

blisters, chapped & cracked finger tips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

Used by:

bowlers, dancers, fishermen, golfers, hikers, musicians, runners, tennis players.

**0.3 FL OZ (10 mL)**



## BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15127-093
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 9 mL
<b>DYCLONINE HYDROCHLORIDE</b> (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ACETONE</b> (UNII: 1364PS73AF)	
<b>AMYL ACETATE</b> (UNII: 92Q24NH7AS)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>ETHYL ACETATE</b> (UNII: 7684508NMZ)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-093-03	9 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	12/26/2017	12/31/2020

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/26/2017	12/31/2020

**Labeler** - SELECT BRAND DISTRIBUTORS (012578514)

Revised: 12/2019

SELECT BRAND DISTRIBUTORS