

**BEST CHOICE- calcium polycarbophil tablet, film coated**  
**BEST CHOICE (VALU MERCHANDISERS COMPANY)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Best Choice Fiber Caplets Calcium Polycarbophil**

***Drug Facts***

**Active Ingredient (in each caplet)**

Calcium polycarbophil 625 mg  
equivalent to 500 mg polycarbophil

**PURPOSE**

Bulk-forming laxative

***USES***

- relieves occasional constipation to help restore and maintain regularity
- this product generally produces bowel movement in 12 to 72 hours

**Choking Warning:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

**Ask your doctor or pharmacist before use if you are**

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

**When using this product**

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 tablets in a 24 hour period unless directed by a doctor

**Stop use and ask a doctor if**

rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

***DIRECTIONS***

- Take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. (See choking warning).
- This product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation.

| Age  | Recommended dose     | Daily maximum       |
|--|----------------------|---------------------|
| adults & children 12 years of age and over | 2 caplets once a day | up to 4 times a day |
| children under 12 years                    | consult a physician  |                     |

### ***OTHER INFORMATION***

- each caplet contains: **calcium 125 mg**
- **Do not use if imprinted safety seal under cap is broken or missing**
- store at 20-25°C (68-77°F)
- protect contents from moisture

calcium carbonate, caramel color, crospovidone, hypromellose, microcrystalline cellulose, maltodextrin, magnesium stearate, polyethylene glycol, silicon dioxide, sodium lauryl sulfate.

### ***Questions or Comments?***

**1-866-467-2748**

### **PRINCIPAL DISPLAY PANEL**

NDC# 63941-023-90

Best Choice®

**COMPARE TO THE ACTIVE INGREDIENTS FIBERCON®\***

### **Fiber Caplets**

Calcium Polycarbophil 625 mg

Bulk-Forming

Fiber Laxative

- Gentle Relief of Constipation
- Won't Cause Gas or Bloating

### **90 CAPLETS**

**Best Choice® 100% Guaranteed [www.bestchoice.com](http://www.bestchoice.com)**

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE KANSAN CITY, KS 66106

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, the distributor of FIBERCON\*.

NDC 63941-023-90

COMPARE TO THE ACTIVE INGREDIENTS IN FIBERCON®\*

# Fiber Caplets

Best Choice®

**Calcium Polycarbophil 625 mg**  
Bulk-Forming Fiber Laxative  
• Gentle Relief of Constipation  
• Won't Cause Gas or Bloating

**90 CAPLETS**

## Drug Facts

### Active ingredient (in each caplet) Purpose

Calcium polycarbophil 625 mg Bulk-forming laxative equivalent to 500 mg polycarbophil.....

**Uses** ■ relieves occasional constipation to help restore and maintain regularity ■ this product generally produces bowel movement in 12 to 72 hours.

### Warnings

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask your doctor before use if you have** ■ abdominal pain, nausea or vomiting ■ a sudden change in bowel habits that persists over a period of 2 weeks

**Ask your doctor or pharmacist before use if you are taking any other drug.** Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work

**When using this product** ■ do not use for more than 7 days unless directed by a doctor ■ do not take more than 8 caplets in a 24 hour period unless directed by a doctor

**Stop use and ask a doctor** if rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, the distributor of FIBERCON®.

Best Choice® 100% Guaranteed  
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE KANSAS CITY, KS 66106

BEST CHOICE



READ ENTIRE LABEL INCLUDING DRUG FACTS **PEEL BACK HERE**

LOT:

EXP:

12090BCLR

## Drug Facts (continued)

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions** ■ take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.

■ this product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation

| age  | recommended dose     | daily maximum       |
|--|----------------------|---------------------|
| adults & children 12 years of age and over | 2 caplets once a day | up to 4 times a day |
| children under 12 years                    | consult a physician  |                     |

### Other information

■ each caplet contains: calcium 125 mg ■ do not use if printed seal under cap is torn or missing ■ store at 20-25°C (68-77°F) ■ protect contents from moisture

### Inactive ingredients

calcium carbonate, caramel, croscopolidone, hypromellose, microcrystalline cellulose, maltodextrin, magnesium stearate, polyethylene glycol, silicon dioxide, sodium lauryl sulfate.

**STOP PEELING HERE**

## BEST CHOICE

calcium polycarbophil tablet, film coated

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63941-023

Route of Administration

ORAL

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength     | Strength |
|--|-----------------------|----------|
| CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W) | CALCIUM POLYCARBOPHIL | 625 mg   |

### Inactive Ingredients

| Ingredient Name                                     | Strength |
|---|----------|
| CALCIUM CARBONATE (UNII: H0G9379FGK)                |          |
| CARAMEL (UNII: T9D99G2B1R)                          |          |
| CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)         |          |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)        |          |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)       |          |
| MALTODEXTRIN (UNII: 7CVR7L4A2D)                     |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)               |          |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                  |          |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J)            |          |

### Product Characteristics

|          |       |              |          |
|----------|-------|--------------|----------|
| Color    | BROWN | Score        | no score |
| Shape    | OVAL  | Size         | 19mm     |
| Flavor   |       | Imprint Code | RP120    |
| Contains |       |              |          |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:63941-023-90 | 90 in 1 BOTTLE; Type 0: Not a Combination Product | 04/16/2019           |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part334                                  | 04/16/2019           |                    |

**Labeler** - BEST CHOICE (VALU MERCHANDISERS COMPANY) (868703513)

Revised: 6/2019

BEST CHOICE (VALU MERCHANDISERS COMPANY)