

DR.C.TUNA SUN BODY SPF50- avobenzone, octinoxate, homosalate, octocrylene cream

Tan Alize Kozmetik ve Temizlik Urunleri Sanayi ve Ticaret Anonim Sirketi

Dr.C.Tuna Sun Body Lotion SPF50

Drug Facts:

Active Ingredient:

Butyl Methoxydibenzoylmethane 2.95%

Ethylhexyl Methoxycinnamate 7.35%

Homosalate 9.79%

Octocrylene 6.15%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by the sun. **Directions**

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **For Sunscreen Use**

- Apply generously 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including **Sun Protection Measures:**
- Limit time in the sun, especially from 10 a.m. -2 p.m.,
- wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other Information:

- Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients:

Water/Aqua, C12-15 Alkyl Benzoate, Peg-100 Stearate, Glyceryl Stearate, Cetearyl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Cetearth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxyethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Trehalose, Urea, Serine, Pentylene Glycol, Xanthan Gum, Algin, Caprylyl Glycol, Sodium Hyaluronate, Pullulan, Disodium EDTA, Triethanolamine.

Questions or Comments?

info@farmasius.com Monday - Friday (9 a.m. - 9 p.m. EST) **(833) 432-7627**

Package Labeling:

**Drug Facts:**

Active Ingredient:	Percentage	Purpose
Butyl Methoxydibenzoylmethane	2.95%	Sunscreen
Ethylhexyl Methoxycinnamate	7.35%	Sunscreen
Homosalate	9.79%	Sunscreen
Octocrylene	6.15%	Sunscreen

Uses:

Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:**For Sunscreen Use**

Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.-2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor.

Other Information:

Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients:

Water/Aqua, C-12-15 Alkyl Benzoate, Peg-100 Stearate, Glycerol Stearate, Cetearyl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Triethoxycellulose, Urea, Sesame, Pentaerythritol, Xanthan Gum, Alginate, Caprylyl Glycol, Sodium Hyaluronate, Pullulan, Disodium EDTA, Triethanolamine.

Questions or Comments?

info@farmasius.com (833) 432-7627
Monday - Friday (9 a.m. - 9 p.m. EST)

Manufactured by: Tan-Aziz Kosmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Orneş Mah. Uzun Cad. No: 22 / 34797 Çekirgeköy / İSTANBUL.

Made in TÜRKİYE / Hecho en Turquía.

Distributed by: Farmasi US LLC 2315 NW 107th Ave, STE 18 12, DORAL, FL 33172 - FARMASI COSMETICS RO SRL, Bucarest Sectorul 1, Calea Floreasca, Nr. 246c, Etaj 18, Romania. - Farmasi S de RL de C.V. FCM20101402288d, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañal Miguel Hidalgo, Ciudad de México, 11520 - FARMASI COSMETICS CANADA INC. GOWLING WILG (CANADA) LLP, Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5. - Farmasi Cosmetics GmbH, Unterföhring-Mediapark, Ferngaststrasse 6, 83774 München. - FARMASIE WELLDOMINICAN REPUBLIC S.R.L. Avenida Winston Churchill, Torre Citibank, Aeropos, Piso 14 Ens Platinium, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Muntaner 379, Entda. 1ª, 8021, Barcelona.

Importado por: FAR COSMETICS MEXICO S de RL de CV, FCM20101402288d, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañal Miguel Hidalgo, Ciudad de México, 11520.

Imported by: Far Cosmetics Sdn Bhd, Level 21-08 & 09, Q Sentral 2A, Jalan Stesen Sentral 2, K, Sentral Kuala Lumpur 50470, Malaysia.

DR.C.TUNA

Sun
Body Lotion
Loción Corporal
Lotion Pour Le Corps

50
SPF

150 ml e 5.1 fl.oz.

Información del Medicamento:

Ingredientes activos:	Porcentaje	Propósito:
Butyl Methoxydibenzoylmethane	2.95%	Protector solar
Ethylhexyl Methoxycinnamate	7.35%	Protector solar
Homosalate	9.79%	Protector solar
Octocrylene	6.15%	Protector solar

Uso:

• Ayuda a prevenir las quemaduras solares • si se usa como se indica con otras medidas de protección solar (ver **Instrucciones**), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol.

Advertencias:

Solo para uso externo. - No usar sobre piel dañada o rasgada. Durante el uso del producto mantenga alejado de los ojos. Enjuague con agua para eliminar. Deje de usar y pregunte al médico si se produce una erupción. Mantener fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o comuníquese con un centro de control de intoxicaciones de inmediato.

Direcciones:**Para uso de protector solar**

• Aplicar generosamente 15 minutos antes de la exposición al sol. • Vuelva a aplicar al menos cada 2 horas. • Use un protector solar resistente al agua si está nadando o sudando. • Medidas de protección solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un valor de FPS de amplio espectro de 15 o más y otras medidas de protección solar incluidas: • Límite el tiempo de exposición al sol especialmente de 10 a.m. a 2 p.m., • use camisas de manga larga, pantalones, sombreros y gafas de sol. • Niños menores de 6 meses: consulte a un médico.

Otra información:

• Proteja este producto del calor excesivo y del sol directo. Puede manchar algunas telas.

Inactive Ingredients:

Water/Aqua, C-12-15 Alkyl Benzoate, Peg-100 Stearate, Glycerol Stearate, Cetearyl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Triethoxycellulose, Urea, Sesame, Pentaerythritol, Xanthan Gum, Alginate, Caprylyl Glycol, Sodium Hyaluronate, Pullulan, Disodium EDTA, Triethanolamine.

¿Preguntas o comentarios?

info@farmasius.com (833) 432-7627
Lunes a viernes (9 a.m. - 9 p.m. EST)

Fabricado por: Tan-Aziz Kosmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Orneş Mah. Uzun Cad. No: 22 / 34797 Çekirgeköy / İSTANBUL.

Made in TÜRKİYE / Hecho en Turquía.

Distribuido por: Farmasi US LLC 2315 NW 107th Ave, STE 18 12, DORAL, FL 33172 - FARMASI COSMETICS RO SRL, Bucarest Sectorul 1, Calea Floreasca, Nr. 246c, Etaj 18, Romania. - Farmasi S de RL de C.V. FCM20101402288d, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañal Miguel Hidalgo, Ciudad de México, 11520 - FARMASI COSMETICS CANADA INC. GOWLING WILG (CANADA) LLP, Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5. - Farmasi Cosmetics GmbH, Unterföhring-Mediapark, Ferngaststrasse 6, 83774 München. - FARMASIE WELLDOMINICAN REPUBLIC S.R.L. Avenida Winston Churchill, Torre Citibank, Aeropos, Piso 14 Ens Platinium, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Muntaner 379, Entda. 1ª, 8021, Barcelona.

Importado por: FAR COSMETICS MEXICO S de RL de CV, FCM20101402288d, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañal Miguel Hidalgo, Ciudad de México, 11520.

Imported by: Far Cosmetics Sdn Bhd, Level 21-08 & 09, Q Sentral 2A, Jalan Stesen Sentral 2, K, Sentral Kuala Lumpur 50470, Malaysia.

Sun
Body Lotion
Loción Corporal
Lotion Pour Le Corps

Dr. C. Tuna SPF 50 Body Lotion helps prevent sunburn while providing hydration thanks to its lightweight, non-oily formula enriched with Hyaluronic Acid. It is suitable for all skin types.

Dr. C. Tuna FPS 50 Loción Corporal protege del daño solar en la piel, aportando hidratación gracias a su fórmula ligera sin sensación grasosa enriquecida con Ácido Hialurónico. Compatible con todos los tipos de piel.

FARMASI
farmasi.com

150 ml e 5.1 fl.oz.



2001978

8690131125400

↑ Batch No / Man. Date ↑

Drug Facts:

Active Ingredient:	Purpose
Butyl Methoxydibenzoylmethane 2.95%	Sunscreen
Ethylhexyl Methoxycinnamate 7.35%	Sunscreen
Homosalate 9.79%	Sunscreen
Octocrylene 6.15%	Sunscreen

Uses:

• Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

For Sunscreen Use

• Apply generously 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating. • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including. • Limit time in the sun, especially from 10 a.m.-2 p.m., • wear long-sleeved shirts, pants, hats and sunglasses. • Children under 6 months of age: Ask a doctor.

Other Information:

• Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients:

Water/Aqua, C 12-15 Alkyl Benzoate, Peg-100 Streate, Glyceryl Stearate, Cetearyl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmilate, Phenoxyethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Trehalose, Urea, Serine, Pentylene Glycol, Xanthan Gum, Algln, Caprylyl Glycol, Sodium Hyaluronate, Pullulan, Disodium EDTA, Triethanolamine.

Questions or Comments?

info@farmasius.com (833) 432-7627
Monday – Friday (9 a.m – 9 p.m. EST)

Manufactured by: Tan-Altze Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Ömerli Mah. Uzun Cad. No: 32 / 34797 Çekmeköy / İSTANBUL. **Made in TÜRKİYE / Hecho en Turquía.** **Distributed by:** - Farmasi US LLC 2315 NW 107 TH AVE, STE 18 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L. București Sectorul 1, Calea FLOREASCA, Nr. 246c, Etaj 18. Romania. - Farmasi S. de R.L. de C.V. FCM201014J22 Blvd. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcatlala Miguel Hidalgo, Ciudad de México, 11520. - FARMASI COSMETICS CANADA INC. GOWLING WLG (CANADA) LLP Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5. - Farmasi Cosmetics GmbH, Unterführung-Mediapark, Feringastrasse 6, 85774 München. - FARMASI BE WELL DOMINICAN REPUBLIC, S.R.L., Avenida. Winston Churchill, Torre Citibank, Acropolis, Piso 14 Ens Piantini, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Muntaner 379, Entlo. 1º, 8021, Barcelona. **Importado por:** FAR COSMETICS MEXICO S. de R.L. de C.V. FCM2010146Y8, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcatlala Miguel Hidalgo, Ciudad de México, 11520. **Imported by:** Far Cosmetics Sdn Bhd, Level 21-08 & 09, Q Sentral 2A, Jalan Stesen Sentral 2, KL Sentral Kuala Lumpur 50470, Malaysia.

FARMASI

farmasi.com

150 ml e 5.1 fl.oz.

4001275



DR.C.TUNA

Sun
Body Lotion

50
SPF

150 ml e 5.1 fl.oz.

DR.C.TUNA SUN BODY SPF50

avobenzone, octinoxate, homosalate, octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78317-036
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	29.5 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	73.5 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	97.9 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	61.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
PEG-100 STEARATE (UNII: YD01N1999R)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
GLYCERIN (UNII: PDC6A3C0OX)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE (UNII: 92RU3N3Y1O)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TREHALOSE (UNII: B8WCK70T7I)
UREA (UNII: 8W8T17847W)
SERINE (UNII: 452VLY9402)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
XANTHAN GUM (UNII: TTV12P4NEE)
SODIUM ALGINATE (UNII: C269C4G2ZQ)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PULLULAN (UNII: 8ZQ0AYU1TT)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
TROLAMINE (UNII: 9O3K93S3TK)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78317-036-01	1 in 1 CARTON	10/03/2023	
1		150 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/03/2023	

Labeler - Tan Alize Kozmetik ve Temizlik Urunleri Sanayi ve Ticaret Anonim Sirketi (365979587)