WALGREENS- lidocaine patch WALGREENS

Lidocaine Blister + Pain Relief Patches

Active ingredient

Lidocaine 4%

Purpose

Topical Analgesic

Uses

• For the temporary relief of pain

Warnings

For external use only

Do not use

- large quantities
- on raw surfaces, blistered areas, wounds or damaged skin
- if you are allergic to any ingredients of this product

When using this product

- do not use other topical products
- do not allow contact with eyes or mucous membranes
- apply only to clean, dry, and untreated skin
- use only as directed

Stop use and ask a doctor if

- skin reactions such as redness, itching, rash, excessive irritation, burning sensation, swelling or blistering occur
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding

ask a health care professional before use.

Keep out of reach of children.

If put in mouth, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Adults and children 12 years and over: clean and dry affected area
- peel film from patch and plastic liner and apply to the skin
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- wash hands after applying patch
- remove patch from the skin after at most 8 hours application
- Children under 12 years of age: do not use, consult a physician before use.

Other information

- Store at room temperature
- keep away from excessive heat
- do not exceed 100 °F (38 °C)

Inactive ingredients

acrylic adhesive, polyester fabric

Principal Display Panel

Walgreens

LIDOCAINE

Blister + Pain Relief Patches

LIDOCAINE 4% / TOPICAL ANALGESIC

Maximum Strength

Assorted Long-Lasting Adhesive

- Covers & protects skin
- Helps relieve pain

12 PATCHES

- 8 SMALL 0.81 IN x 1.34 IN (20 mm x 34 mm)
- 4 LARGE 1.75 IN x 2.75 IN (44 mm x 69 mm)



WALGREENS									
lidocaine patch									
Product Information									
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:0363-1002(NDC:65604-100		65604-100)			
Route of Administration	TOPICAL								
Active Ingredient/Active Moiety									
Ingredient Name			Basis of Strength		Strength				
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE		4 mg in 100 mg				
Inactive Ingredients									
Ingredient Name						Strength			
ETHYLENE-VINYL ACETATE COPOLYMER (15% VINYL ACETATE) (UNII: V9BQI51YUL)									
Packaging									
# Itom Codo Do	akana Dacarinti	~n	Marke	ting Start	Mark	eting End			

#	item coue	Раскауе резсприон	Date	Date			
1	NDC:0363- 1002-40	4 in 1 BOX	08/16/2024				
1		3.374 mg in 1 CELLO PACK; Type 0: Not a Combination Product					
Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
то	TC Monograph Dru	ug 505G(a)(3)	08/16/2024				

Labeler - WALGREENS (008965063)

Revised: 10/2024

WALGREENS