

**SILKEN PORE PERFECTING SUNSCREEN BROAD SPECTRUM SPF 35- octisalate,
zinc oxide lotion
TATCHA INC.**

SILKEN pore perfecting sunscreen broad spectrum SPF 35

Drug Facts

Active Ingredients

Octisalate 5%

Zinc Oxide 15%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Inactive Ingredients

WATER, ISODODECANE, CYCLOPENTASILOXANE, PROPANEDIOL, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ROSA MULTIFLORA FRUIT EXTRACT, ERIOBOTRYA JAPONICA LEAF EXTRACT, STEARYL GLYCYRRHETINATE, GLYCYRRHIZA INFLATA ROOT EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, PISTACIA LENTISCUS (MASTIC) GUM, SERICIN, ALGAE EXTRACT, LECITHIN, INOSITOL, POLYHYDROXYSTEARIC ACID, SORBITAN TRISTEARATE, SODIUM DILAURAMIDOGLUTAMIDE LYSINE, SILICA, POTASSIUM SORBATE, BEHENETH-20, SODIUM ACRYLATE/ACRYLOYLDIMETHYLTAURATE/DIMETHYLACRYLAMIDE CROSSPOLYMER, POLYMETHYLSILSESQUIOXANE, METHICONE, TRIMETHYLSILOXYSILICATE, DIMETHICONOL, DISODIUM EDTA, FRAGRANCE, ETHYLHEXYLGLYCERIN, ALCOHOL, PHENOXYETHANOL, IRON OXIDES (CI77491), TIN OXIDE (CI 77861), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891)

Questions?

Call toll free (888) 739-2932 ext. 1

Call toll free (877) 322-8633

PA +++

A weightless sunscreen that protects against UVA/UVB rays with SPF 35 and reduces the look of pores for a smooth, matte finish.

Formulated without parabens, synthetic fragrances, mineral oil, sulfate detergents, phthalates, urea, DEA or TEA.

Non-comedogenic.

Non-irritating.

Non-sensitizing.

Dermatologist tested.

FORMULATED IN JAPAN

MADE IN USA OF GLOBAL INGREDIENTS

DIST. TATCHA LLC

SAN FRANCISCO, CA 94123 USA

UK: DELPHIC HSE GU14 7NA

NL: 104 SCHIPHOL, 1118CN

© 2023 TATCHA LLC

QUESTIONS@TATCHA.COM

BEAUTIFUL FACES, BEAUTIFUL FUTURES

Your purchase supports education equality

www.tatcha.com/giving-back


Packaging

10 mL - OUTER CARTON



BEAUTIFUL FACES,
BEAUTIFUL FUTURES
Your purchase supports
girls' education

www.tatcha.com/giving



Drug Facts

(cont'd)

Inactive Ingredients

(cont'd)

BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ROSA MULTIFLORA FRUIT EXTRACT, EROBORTRYA JAPONICA LEAF EXTRACT, STEARYL GLYCYRRHETINATE, GLYCYRRHIZA INFLATA ROOT EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, PISTACHIA LENTISCUUS (MASTIC) GUM, SERICIN, ALGAE EXTRACT, LECITHIN, INOSITOL POLYHYDROXYSTEARIC ACID, SORBITAN TRISTEARATE, SODIUM DILAURAMIDOGULITAMIDE LYSINE, SILICA, POTASSIUM SORBATE, BEHENETH-20, SODIUM ACRYLATE/ACRYLOYLDIMETHYLAURATE/ DIMETHYLACRYLAMIDE CROSSPOLYMER, POLYMETHYLSILOXANOLANE, METHICONE, TRIMETHYLSILOXYSTYLICATE, DIMETHICONOL, DISODIUM EDTA, FRAGRANCE, ETHYLHEXYLGLYCERIN, ALCOHOL, PHENOXYETHANOL, IRON OXIDES (CI 77491), TIN OXIDE (CI 77861), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891)

Questions?

Call toll-free (877) 322-8633

60 mL - OUTER CARTON



SILKEN

A weightless sunscreen that protects against UVA/UVB rays with SPF 35 and reduces the look of pores for a smooth, matte finish.



T
A
T
C
H
A®

SILKEN

pore perfecting sunscreen
broad spectrum SPF35
PA +++

60 ml | 2 fl. oz.

DIST. TATCHA LLC
SAN FRANCISCO, CA 94123 USA
UK: DELPHIC HSE GU14 7NA
NL: 104 SCHIPHOL, 1118CN
© 2023 TATCHA LLC
TATCHA.COM



Drug Facts

Active Ingredients	Purpose
Octisalate 5%.....	Sunscreen
Zinc Oxide 15%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Drug Facts (continued) ▶

MADE IN USA



Drug Facts (cont'd)

Inactive Ingredients


WATER, ISODODECANE, CYCLOPENTASILOXANE, PROPANEDIOL, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ROSA MULTIFLORA FRUIT EXTRACT, ERIOBOTRYA JAPONICA LEAF EXTRACT, STEARYL GLYCERYLRHETINATE, GLYCERYLRHIZA INFLATA ROOT EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, PISTACIA LENTISCUUS (MASTICI) GUM, SERICIN, ALGAE EXTRACT, LECITHIN, INOSITOL, POLYHYDROXYSTEARIC ACID, SORBITAN TRISTEARATE, SODIUM DILAURAMIDOGGLUTAMIDE LYSINE, SILICA, POTASSIUM SORBATE, BEHENETH-20, SODIUM ACRYLATE/ACRYLOYLDIMETHYL AURATE/DIMETHYL ACRYLAMIDE CROSSPOLYMER, POLYMETHYLSILSESQUOXANE, METHICONE, TRIMETHYLSILOXYSILICATE, DIMETHICONOL, DISODIUM EDTA, FRAGRANCE, ETHYLHEXYLGLYCERIN, ALCOHOL, PHENOXYETHANOL, IRON OXIDES (CI 77491), TIN OXIDE (CI 77861), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891)

Questions?

Call toll free (888) 739-2932 ext. 1

Packaging

90 mL - OUTER CARTON and INNER TUBE LABEL



AtIm0e_2E_7q2_n9a7c2nu2_pnifc7eh9_910a_n9klliz_odmml_1700145



Drug Facts (cont'd)

Inactive Ingredients

WATER, ISODODECANE, CYCLOPENTASILOXANE, PROPANEDIOL, HDI/TRIMETHYLOL HEXYLLACTONE, CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ROSA MULTIFLORA FRUIT EXTRACT, ERIOBOTRYA JAPONICA LEAF EXTRACT, STEARYL GLYCYRRHETINATE, GLYCYRRHIZA INFLATA ROOT EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, PISTACIA LENTISCU (MASTIC) GUM, SERICIN, ALGAE EXTRACT, LECITHIN, INOSITOL, POLYHYDROXYSTEARIC ACID, SORBITAN TRISTEARATE, SODIUM DILAURAMIDOGlutAMIDE LYSINE, SILICA, POTASSIUM SORBATE, BEHENETH-20, SODIUM ACRYLATE/ACRYLOYLDIMETHYLAURATE/DIMETHYLACRYLAMIDE CROSSPOLYMER, POLYMETHYLSILOXANOL, METHICONE, TRIMETHYLSILOXYSILICATE, DIMETHICONOL, DISODIUM EDTA, FRAGRANCE, ETHYLHEXYLGLYCERIN, ALCOHOL, PHENOXYETHANOL, IRON OXIDES (CI77491), TIN OXIDE (CI 77861), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891)

Questions?

Call toll free (877) 322-8633

A weightless sunscreen that protects against UVA/UVB rays with SPF 35 and reduces the look of pores for a smooth, matte finish.



T
A
T
C
H
A[®]

SILKEN

pore perfecting sunscreen
broad spectrum SPF35
PA +++

90 ml | 3.0 fl. oz.

FORMULATED IN JAPAN
MADE IN USA OF
GLOBAL INGREDIENTS

CK01060T



SILKEN
pore perfecting sunscreen
broad spectrum SPF35
PA +++



Drug Facts

Active Ingredients Purpose

Octisalate 5%..... Sunscreen
Zinc Oxide 15%..... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.


Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.
 - Children under 6 months:
Ask a doctor.


Drug Facts (continued) ▶

DIST. TATCHA LLC
SAN FRANCISCO, CA 94123 USA
UK: DELPHIC HSE GU14 7NA
NL: 104 SCHIPHOL, 1118CN
QUESTIONS@TATCHA.COM



SILKEN
pore perfecting sunscreen

ACTIVE INGREDIENTS
Octisalate (5%).....Sunscreen
Zinc Oxide (15%).....Sunscreen



SILKEN PORE PERFECTING SUNSCREEN BROAD SPECTRUM SPF 35

octisalate, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69417-150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	15 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y10)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ROSA MULTIFLORA FRUIT (UNII: EZ5DSL4T27)	
ERIOBOTRYA JAPONICA LEAF (UNII: Z02066SV11)	
STEARYL GLYCYRRHETINATE (UNII: 3YYE6VJS0P)	
GLYCYRRHIZA INFLATA ROOT (UNII: 1MV1Z7MKVQ)	

GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
SILK SERICIN (UNII: 0N1VMU8G9W)
SOYBEAN LECITHIN (UNII: 1DI56QDM62)
INOSITOL (UNII: 4L6452S749)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SORBITAN TRISTEARATE (UNII: 6LUM696811)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BEHENETH-20 (UNII: BJ4GP2IFLN)
METHICONE (20 CST) (UNII: 6777U11MKT)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ALCOHOL (UNII: 3K9958V90M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
STANNIC OXIDE (UNII: KM7N50LOS6)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69417-150-03	1 in 1 CARTON	04/26/2023	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69417-150-20	1 in 1 CARTON	04/26/2023	
2		60 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:69417-150-04	1 in 1 CARTON	04/18/2025	
3		90 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/26/2023	

Labeler - TATCHA INC. (006811461)