

**NEKVNRO PAIN RELIEF CREAM- pain relief cream cream**  
**Guoyu Trading Co., Ltd.**

-----  
**84844-003**

**Active Ingredient**

Arnica montana HPUS 7%

**Purpose**

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Use**

temporarily relieves muscle pain and stiffness due to □

■ minor injuries

■ overexertion

■ falls reduces symptoms of bruising such as:

■ pain ■ swelling

■ discoloration

**Warnings**

For external use only, Do not use if you are allergic to dermfree.cream or to any of this product's inactive ingredients

**Do not use**

if you are allergic to dermfree.cream or to any of this product's inactive ingredients

**When Using**

this product avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur

do not tightly wrap or bandage the treated area

do not apply heat or ice to treated area immediately before or after use

**Stop Use**

ocondition persists for more than 3 days or worsens

osymptoms clear up and occur again within a few days.

**Ask Doctor**

condition persists for more than 3 days or worsens  
symptoms clear up and occur again within a few days.

**Keep Out Of Reach Of Children**

if swallowed get medical help Or contact a poison Control Center right away.

**Directions**

Apply a thin layer of dermfree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied wait 5 minutes before applying dermfree cream.

**Inactive ingredients**

purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**PRINCIPAL DISPLAY PANEL**

外包装: 78\*78\*54mm  
 瓶贴: 231\*28mm  
 圆形瓶贴: 65\*65mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient** Amica montana HPUS 7%.....  
**Purpose** Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses**  
 temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use** if you are allergic to dermfree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use **Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days.

**Directions**  
 Apply a thin layer of dermfree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying dermfree cream.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of dermfree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying dermfree cream.

**Inactive ingredients** / purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**MANUFACTURED BY**  
 Guow Trading Co., Ltd.  
 ADD: Kowloon Room 1317-105, 13th Floor, 205-27, Queen Digital 1-m, Sheung Wan, Hong Kong

**Nekvno**  
**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 100g (3.5 oz)

**DRUG FACTS**  
**Active ingredient** Amica montana HPUS 7%.....  
**Purpose** Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses** / temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** / For external use only. **Do not use** if you are allergic to dermfree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

红框内容: 亮光UV

红框内容: 亮光UV

白色底色整体垫白  
白色内容与底色保持一致

**Nekvno**

NET WT 100g (3.5 oz)

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY / Guow Trading Co., Ltd.  
 ADD: Kowloon Room 1317-105, 13th Floor, 205-27, Queen Digital 1-m, Sheung Wan, Hong Kong

外包装: 81\*81\*60mm  
 瓶贴: 240\*30mm  
 圆形瓶贴: 67\*67mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient** Arnica montana HPUS 7%.....**Purpose** Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses** temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use** if you are allergic to dermfreee cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use **Stop use and ask a doctor if** condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days.

**Directions**  
 Apply a thin layer of dermfreee cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying dermfreee cream.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

红框内容: 亮光UV

**Stop use and ask a doctor if** /condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions /** Apply a thin layer of dermfreee cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying dermfreee cream.

**Inactive ingredients /** purified water, Arnica, carbomer, sodium hydroxide, Vanillyl butyl ether

MANUFACTURED BY  
 Gyuuy Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor, 205-27, Geon Digital 1-ro, Gyeongcheon-gu, Gyeongsang-dongg, Korea

**Nekvno**

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuriesBruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80 g (2.82 oz)

**DRUG FACTS**  
**Active ingredient** Arnica montana HPUS 7%.....**Purpose** Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.

**Uses** /temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** /For external use only. **Do not use** if you are allergic to dermfreee cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

红框内容: 亮光UV

白色底色整体垫白  
白色内容与底色保持一致

**Nekvno**

NET WT 80 g (2.82 oz)

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuriesBruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY /Gyuuy Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor, 205-27, Geon Digital 1-ro, Gyeongcheon-gu, Gyeongsang-dongg, Korea

**Nekvno**

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuriesBruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80 g (2.82 oz)

外包装: 81\*81\*60mm  
 瓶贴: 240\*30mm  
 圆形瓶贴: 67\*67mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



Nekvno

## PAIN RELIEF CREAM

INSTRUCTIONS

---

**DRUG FACTS**

<b>Active ingredient</b> Arnica montana HPUS 7%.....	<b>Purpose</b> Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
---	--

**Uses**  
temporarily relieves muscle pain and stiffness due to:

- minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
For external use only. **Do not use if** you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use.

**Stop use and ask a doctor if** oedcondition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days.

**Directions**  
Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Keep out of reach of children.** If swallowed, get medical help Or contact a poison Control Center right away.

**Inactive ingredients**  
purified water, Alcohol, carbomer, sodium hydroxide, Vanillylbutyl ether

红框内容: 亮光UV

**Stop use and ask a doctor if** /oedcondition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions /** Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients** /purified water, Arnica, carbomer, sodium hydroxide, Vanillylbutyl ether

6 974603 692211

MANUFACTURED BY  
Guoyu Trading Co., Ltd.  
ADD /KoreaSeoulRoom 1317-105, 13th Floor,  
205-27, Gwanak Digital 1-ro,  
Gwanak-gu, Gwanak-dong, Korea

## Nekvno

### PAIN RELIEF CREAM

Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80 g (2.82 oz)

**DRUG FACTS**

<b>Active ingredient</b> Arnica montana HPUS 7%.....	<b>Purpose</b> Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.
---	---

**Uses** /temporarily relieves muscle pain and stiffness due to:

- minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** // For external use only. **Do not use if** you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use.

红框内容: 亮光UV

白色底色整体垫白  
白色内容与底色保持一致

## Nekvno

NET WT 80 g (2.82 oz)

### PAIN RELIEF CREAM

Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free ● Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY /Guoyu Trading Co., Ltd.  
ADD /KoreaSeoulRoom 1317-105, 13th Floor,  
205-27, Gwanak Digital 1-ro, Gwanak-gu  
(Gwanak-dong) Korea

Nekvno

## PAIN RELIEF CREAM

Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80 g (2.82 oz)

外包装：81\*81\*60mm  
 瓶贴：240\*30mm  
 圆形瓶贴：67\*67mm  
 说明书：90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses**  
 temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

**Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help Or contact a poison Control Center right away.

**Directions**  
 Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

红框内容：亮光UV

**Stop use and ask a doctor if** / condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions /** Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients /** purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

MANUFACTURED BY  
 Gaiyu Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor,  
 265-27, Gaeun Digital 1-ro, Gajeongcheon-gu,  
 Daejeon-si, Korea

**Nekvno**  
**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80g (2.82 oz)

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.

**Uses** / temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** / For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

白色底色整体垫白  
白色内容与底色保持一致

红框内容：亮光UV

红框内容：亮光UV

**Nekvno**

NET WT 80g (2.82 oz)

**PAIN RELIEF CREAM**  
 Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY Gaiyu Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor,  
 265-27, Gaeun Digital 1-ro, Gajeongcheon-gu,  
 Daejeon-si, Korea

外包装: 81\*81\*60mm  
 瓶贴: 240\*30mm  
 圆形瓶贴: 67\*67mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses**  
 temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use. **Stop use and ask a doctor if** condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days.

**Directions**  
 Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Keep out of reach of children.** If swallowed, get medical help Or contact a poison Control Center right away.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

红框内容: 亮光UV

**Stop use and ask a doctor if** / condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** / Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients** / purified water.  
 Alconol, carbomer, sodium hydroxide, Vanillyl butyl ether



MANUFACTURED BY  
 Guoyu Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor,  
 205-27, Geam Digital 1-ro,  
 Gwanak-gu / Gwan-dong, Korea

**Nekvno**

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuriesBruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80g (2.82 oz)

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.

**Uses** / temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** / For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use.

**Stop use and ask a doctor if** / condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** / Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients** / purified water.  
 Alconol, carbomer, sodium hydroxide, Vanillyl butyl ether



MANUFACTURED BY  
 Guoyu Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor,  
 205-27, Geam Digital 1-ro,  
 Gwanak-gu / Gwan-dong, Korea

**Nekvno**

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuriesBruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 80g (2.82 oz)

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.

**Uses** / temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** / For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use.

红框内容: 亮光UV

白色底色整体垫白  
 白色内容与底色保持一致

**Nekvno**

NET WT 80g (2.82 oz)

**PAIN RELIEF CREAM**




Muscle pain & stiffness Swelling from injuriesBruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY Guoyu Trading Co., Ltd.  
 ADD / KoreaSeoulRoom 1317-105, 13th Floor,  
 205-27, Geam Digital 1-ro, Gwancheon-gu  
 (Gwan-dong) Korea

外包装: 81\*81\*60mm  
 瓶贴: 240\*30mm  
 圆形瓶贴: 67\*67mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



红框内容: 亮光UV

红框内容: 亮光UV

白色底色整体垫白  
 白色内容与底色保持一致



外包装: 78\*78\*54mm  
 瓶贴: 231\*28mm  
 圆形瓶贴: 65\*65mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses**  
 temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

**Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days.

**Directions**  
 Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of demefree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demefree cream.

**Inactive ingredients / purified water,**  
 Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**MANUFACTURED BY**  
 Duowei Trading Co., Ltd.  
 ADD: KoreaSan@Room 1317-105, 13th Floor, 205-27, Gwan Digital 1-ro, Gwangcheon-gu, Gyeonggi-do, Korea

**Nekvno**  
**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 100g (3.5 oz)

**DRUG FACTS**  
**Active ingredient**  
 Arnica montana HPUS 7%.....**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.

**Uses** temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** For external use only. **Do not use** if you are allergic to demefree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. Use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

红框内容: 亮光UV

红框内容: 亮光UV

白色底色整体垫白  
白色内容与底色保持一致

**Nekvno**

NET WT 100g (3.5 oz)

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from Injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY / Duowei Trading Co., Ltd.  
 ADD: KoreaSan@Room 1317-105, 13th Floor, 205-27, Gwan Digital 1-ro, Gwangcheon-gu, Gyeonggi-do, Korea

外包装: 78\*78\*54mm  
 瓶贴: 231\*28mm  
 圆形瓶贴: 65\*65mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient**  
 Amica montana HPUS 7%.....Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises  
**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses**  
 temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use if** you are allergic to demfreee cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use  
**Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days.

**Directions**  
 Apply a thin layer of demfreee cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demfreee cream.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**Stop use and ask a doctor if** condition persists for more than 3 days or worsens symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of demfreee cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying demfreee cream.

**Inactive ingredients** / purified water:  
 Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**MANUFACTURED BY**  
 Ganyu Trading Co., Ltd.  
 ADD / KoreSeoulRoom 1317-105, 13th Floor, 205-27, Seon Digital 1-ro, Seonheon-gu, Gwangju-si, Korea

**Nekvno**  
**PAIN RELIEF CREAM**

**Relieves pain & stiffness Swelling from injuries & bruises**

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 100 g (3.5 oz)

**DRUG FACTS**  
**Active ingredient**  
 Amica montana HPUS 7%.....Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.  
**Purpose**  
 Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.  
**Uses** temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration  
**Warnings** / For external use only. **Do not use if** you are allergic to demfreee cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

红框内容: 亮光UV

白色底色整体垫白  
白色内容与底色保持一致

**Nekvno**

NET WT 100 g (3.5 oz)

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuries & bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY / Ganyu Trading Co., Ltd.  
 ADD / KoreSeoulRoom 1317-105, 13th Floor, 205-27, Seon Digital 1-ro, Seonheon-gu, Gwangju-si, Korea

红框内容: 亮光UV

**Nekvno**  
**PAIN RELIEF CREAM**

**Relieves pain & stiffness Swelling from injuries & bruises**

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 100 g (3.5 oz)

外包装: 78\*78\*54mm  
 瓶贴: 231\*28mm  
 圆形瓶贴: 65\*65mm  
 说明书: 90\*130mm

银卡垫白印刷  
 纳米 / 逆向UV工艺



**Nekvno**

**PAIN RELIEF CREAM** INSTRUCTIONS

**DRUG FACTS**  
**Active ingredient** Amica montana HPUS 7%.....  
**Purpose** Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses** temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings**  
 For external use only. **Do not use** if you are allergic to dermfree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use  
**Stop use and ask a doctor if** condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days.  
**Keep out of reach of children.** If swallowed, get medical help Or contact a poison Control Center right away.

**Directions**  
 Apply a thin layer of dermfree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying dermfree cream.

**Inactive ingredients**  
 purified water, Alcohol, carbomer, sodium hydroxide, Vanillyl butyl ether

**Stop use and ask a doctor if** condition persists for more than 3 days or worsens osymptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of dermfree cream to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying dermfree cream.

**Inactive ingredients** / purified water,  
 Alcohols, carbomer, sodium hydroxide, Vanillyl butyl ether

MANUFACTURED BY  
 Quyu Trading Co., Ltd  
 ADD / KowloonRoom 1317-105, 13th Floor, 205-27, Seap Digital 1-10, Sheung Shing Industrial Estate, Kowloon, Hong Kong

**Nekvno**  
**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 100g (3.5 oz)

**DRUG FACTS**  
**Active ingredient** Amica montana HPUS 7%.....  
**Purpose** Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

**Uses** temporarily relieves muscle pain and stiffness due to:  
 ● minor injuries ● overexertion ● falls reduces symptoms of bruising such as: ● pain ● swelling ● discoloration

**Warnings** For external use only. **Do not use** if you are allergic to dermfree cream or to any of this product's inactive ingredients. **When using this product** avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to treated area immediately before or after use

红框内容: 亮光UV

白色底色整体垫白  
白色内容与底色保持一致

**Nekvno**

NET WT 100g (3.5 oz)

**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

MANUFACTURED BY  
 Quyu Trading Co., Ltd  
 ADD / KowloonRoom 1317-105, 13th Floor, 205-27, Seap Digital 1-10, Sheung Shing Industrial Estate, Kowloon, Hong Kong

红框内容: 亮光UV

**Nekvno**  
**PAIN RELIEF CREAM**

Muscle pain & stiffness Swelling from injuries Bruises

- Fragrance-Free
- Easy to Use on joints
- Plant-Based Relief

NET WT 100g (3.5 oz)



<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARBOMER</b> (UNII: 0A5MM307FC)	
<b>VANILLYL BUTYL ETHER</b> (UNII: S2ULN37C9R)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84844-003-01	80 g in 1 BOTTLE; Type 0: Not a Combination Product	10/23/2024	
2	NDC:84844-003-02	100 g in 1 BOTTLE; Type 0: Not a Combination Product	10/23/2024	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/23/2024	

**Labeler** - Guoyu Trading Co., Ltd. (963348600)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Guoyu Trading Co., Ltd.		963348600	manufacture(84844-003)

Revised: 10/2024

Guoyu Trading Co., Ltd.