## SMALL CUTS AND BURNS - benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfate Genuine First Aid LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Small Cuts and Burns

Active Ingredients:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with: minor cuts, scrapes, burns

Warning: For external use only.

Do not use: in eyes, in large quantities, over raw blistered areas,

or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature LOT/EXP: Made in CHINA 20130301 Genuine First Aid Burn Cream Antiseptic Pain Relief With Aloe Net Wt 0.9g (1/32 oz) Manufactured in CHINA for

Genuine First Aid.

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

# ACTIVE INGREDIENTS: Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

## Net Wt 0.9g · (1/32 oz)



Manufactured in CHINA for GENUINE FIRST AID,

Active Ingredient: Purpose Benzalkonium Chloride 0.40%... First Aid Antiseptic Use: For Professional and Hospital use. Helps

prevent infection. Antiseptic cleansing of face,

hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help

or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of

the body.

Directions: Tear open packet, unfold towelette

and use to cleanse desired skin area. Discard

Drug Facts Purpose: First aid antiseptic, external analgesic Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with: . minor cuts scrapes
 burns Warnings: For external use only Do not use • in eyes • in large quantities • over raw blistered areas, or on deep puncture wounds, animal bites or serious burns • for more than one week Keep out of reach of children. If ingested, contact a Poison Control Center right away. Directions: • clean affected area · apply small amount not more than 3 times daily • may be

Other information: Store at room temperature

covered with a sterile bandage



2015/01

towelette appropriately after single use.

Inactive Ingredient: Purified water LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

#### **GENUINE FIRST AID**



#### 100-TEA AEOROEA

#### **DRUG FACTS - Antiseptic Towelette**

Active Ingredient: Purpose	: 1
Benzalkonium Chloride 0.40%. First Aid Antiseptic	c .
Use: For Professional and Hospital use. Helps	
prevent infection. Antiseptic cleansing of face,	1
hands and body without soap and water.	1
Warnings: For external use only. Keep out of	ш
reach of children. If swallowed, get medical help	ERE
or contact a Poison Control Center right away.	Ш
If unusual redness, swelling or other symptoms	王
occur, consult a physician immediately.	
Do not use: In the eyes, or over large areas of th	TEAR
body.	4
Directions: Tear open packet, unfold towelette	ш
and use to cleanse desired skin area. Discard	<b>—</b>
towelette appropriately after single use.	
Inactive ingredient: Purified water.	1
Made in CHINA	1

Active Ingredient: ......Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Uses: To help prevent infection in: minor cuts; scrapes; burns Warnings:

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor: if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage Other information:

Store at room temperature.

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

#### Manufactured in CHINA for

GENUINE FIRST AID.



First Aid Ointment To Help Prevent Infection

	Each Gram Contains:
Ba	citracin Zinc 400 units
N	leomycin Sulfate 5 mg
	(equivalent to 3.5 mg
	Neomycin base)
Polyn	nyxin B Sulfate 5000 units
1	Net Wt 0.5g · (1/64 oz)



Manufactured in CHINA for GENUINE FIRST AID<sub>®</sub>

Small Cuts and Burns
10 Adhesive Plastic Bandages 3/4"x3"
10 Junior Plastic Bandages 3/8"x1-1/2"
5 Adhesive Plastic Bandages 1"x3"
1 Knuckle Fabric Bandage
10 Adhesive Spot Bandages 7/8"x7/8"
1 Fingertip Fabric Bandage
1 Elbow/Knee Adhesive Bandage
1 Burn Cream
5 Antiseptic Towelettes
1 Antibiotic Ointment
2 Sterile Gauge Pads 2"x2"
10 Cotton Tipped Applicators

Manufactured in China for:

Genuine First Aid LLC. 600 Cleveland Street **Drug Facts** 

Uses: To help prevent infection in • minor cuts • scrapes • burns Warnings: For external use only Do not use • in eyes • over large areas of the body · if allergic to any of the ingredients · for more than one week unless directed by a physician Stop use and consult a doctor · if the condition persists or gets worse • a rash or other allergic reaction develops Keep out of reach of children. If ingested, contact a Poison Control Center right away. Directions: • clean affected area · apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily . may be covered with a sterile bandage Other information: Store at room temperature



2015/01

Suite 400 Clearwater FL 33755

www.GenuineFirstAid.com

GENUINE FIRST AID Copyright 2009 Genuine First Aid LLC. All rights reserved.

# Small Cuts & Burns

- 10 Adhesive Plastic Bandages 3/4"x3"
- 10 Junior Plastic Bandages 3/8"x1-1/2"
- 5 Adhesive Plastic Bandages 1"x 3"
- 1 Knuckle Fabric Bandage
- 10 Adhesive Spot Bandages 7/8"x7/8"
  - 1 Fingertip Fabric Bandage
  - 1 Elbow/Knee Adhesive Bandage
  - 1 Burn Cream
  - 5 Antiseptic Towelettes
  - 1 Antibiotic Ointment
  - 2 Sterile Gauze Pads 2"x2"
- 10 Cotton Tipped Applicators

Manufactured in China for: Genuine First Aid LLC. 600 Cleveland Street Suite 400 Clearwater FL 33755 www.GenuineFirstAid.com





#### SMALL CUTS AND BURNS

benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfate kit

# Product Information Item Code (Source) NDC:52124-0116 Product Type NDC:52124-0116 NDC:52124-0116

#	aging						
#	Item Code	Pack	age Description	Marketing St	art Date	Marketing	End Date
	C:52124-0116-1	1 in 1 KIT	-90 2000 p 101				2.1.4.2.4.1
Quar	ntity of Parts						
Part #	# Pac	kage Qua	ntity		Fotal Produc	t Quantity	
Part 1	1 PACKAGE		(	0.9 g			
	5 PACKAGE			4 mL			
Part 3	1 TUBE		(	).5 g			
Par	t 1 of 3						
			URN ANTISEP	στις σλινι σ		іти лі об	
					ELIEF VV.	II II ALUE	
benza	alkonium chloride,		ream				
Prod	luct Information						
Ite m (	Code (Source)		NDC:52124-0004				
Route	e of Administration		TOPICAL				
Activ	ve Ingredient/Ac	tive Moie	ety				
Ingredient Name					Basis	of Strength	Strength
<b>BENZALKO NIUM CHLO RIDE</b> (UNII: F5UM2KM3W7) (BI UNII:7N6 JUD5X6 Y)				KONIUM - BENZALKONIUM CHLORIDE			0.13 g in 100 g
LIDO	CAINE (UNII: 98PI200	987) (LIDO	CAINE - UNII:98PI2009	87)	LIDOCAI	NE	0.5 g in 100
Pack	aging						
#	Item Code	Pack	age Description		_	Markoting	
#				Marketing St	art Date	what we thing	End Date
	C:52124-0004-1	0.9 g in 1		Marketing St	art Date	wai ke ting	End Date
	C:52124-0004-1	0.9 g in 1		Marketing St	art Date	warketing	End Date
1 NDC				Marketing St	art Date	Marketing	End Date
1 NDO	rketing Inforn	nation	PACKAGE				
1 NDC Mar Mark	r <b>keting Inforn</b> «eting Category	nation Applicatio		raph Citation M	arketing Star		End Date
1 NDC Mar Mark	r <b>keting Inforn</b> «eting Category	nation	PACKAGE	raph Citation M			
1 NDC Mar Mark OTC m	r <b>keting Inforn</b> <b>«eting Category</b> nonograph final pa	nation Applicatio	PACKAGE	raph Citation M	arketing Star		
1 NDC Mark OTC n Par	rketing Inform keting Category nonograph final pa t 2 of 3	nation Applicatio urt345	PACKAGE n Number or Monogr	raph Citation M	arketing Star		
1 NDC Mark OTC n Par AN	rketing Inforn (eting Category nonograph final pa t 2 of 3 FISEPTIC TO	nation Applicatio art345 )WELE	PACKAGE n Number or Monogr	raph Citation M	arketing Star		
1 NDC Mark OTC n Par AN	rketing Inform keting Category nonograph final pa t 2 of 3	nation Applicatio art345 )WELE	PACKAGE n Number or Monogr	raph Citation M	arketing Star		

<b>Product Information</b>								
Item Code (Source)	em Code (Source) NDC:52124-0001							
Route of Administration	ute of Administration TOPICAL							
Active Ingredient/Act		-						
Ingredient Name BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM -					Basis of		Strength	
UNII:7N6JUD5X6Y)	IDE (UNII: F	5UM2KM3W7) (BENZAL	KONIUM -		BENZALKO CHLORIDE	DNIUM		.40 mL in 100 mL
Inactive Ingredients								
		ngredient Name				S	tren	gth
WATER (UNII: 059QF0KO0	R)							
Packaging								
# Item Code	Pack	age Description	Marketing	ø Star	rt Date	Mark	eting	g End Date
<b>1</b> NDC:52124-0001-1		1 PACKAGE	17 All Inc thing	5 0 0 0 0	Dutt			, Lind Dutt
<b>Marketing Inform</b>	nation							
U		on Number or Monogra	aph Citation	Mar	keting Star	t Date M	arke	ting End Date
OTC monograph final pa	rt333		-	04/23/	/2010			-
Part 3 of 3								
<b>GENUINE TRIPI</b>	LE ANT	IBIOTIC						
bacitracin zinc,neomycii	n sulfate,p	olymyxin b sulfate oi	ntment					
<b>Product Information</b>								
Item Code (Source)	Item Code (Source) NDC:52124-0003							
Route of Administration	te of Administration TOPICAL							
Active Ingredient/Active								
	•	edient Name				of Strengtl		Strength
BACITRACIN ZINC (UNII: 8					BACITRAC			400 [iU] in 1 g
NEOMYCIN SULFATE (UN				C IZ)		N SULFATE		5 mg in 1 g
POLYMYXIN B SULFATE	(UNII: 1937)	ISTZD4) (POLYMYXIN B ·	- UNII:J2VZ07J9(	ok)	POLYMYX	IN B SULFA'	1E	5000 [iU] in 1 g
Dackaging								
Packaging								

# Item Code	Package Description	Marketin	g Start Date	M	arketing End Date	
1 NDC:52124-0003-1	0.5 g in 1 TUBE					
Marketing Info	rmation					
Marketing Category	ory Application Number or Monograph Citation Marke			Date	Marketing End Date	
OTC monograph final	part333		04/23/2010			
Marketing Information						
Marketing Category	Application Number or Monogra	ph Citation	Marketing Start	Date	Marketing End Date	
OTC monograph final	part333		04/23/2010			

# Labeler - Genuine First Aid LLC (619609857)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
GFA Production (Xiamen) Co., Ltd		421256261	manufacture			

Revised: 6/2010

Genuine First Aid LLC