HEALMUSZ WART REMOVER- salicylic acid wart remover liquid Jiangxi Hemei Pharmaceutical Co., Ltd

84010-040

Active Ingredient

Salicylic acid 5% w/w

Purpose

Wart remover

Use

- ·for the removal of common and plantar warts
- ·the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface.
- ·the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes.

·if you have diabetes or poor blood circulation.

When Using

avoid contact

with eyes. If product gets into the eye, flush with water for 15 minutes. avoid inhaling vapors cap tightly and store at room temperature away from heat

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

wash affected area

- ·may soak wart in warm water for 5 minutes
- ·dry area thoroughly·by squeezing tube gently, apply one drop at a time to sufficiently cover each wart·let dry
- ·repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information

store at room

temperature avoid excessive heat 37°C (99°F) skin discoloration may accur during or after use

·wipe the tip of the tube with a paper towel between uses

Inactive ingredients

 $Borneol \verb||Glycerin|| Podofilox \verb||Polyethylene Glycol|| Water \verb|| etc.$

PRINCIPAL DISPLAY PANEL

WART REMOVER

50*38*88

Drug Facts

Active ingredient

Salicylic acid 5% w/w Wart Uses

Purpose Wart remover

•for the removal of common and plantar warts •the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface. •the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use on irritated skin or on any area that is infected or reddened on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes if you have diabetes or poor blood circulation.

When using this product - avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes - avoid inhaling vapors - cap tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

HEALMUSZ[®]

WART REMOVER



Directions • wash affected area • may soak wart in warm water for 5 minutes • dry area thoroughly • by squeezing tube gently, apply one drop at a time to sufficiently cover each wart • let dry • repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information • store at room temperature • avoid excessive heat 37°C (99°F) • skin discoloration may accur during or after use • wipe the tip of the tube with a paper towel between uses

Inactive ingredients Borneol, Glycerin,
Podofilox, Polyethylene Glycol, Water, etc.



HEALMUSZ[®]

WART REMOVER



WART REMOVER

Drug Facts

Active ingredient

Purpose Salicylic acid 5% w/w Wart remover Uses

• for the removal of common and plantai warts • the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface. • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use · on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes • if you have diabetes or poor blood circulation.

When using this product · avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. • avoid inhaling vapors • cap tightly and store at room temperature away from heat Stop use and ask a doctor if

discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

HEALMUSZ[®]

WART REMOVER



Directions · wash affected area · may soak wart in warm water for 5 minutes ·dry area thoroughly · by squeezing tube gently, apply one drop at a time to sufficiently cover each wart • let dry •repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information · store at room temperature • avoid excessive heat 37°C (99°F) • skin discoloration may accur during or after use • wipe the tip of the tube with a paper towel between uses

Inactive ingredients Borneol, Glycerin, Podofilox, Polyethylene Glycol, Water, etc.



HEALMUSZ[®]

WART REMOVER



WART REMOVER

Drug Facts

Active ingredient Purpose
Salicylic acid 5% w/w Wart remover

Uses

•for the removal of common and plantar warts •the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface. •the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use on irritated skin or on any area that is infected or reddened on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes if you have diabetes or poor blood circulation.

When using this product - avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes - avoid inhaling vapors - cap tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists. **Keep out of reach of children.**If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

HEALMUSZ[®]

WART REMOVER



Directions • wash affected area • may soak wart in warm water for 5 minutes • dry area thoroughly • by squeezing tube gently, apply one drop at a time to sufficiently cover each wart • let dry • repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information · store at room temperature · avoid excessive heat 37°C (99°F) · skin discoloration may accur during or after use · wipe the tip of the tube with a paper towel between uses

Inactive ingredients Borneol, Glycerin,
Podofilox, Polyethylene Glycol, Water, etc.



HEALMUSZ[®]

WART REMOVER



HEALMUSZ WART REMOVER

salicylic acid wart remover liquid

Product Information

WATER (UNII: 059QF0KO0R)

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84010-040

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)

SALICYLIC ACID (UNII: 0414PZ4LPZ) SALICYLIC ACID 5 g in 100 mL

Inactive Ingredients Ingredient Name Strength GLYCERIN (UNII: PDC6A3C0OX) BORNEOL (UNII: M89NIB437X) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) PODOFILOX (UNII: L36H50F353)

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:84010-040- 01	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/25/2024				
2	NDC:84010-040- 02	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/25/2024				
3	NDC:84010-040- 03	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/25/2024				

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC Monograph Drug	M028	10/25/2024					

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment								
Name	Address	ID/FEI	Business Operations					
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-040)					

Revised: 10/2024 Jiangxi Hemei Pharmaceutical Co., Ltd