FAMILY DOLLAR NIGHTTIME SEVERE COLD AND COUGH HONEY LEMON INFUSED WITH CHAMOMILE AND WHITE TEA FLAVORS- acetaminophen, diphenhydramine hcl and phenylephrine hcl granule, for solution Quality Home Products

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Family Wellness Nighttime Severe Cold and Cough Honey lemon infused with Chamomile and White tea flavors

Active ingredients (in each packet) Purpose

Acetaminophen 650 mgPain reliever/Fever reducer

Diphenhydramine hydrochloride 25 mgAnitihistamine/Cough suppressant

Phenylephrine hydrochloride 10 mg.....Nasal decongestant.

Uses

- temporarily relieves these symptoms due to a cold:
- minor aches and pains headache minor sore throat pain
- nasal and sinus congestion cough due to minor throat and bronchial irritation
- runny nose sneezing itchy, watery eyes due to hay fever
- itchy nose and throat
- temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take - more than 6 packets in 24 hours, which is the maximum daily amount - with other drugs containing acetaminophen - 3 or more alcoholic drinks every day while using this product.

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include - skin redenning - blisters - rash. If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use:

- In a child under 4 years of age
- If you are allergic to acetaminophen

- with any other drug containing acetaminophen (prescription and nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- with any other product containing diphenhydramine, even one used on the skin

- If you are now taking a prescription monoamine oxidase (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before

taking this product.

Ask a doctor before use if you have

- liver disease - heart disease - high blood pressure - thyroid disease - glaucoma - diabetes - trouble urinating due to an enlarged prostate gland - a breathing problem such as emphysema, asthma, or chronic bronchitis - cough that occurs with too much phlegm (mucus) - cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

- a sodium restricted diet.

Ask a doctor or pharmacist before use if you are:

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin.

When using this product:

- do not exceed recommended dosage
- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

Stop use and ask a doctor if:

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days

- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed

- take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor.

| Age | Dose |
|--|--|
| children under 4 years of age | do not use |
| children 4 to under 12 years of age | do not use unless directed by a doctor |
| adults and children 12 years of age and over | one packet |

- dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.

- if using a microwave, add contents of one packet to 8 oz. of cool water: stir briskly before and after heating. Do not overheat.

Other information:

- each packet contains: potassium 10 mg, sodium 47 mg

- phenylketonurics: each packet contains phenylalanine 13 mg

- store at controlled room temperature 20-25C (68-77F). Protect from excessive heat and moisture.

Acesulfame potassium, anhydrous citric acid, Aspartame, Caramel Color, D and C Yellow 10, Maltodextrin, Natural Flavors, Sodium Citrate, Starch and Sugar.



FAMILY DOLLAR NIGHTTIME SEVERE COLD AND COUGH HONEY LEMON INFUSED WITH CHAMOMILE AND WHITE TEA FLAVORS

acetaminophen, diphenhydramine hcl and phenylephrine hcl granule, for solution

| Product Information | | | | | | | | |
|---|--------------------------------|----------------------------------|-------------------------------|----------------|--------|--|--|--|
| Product T ype | HUMAN OTC DRUG | Item Code (Source) | | NDC:64525-0566 | | | | |
| Route of Administration | ORAL | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | |
| Ingredient Name | | Basis of S | trength | Strength | | | | |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | | | ACETAMINOPHE | N | 650 mg | | | |
| DIPHENHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | | DIPHENHYDRAMINE HYDROCHLORIDE | | 25 mg | | | | |
| PHENYLEPHRINE HYDRO CHLO R UNII:1WS297W6 MV) | IDE (UNII: 04JA59TNSJ) (PHENYI | EPHRINE - | PHENYLEPHRINE HYDROCHLORIE | | 10 mg | | | |
| | | | | | | | | |

| Inactive Ingredients | | | | | | | |
|-----------------------|---|--|-----------------------------|--------------------|--|--|--|
| | Ingredient Name | | | | | | |
| CITRIC ACI | CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | | | | | | |
| MALTODE | XTRIN (UNII | : 7CVR7L4A2D) | | | | | |
| SODIUM CI | TRATE (UN | II: 1Q73Q2JULR) | | | | | |
| SUCROSE (| UNII: C151H8 | 3M554) | | | | | |
| ACESULFA | ME (UNII: MA | A3UYZ6K1H) | | | | | |
| ASPARTAM | IE (UNII: Z0H | 1242BBR1) | | | | | |
| | | | | | | | |
| | 2] | • | | | | | |
| Product (| | | | Score | | | |
| | yellow (Caramel Color) , yellow (D & C Yellow 10) | | | | | | |
| Shape | hape | | | | | | |
| Flavor | HONEY (Nat | tural Honey and Lemon Flavor) , LEMON (Natural Hon | ey and Lemon Flavor) | Imprint Code | | | |
| Contains | Contains | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Packaging | | | | | | | |
| # Item | Code | Package Description | Marketing Start Date | Marketing End Date | | | |
| 1 NDC:6452 | 25-0566-6 | 6 in 1 BOX; Type 0: Not a Combination Product | 11/24/2015 | | | | |
| | | | | | | | |
| | | | | | | | |
| Marketing Information | | | | | | | |
| Marketing | Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | |
| OTC monog | raph final | part341 | 11/24/2015 | | | | |
| | | | | | | | |

Labeler - Quality Home Products (205554157)

Revised: 5/2017

Quality Home Products