

LEADER NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated
Cardinal Health 110, LLC. dba Leader

Cardinal Health Nasal Decongestant Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

| | |
|---------------------------------------|---|
| adults and children 12 years and over | <ul style="list-style-type: none">• take 2 tablets every 4 to 6 hours• do not take more than 8 tablets in 24 hours |
| children ages 6 to 11 years | <ul style="list-style-type: none">• take 1 tablet every 4 to 6 hours• do not take more than 4 tablets in 24 hours |
| children under 6 years | do not use this product in children under 6 years of age |

Other information

- **each tablet contains:** calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

Inactive ingredients

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

LEADER™

Maximum Strength | Non-Drowsy

Nasal Decongestant

Pseudoephedrine HCl Tablets, 30 mg | Nasal Decongestant

Sinus Pressure + Congestion

24 TABLETS

Actual Size

COMPARE TO SUDAFED® CONGESTION MAXIMUM STRENGTH active ingredient*

100% Money Back Guarantee



Important: Read all product information before using. Keep this box for important information.

Drug Facts

Active ingredient (in each tablet) Purpose
Pseudoephedrine HCl 30 mg. Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

| | |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> take 2 tablets every 4 to 6 hours do not take more than 8 tablets in 24 hours |
| children ages 6 to 11 years | <ul style="list-style-type: none"> take 1 tablet every 4 to 6 hours do not take more than 4 tablets in 24 hours |
| children under 6 years | do not use this product in children under 6 years of age |

Other information

- each tablet contains: calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

Inactive ingredients carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by McNeil Consumer Health Care and the Leader logo are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

© 2019 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health logo, ESSENTIAL TO CARE, LEADER, and the Leader logo are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.



DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OH 43017
www.myl leader.com 1-800-200-6133
Essential to Care™ since 1979



LEADER NASAL DECONGESTANT

pseudoephedrine hcl tablet, film coated

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70000-0002 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|----------|
| PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F) | PSEUDOEPHEDRINE HYDROCHLORIDE | 30 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6130) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |

| | |
|---|--|
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |

Product Characteristics

| | | | |
|-----------------|----------------|---------------------|----------|
| Color | RED | Score | no score |
| Shape | ROUND (convex) | Size | 7mm |
| Flavor | | Imprint Code | L432 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:70000-0002-1 | 24 in 1 CARTON | 12/20/2019 | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:70000-0002-2 | 8 in 1 CARTON | 01/16/2020 | |
| 2 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 12/20/2019 | |

Labeler - Cardinal Health 110, LLC. dba Leader (063997360)

Revised: 9/2024

Cardinal Health 110, LLC. dba Leader