

**ACETAMINOPHEN 325 MG- acetaminophen tablet**  
**Reliable 1 Laboratories LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Acetaminophen USP 325 mg Tablets**

**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen USP, 325 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual or menstrual cramps
  
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg in 24 hours, which is the maximum daily amount
- child takes more than 5 tablets in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if the user has** liver disease

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed (see overdose warning)**

---

adults and children 12 years and over	take 2 tablets every 4-6 hours while symptoms last, not more than 12 tablets in 24 hours
children 6 to 11 years	take 1 tablet every 4-6 hours while symptoms last, not more than 5 tablets in 24 hours
children under 6 years	do not use

---

### ***Other information***

- store at 15° to 30°C (59° to 86°F)

### ***Inactive ingredients***

povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid

### ***Questions or comments?***

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Tylenol®.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

[www.reliable1labs.com](http://www.reliable1labs.com)

**NDC 69618-010-01**

**Regular Strength**

**Acetaminophen USP 325 mg**

**PAIN RELIEVER**

**FEVER REDUCER**

**100 TABLETS**

\*Compare to Active Ingredient in Regular Strength **TYLENOL®**

NDC 69618-010-01



**Regular Strength**  
**Acetaminophen USP**  
**325 mg**  
**PAIN RELIEVER**  
**FEVER REDUCER**

**100 TABLETS**

\*Compare to Active Ingredient in Regular Strength **TYLENOL®**

<b>Drug Facts</b>
<b>Active ingredient (in each tablet)</b> Acetaminophen USP, 325 mg ..... Pain reliever/Fever reducer
<b>Uses</b> temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"><li>muscular aches</li><li>minor pain of arthritis</li><li>the common cold</li><li>premenstrual and menstrual cramps</li></ul> temporarily reduces fever
<b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if <ul style="list-style-type: none"><li>adult takes more than 4,000 mg in 24 hours, which is the maximum daily amount</li><li>child takes more than 5 tablets in 24 hours, which is the maximum daily amount</li></ul> taken with other drugs containing acetaminophen <ul style="list-style-type: none"><li>adult has 3 or more alcoholic drinks every day while using this product</li></ul> <b>Allergy alert:</b> acetaminophen may cause severe skin reactions. Symptoms may include: <ul style="list-style-type: none"><li>skin reddening</li><li>blisters</li><li>rash</li></ul> if a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts** continued on back of label

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark **TYLENOL®**.

Distributed by: **Reliable 1 Laboratories LLC**  
**Valley Stream, NY 11580**  
[www.reliable1labs.com](http://www.reliable1labs.com)

Rev. 0615



Lot No:  
Exp. Date:  
**PEEL HERE FOR MORE DRUG FACTS**

<b>Drug Facts (continued)</b> Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. <b>Ask a doctor before use if the user has liver disease</b> <b>Ask a doctor or pharmacist before use if the user is</b> taking the blood thinning drug warfarin <b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"><li>pain gets worse or lasts more than 10 days in adults</li><li>pain gets worse or lasts more than 5 days in children</li><li>fever gets worse or lasts more than 3 days</li><li>new symptoms occur</li><li>redness or swelling is present</li></ul> These could be signs of a serious condition. <b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> <b>Overdose warning:</b> Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
<b>Directions</b> ■ <b>do not take more than directed</b> (see overdose warning) adults & children 12 years and over Take 2 tablets every 4 - 6 hours while symptoms last, not more than 12 tablets in 24 hours children 6 to 11 years Take 1 tablet every 4 - 6 hours while symptoms last, not more than 5 tablets in 24 hours children under 6 years do not use
<b>Other information</b> ■ store at 15° to 30°C (59° to 86°F)
<b>Inactive ingredients</b> povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid
<b>Questions or comments?</b> call 516-341-0666, 8:30 am - 4:30 pm ET, Monday - Friday

**ACETAMINOPHEN 325 MG**

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69618-010
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, PREGELATINIZED CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	AP;012
<b>Contains</b>			

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:69618-010-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	
<b>2</b>	NDC:69618-010-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	



# ACETAMINOPHEN

## 325mg Tablet

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	11/01/2015	

**Labeler** - Reliable 1 Laboratories LLC (079718111)

**Registrant** - Reliable 1 Laboratories LLC (079718111)