

**TRANSCEND- idoine solution
IBA**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**TRANSCEND SANITIZING 1% IODINE BARRIER TEAT DIP A PREMIUM, "TRUE"
BARRIER TEAT DIP CONTAINING A UNIQUE 12% TRIPLE INGREDIENT SKIN
CONDITIONING SYSTEM**

ACTIVE INGREDIENT

Iodine1.00%

INERT INGREDIENTS

Emollients.....12.00%

Other Inerts.....87%

(Includes Buffering Agents and Surfactants)

Total.....100%

pH of 5.5 at time of manufacture

This product contains highly effective levels of free iodine for fast kill of mastitis and killing organisms

INDICATIONS AND USAGE

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment
4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION

POST-MILKING (POST DIPPING)

Immediately after milking dip all teats full length with TRANSCEND Teat Dip Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

TRANSCEND NPE FREE

• Unique "Drip-Less" Formulation
• Forms A Full Barrier With Plug
• Easily Removed Before Milking
• Compatible With Popular Pre-Dip Products

NDC # 29983-0084-4
LESS DRIP
LESS WASTE

TRANSCEND

SANITIZING 1% IODINE BARRIER TEAT DIP
A PREMIUM, "TRUE" BARRIER TEAT DIP
CONTAINS A **UNIQUE, 12%** TRIPLE INGREDIENT SKIN CONDITIONING SYSTEM

ACTIVE INGREDIENT:
Iodine 1.00 %
(Provides A Full 1.0% Available Iodine As Used)

INERT INGREDIENTS:
Emollients 12.00 %
Other Inerts 87.00 %
(Includes Iodine Stabilizers, Buffering Agents and Surfactants)
TOTAL: 100.00 %

pH of 5.5 at time of manufacture
This product contains highly effective levels of free iodine for fast kill of mastitis causing organisms.

RECOMMENDED PROCEDURES FOR TEAT SANITATION
POST-MILKING (POST-DIPPING)
Immediately after milking, dip all teats full length with **TRANSCEND Teat Dip**. Ensure good coverage of all sides of the teats and teat orifices.

GENERAL RECOMMENDATIONS
1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

WARNING
DO NOT DILUTE THIS PRODUCT.
DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.
ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.
PROTECT THIS PRODUCT FROM FREEZING.

CAUTION: KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES
EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.
SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.
INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE: LOT NO.: NET CONTENTS: 5 GALLONS (18.925 LITERS) IBA STOCK # 161266 1223E

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

TRANSCEND

iodine solution

Product Information

Product Type

OTC ANIMAL DRUG

Item Code (Source)

NDC:29983-0084

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
MONOETHANOLAMINE (UNII: 5KV86114PT)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0084-2	3.78 L in 1 DRUM		
2	NDC:29983-0084-4	18.9 L in 1 DRUM		
3	NDC:29983-0084-6	56.7 L in 1 DRUM		
4	NDC:29983-0084-7	113.4 L in 1 DRUM		
5	NDC:29983-0084-8	207.9 L in 1 DRUM		
6	NDC:29983-0084-9	1039.5 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/05/2010	

Labeler - IBA (019494160)