

**ACT TOTAL CARE ANTICAVITY FLUORIDE ICY CLEAN MINT- sodium fluoride mouthwash**  
**Chattem, Inc.**

-----  
**ACT Total Care Anticavity Fluoride Mouthwash Icy Clean Mint**

***Drug Facts***

***Active ingredient***

Sodium fluoride 0.02% (0.009% w/v fluoride ion)

***Purpose***

Anticavity

***Use***

- aids in the prevention of dental cavities

***Warnings***

**Keep out of reach of children.**

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children 6 years of age and older:**

- use twice a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

**children under 6 years of age:** consult a dentist or doctor

***Other information***

- do not use if safety seal is broken or missing

***Inactive ingredients***

water, alcohol (11%), sorbitol, poloxamer 407, propylene glycol, sodium benzoate, flavor, sodium phosphate, cetylpyridinium chloride, polysorbate 20, sodium saccharin, disodium phosphate, calcium disodium EDTA, blue 1 (283-005)

**[www.actfluoride.com](http://www.actfluoride.com)**

**PRINCIPAL DISPLAY PANEL**

**#1 DENTIST RECOMMENDED  
FLUORIDE BRAND**

**ACT**

**TOTAL CARE**


**ANTICAVITY FLUORIDE**

**MOUTHWASH**

**ICY CLEAN MINT**

**Sodium Fluoride 0.02%**

**33.8 fl oz (1 L)**



**ACT**  
**ANTICAVITY FLUORIDE MOUTHWASH**  
 Helps Prevent Cavities • Strengthens Teeth

<b>Drug Facts</b>	
<b>Active ingredient</b> Sodium fluoride 0.02% (0.009% w/v fluoride ion)	<b>Purpose</b> Anticavity
<b>Use</b> ■ aids in the prevention of dental cavities	
<b>Warnings</b> Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> adults and children 6 years of age and older: ■ use twice a day after brushing your teeth with a toothpaste ■ remove cap ■ pour 10 milliliters into cap (10 mL mark on inside of cap); do not fill above 10 mL mark ■ vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out ■ do not swallow the rinse ■ do not eat or drink for 30 minutes after rinsing ■ instruct children under 12 years of age in good rinsing habits (to minimize swallowing) ■ supervise children as necessary until capable of using without supervision children under 6 years of age: consult a dentist or doctor	
<b>Other information</b> ■ do not use if safety seal is broken or missing	
<b>Inactive ingredients</b> water, alcohol (11%), sorbitol, poloxamer 407, propylene glycol, sodium benzoate, flavor, sodium phosphate, cetylpyridinium chloride, polysorbate 20, sodium saccharin, disodium phosphate, calcium disodium EDTA, blue 1 (283-005)	

www.actoralcare.com  
 † among fluoride mouth rinses  
 U.S. Patent No. D591,159



**CHATTEM**  
 Dist. by CHATTEM, INC.  
 P.O. Box 2219  
 Chattanooga, TN 37409 USA  
 © 2015 Chattem, Inc.

00070777-01

**ACT TOTAL CARE ANTICAVITY FLUORIDE ICY CLEAN MINT**

sodium fluoride mouthwash

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0966
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.09 mg in 1 mL
--	--------------	-----------------

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM PHOSPHATE</b> (UNII: SE337SVY37)	
<b>CETYLPYRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>EDETATE CALCIUM DISODIUM ANHYDROUS</b> (UNII: 8U5D034955)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0966-7	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2009	
2	NDC:41167-0966-8	1250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/02/2016	07/30/2020

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/01/2009	

**Labeler** - Chattem, Inc. (003336013)