


**RECIPE INFINITE UV SHIELD SUNSCREEN BROAD SPECTRUM SPF100-  
avobenzone, homosalate, octinoxate, octisalate, octocrylene lotion  
BAY BELLE LABS**

-----

**RECIPE Infinite UV Shield Sunscreen Broad Spectrum SPF100**

**Bottle**



- Apply generously 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m.-2p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

- Children under 6 months of age: ask a doctor.

For external use only.

Water, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dipropylene Glycol, Alcohol Denat., Caprylyl Methicone, Cetyl Alcohol, PPG-8-Ceteth-20, Polysorbate 60, Dimethicone, Hydroxyacetophenone, Phenoxyethanol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Fragrance(Parfum), Isohexadecane, Tocopheryl Acetate, Potassium Hydroxide, Polysorbate 80, Disodium EDTA, Butylene Glycol, Sorbitan Oleate, Liliun Candidum Flower Water, Hydrolyzed Pearl, Glycerin, Xylitylglucoside, Potassium Sorbate, Beta Vulgaris (Beet) Root Extract, Anhydroxylitol, Ethylhexylglycerin, Haberlea Rhodopensis Leaf Extract, Xylitol, Glutathione, Resveratrol, Ascorbyl Glucoside, Saussurea Involucrata Extract, Glucose, Oryza Sativa (Rice) Extract, Hydrolyzed Myrtus Communis Leaf Extract, Yeast Extract, Sesamum Indicum (Sesame) Seed Extract, Glycine Soja (Soybean) Seed Extract, Leontopodium Alpinum Flower/Leaf Extract, Myrciaria Dubia Fruit Extract, Rubus Fruticosus (Blackberry) Fruit Extract, Epigallocatechin Gallatyl Glucoside, Euterpe Oleracea Fruit Extract, Caprylyl Glycol, Caprylhydroxamic Acid, Epigallocatechin Gallate

If swallowed get medical help or contact a Poison Control Center right away.

Sunscreen

Avobenzone 3%, Homosalate 9%, Octinoxate 5%, Octisalate 4%, Octocrylene 3%,  
Purpose: Sunscreen

## **USES**

### ***Uses***

- *Helps prevent sunburn*

## **Carton**

\*30\*124

RE:CIPE

RE:CIPE  
Infinite UV Shield Sunscreen  
Broad Spectrum SPF100  
PA++++

Drug Facts	
Active Ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 9%	Sunscreen
Octinoxate 5%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 3%	Sunscreen
<b>Uses</b>	
Helps prevent sunburn.	
<b>Warnings</b>	
<b>For external use only.</b>	
<b>Do not use</b> on damaged or broken skin.	
<b>When using this product</b> keep out of eyes. Rinse with water to remove.	
<b>Stop use and ask a doctor</b> if rash occurs.	
<b>Keep out of reach of children.</b> If swallowed get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Apply generously 15 minutes before sun exposure.</li> <li>Reapply at least every 2 hours.</li> <li>Use a water-resistant sunscreen if swimming or sweating.</li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. - 2p.m.</li> <li>wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>Children under 6 months of age: Ask a doctor.</li> </ul> </li> </ul>	
<b>Other information</b>	
Protect the product in this container from excessive heat and direct sun.	
<b>Inactive ingredients</b>	
Water, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dipropyl ene Glycol, Alcohol Denat, Caprylyl Methicone, Cetyl Alcohol, PPG-8 -Ceteth-20, Polysorbate 60, Dimethicone, Hydroxyacetophenone, Phenoxyethanol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Fragrance(Parfum), Isohexadecane, Tocopheryl Acetate, Potassium Hydroxide, Polysorbate 80, Disodium EDTA, Butylene Glycol, Sorbitan Oleate, Liliun Candidium Flower Water, Hydrolyzed Pearl, Glycerin, Xylitylglycoside, Potassium Sorbate, Beta Vulgaris (Beet) Root Extract, Anhydroxyllitol, Ethylhexylglycerin, Linalool, Haberlea Rhodopensis Leaf Extract, Xy litol, Glutathione, Resveratrol, Ascorbyl Glucoside, Saussurea Invo lucrata Extract, Glucose, Oryza Sativa (Rice) Extract, Hydrolyzed Myrtus Communis Leaf Extract, Yeast Extract, Sesamum Indicum (Sesame) Seed Extract, Glycine Soja (Soybean) Seed Extract, Leon topodium Alpinum Flower/Leaf Extract, Myrciaria Dubia Fruit Extract, Rubus Fruticosus (Blackberry) Fruit Extract, Epigallocate chin Gallatyl Glucoside, Euterpe Oleracea Fruit Extract, Caprylyl Glycol, Caprylhydroxamic Acid, Epigallocatechin Gallate	

RE:CIPE  
**INFINITE UV SHIELD  
SUNSCREEN**  
Broad Spectrum SPF 100

Light-weight lotion type formula with dry-touch provides ultimate protection against UVA/UVB



50 ml / 1.69 oz.

#0191



www.recipecosmetics.com  
Dist. by RECIPE COSMETICS USA  
431 Tehama St. San Francisco,  
CA 94103  
Made in USA



**RECIPE INFINITE UV SHIELD SUNSCREEN BROAD SPECTRUM  
SPF100**

avobenzene, homosalate, octinoxate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80670-003
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	30 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	0.012 mg in 1 mL
<b>MYRTUS COMMUNIS LEAF</b> (UNII: U20N87188F)	0.0035 mg in 1 mL
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	0.0001 mg in 1 mL
<b>EPIGALLOCATECHIN GALLATE</b> (UNII: BQM438CTEL)	0.000025 mg in 1 mL
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	10 mg in 1 mL
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	80 mg in 1 mL
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	0.0202 mg in 1 mL
<b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52RONHXW)	0.01 mg in 1 mL
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	50 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M)	30 mg in 1 mL
<b>HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW)</b> (UNII: J2S07SB0YL)	3.5 mg in 1 mL
<b>WATER</b> (UNII: 059QF0KO0R)	435.65785 mg in 1 mL
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	5 mg in 1 mL
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	2 mg in 1 mL
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	1.8 mg in 1 mL
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	1 mg in 1 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	5 mg in 1 mL
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	4.1815 mg in 1 mL
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	0.0975 mg in 1 mL
<b>GLUTATHIONE</b> (UNII: GAN16C9B8O)	0.01 mg in 1 mL
<b>RESVERATROL</b> (UNII: Q369O8926L)	0.01 mg in 1 mL
<b>HABERLEA RHODOPENSIS LEAF</b> (UNII: N042Q65701)	0.0125 mg in 1 mL
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	12 mg in 1 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	0.0901 mg in 1 mL
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	0.04 mg in 1 mL
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	1 mg in 1 mL
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	0.6 mg in 1 mL
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	0.2 mg in 1 mL
<b>LILIUM CANDIDUM FLOWER OIL</b> (UNII: 6RQW4206B6)	0.0995 mg in 1 mL
<b>MYRCIARIA DUBIA FRUIT</b> (UNII: YSW4EM1EKP)	0.001 mg in 1 mL
<b>LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWERING TOP</b> (UNII: QQC1AK06RK)	0.001 mg in 1 mL

<b>ACAI</b> (UNII: 46AM2VJ0AW)	0.0005 mg in 1 mL
<b>BLACKBERRY MESOCARP FREEZE DRIED</b> (UNII: RN3FTI5O77)	0.001 mg in 1 mL
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	0.003 mg in 1 mL
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	0.0002 mg in 1 mL
<b>RICE GERM</b> (UNII: 7N2B70SFEZ)	0.004 mg in 1 mL
<b>SESAME SEED</b> (UNII: 7Y1255HVXR)	0.003 mg in 1 mL
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	30 mg in 1 mL
<b>BEET</b> (UNII: N487KM8COK)	0.036 mg in 1 mL
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	0.018 mg in 1 mL
<b>SOYBEAN</b> (UNII: L7HT8F1ZOD)	0.002 mg in 1 mL
<b>SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW)</b> (UNII: 1DXE3F3OZX)	3 mg in 1 mL
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	0.31 mg in 1 mL
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	0.216 mg in 1 mL
<b>XYLITYLGLUCOSIDE</b> (UNII: 00IEZ166FB)	0.04 mg in 1 mL
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	0.028 mg in 1 mL
<b>SAUSSUREA INVOLUCRATA WHOLE</b> (UNII: C7X2ALW7JZ)	0.005 mg in 1 mL
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R0OK)	0.004 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80670-003-00	1 in 1 CARTON	09/17/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/17/2020	

**Labeler** - BAY BELLE LABS (034915412)

**Registrant** - COSMAX USA, INC. (010990210)

### Establishment

Name	Address	ID/FEI	Business Operations
COSMAX USA, INC.		010990210	manufacture(80670-003)

Revised: 10/2024

BAY BELLE LABS