

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
CLASSIC IVORY 10- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
NATURAL IVORY 20- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
BUFF 30- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
NUDE 40- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
SOFT BEIGE 50- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
NATURAL BEIGE 60- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
FRESH BEIGE 70- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
MEDIUM BEIGE 80- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
WARM BEIGE 90- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
NATURAL TAN 100- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
HONEY 85- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
CAMEL 105- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
COCOA 115- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 -
CHESTNUT 135- titanium dioxide liquid
Kenvue Brands LLC

Neutrogena healthy skin [®] liquid makeup with titanium dioxide sunscreen
broad spectrum SPF 20

Drug Facts

Active ingredients

Titanium Dioxide 2.4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylylsilane, Water

Questions or Comments?

Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

Dist. by:

JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Ivory 10

Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend
1 FL. OZ. (30 mL)

30030736

Classic Ivory 10

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



PEEL HERE ▶

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes, Rinse with water to remove, • Stop use and ▶

Dist. by: 30033026
JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J 2015



Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Ivory 20

Neutrogena
healthy skin®
liquid makeup
with

titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

Neutrogena
healthy skin®
 liquid makeup

with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend

1 FL. OZ. (30 mL)

30030736

Natural Ivory 20 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:
 JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J 2015

0 86800 67002 5

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Capryl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silicate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Buff 30

Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena healthy skin® liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

30030736

Buff 30

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



PEEL HERE ▶

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30033028
JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J 2015



Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazole, p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylic Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylacrylate Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talk, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water


Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Nude 40

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Soft Beige 50

Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena healthy skin® liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

30030736

Soft Beige 50

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen


Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&J 2015

30033030

PEEL HERE ▶



Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Beige 60

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

Neutrogena
healthy skin®
 liquid makeup

with
 titanium dioxide sunscreen

broad spectrum
 SPF 20

antioxidant blend

1 FL. OZ. (30 mL)

30030736

Natural Beige 60

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&J 2015

30033031

PEEL HERE

86800 67006 3

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylacetonate Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-*t*-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Fresh Beige 70

Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend
1 FL. OZ. (30 mL)

30030736

Fresh Beige 70

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J 2015

30033032

PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDV Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylylsilane, Water


Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Medium Beige 80

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena healthy skin[®] liquid makeup


with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

30030736

Warm Beige 90

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%.....	Sunscreen


Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&J 2015

30033034

PEEL HERE ▶



0 86800 67009 4

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Phenoxyethanol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Tan 100

Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

Neutrogena
 healthy skin®
 liquid makeup

with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

30030736

Natural Tan 100

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&J 2015

30033035

PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylacrylate Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-*t*-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

Neutrogena
healthy skin[®]
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend
1 FL. OZ. (30 mL)

30030736

Honey 85

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look




PEEL HERE ▶

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶



Dist. by: 30033022
JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCL2015

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-*t*-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Caramel 105

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

Neutrogena
 healthy skin®
 liquid makeup

with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

30030736

Caramel 105

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&J 2015

30033023

PEEL HERE ▶

86800 43802 1

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Copolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylacetonate Copolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cocoa 115

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend

1 FL. OZ. (30 mL)

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen
broad spectrum
SPF 20
antioxidant blend
1 FL. OZ. (30 mL)

30030736

Cocoa 115

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes, Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&JCI 2015

30033024

PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-*t*-butyl Hydroxyhydrocinnamate, Phenoxyethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMDI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silylate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Chestnut 135

Neutrogena
healthy skin®
liquid makeup

with
titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)


Neutrogena healthy skin® liquid makeup

with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)

30030736

Chestnut 135

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look




PEEL HERE ▶

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 2.4%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶



0 86800 43805 2

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558. © J&J 2015 30033025

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Acrylates Copolymer, Alumina, Aluminum Dimyristate, Aluminum Starch Octenylsuccinate, Benzotriazolyl Dodecyl p-Cresol, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Chrysanthemum Parthenium (Feverfew) Extract, Cyclohexasiloxane, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Disodium Stearoyl Glutamate, Ethylhexyl Palmitate, Fragrance, Glycerin, Glycine Soja (Soybean) Seed Extract, HDI/Trimethylol Hexylactone Crosspolymer, Iron Oxides, Magnesium Carbonate, Magnesium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Phenoxethanol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Polyhydroxystearic Acid, PPG-12/SMCI Copolymer, Propylene Carbonate, Quaternium-90 Bentonite, Silica, Silica Silicate, Sorbic Acid, Stearoxymethicone/Dimethicone Copolymer, Talc, Titanium Dioxide, Tocopherol, Triethoxycaprylsilane, Water

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - CLASSIC IVORY 10

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0140
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0140-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - NATURAL IVORY 20

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0141
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SOYBEAN (UNII: L7HT8F1ZOD)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SORBIC ACID (UNII: X045WJ989B)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
EDETATE DISODIUM (UNII: 7FLD91C86K)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
CYCLOMETHICONE (UNII: NMQ347994Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0141-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - BUFF 30

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0142
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045VJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0142-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - NUDE 40

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0143
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	

TOCOPHEROL (UNII: R0ZB2556P8)

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0143-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - SOFT BEIGE 50

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0144
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII:	

255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0144-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - NATURAL BEIGE 60

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0145
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0145-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - FRESH BEIGE 70

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0146
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0146-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - MEDIUM BEIGE 80

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0147
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ALUMINUM OXIDE (UNII: LMI26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SOYBEAN (UNII: L7HT8F1ZOD)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SORBIC ACID (UNII: X045WJ989B)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
EDETATE DISODIUM (UNII: 7FLD91C86K)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
CYCLOMETHICONE (UNII: NMQ347994Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0147-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - WARM BEIGE 90

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0148
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0148-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - NATURAL TAN 100

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0149
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: ROZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0149-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - HONEY 85

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	

TOCOPHEROL (UNII: R0ZB2556P8)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ALUMINUM OXIDE (UNII: LMI26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SOYBEAN (UNII: L7HT8F1ZOD)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SORBIC ACID (UNII: X045WJ989B)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
EDETATE DISODIUM (UNII: 7FLD91C86K)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
CYCLOMETHICONE (UNII: NMQ347994Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0150-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - CARAMEL 105

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL
---	------------------	---------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0151-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - COCOA 115

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0152
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN (UNII: L7HT8F1ZOD)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0152-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

NEUTROGENA HEALTHY SKIN MAKEUP SUNSCREEN BROAD SPECTRUM SPF20 - CHESTNUT 135

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0153
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	24 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TALC (UNII: 7SEV7J4R1U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII:	

WB5K9Y35Y9)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
TOCOPHEROL (UNII: R0ZB2556P8)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ALUMINUM OXIDE (UNII: LMI26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SOYBEAN (UNII: L7HT8F1ZOD)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
TANACETUM PARTHENIUM (UNII: 6GE7Z0761K)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SORBIC ACID (UNII: X045WJ989B)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
EDETATE DISODIUM (UNII: 7FLD91C86K)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
CYCLOMETHICONE (UNII: NMQ347994Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0153-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/18/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2016	

Labeler - Kenvue Brands LLC (118772437)