# FERROUS SULFATE ENTERIC-COATED- ferrous sulfate tablet Upsher-Smith Laboratories. LLC

-----

#### Ferrous Sulfate Enteric-Coated Tablets

Supplement Facts Serving Size 1 Tablet					
Iron (as dried ferrous					
sulfate)	65 mg	361%			

Other Ingredients: microcrystalline cellulose, dibasic calcium phosphate dihydrate, anhydrous lactose, hypromellose phthalate, croscarmellose sodium, stearic acid, magnesium stearate, triacetin, FD&C Red #40 aluminum lake, colloidal silicon dioxide, titanium dioxide, hypromellose, mineral oil.

**Contains: Milk** 

#### **Directions**

Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.

Tablets are enteric-coated to help protect your stomach.

Store in a cool, dry place. Protect contents from light and moisture.

#### Caution

Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Iron-containing products may cause constipation or diarrhea. As with any dietary supplement, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or Poison Control Center immediately.

DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN, OR MISSING.

#### **Questions or comments?**

1-800-650-3789 Mon-Fri 8am to 5pm CST

Distributed by

# **UPSHER-SMITH LABORATORIES, LLC**

Maple Grove, MN 55369

© 2024 Upsher-Smith Laboratories, LLC

CC8-02450108-11 133R R0324

## PRINCIPAL DISPLAY PANEL - 325 mg Blister Pack Label

List 0245-0108-11

Ferrous Sulfate **Enteric-Coated** Tablets

Dietary Supplement

325 mg

100 Tablets

**UPSHER-SMITH** 



100 Tablets

325 mg

**UPSHER-SMITH** 

#### Supplement Facts Serving Size 1 Tablet

Amount per % Dally Value Servind

Iron (as dried ferrous sulfate)

65 mg

361%

Other Ingredients: microcrystalline cellulose, dibasic calcium phosphate dihydrate, anhydrous lactose, hypromellose phthalate, croscarmellose sodium, stearic acid, magnesium stearate, triacetin, FD&C Red #40 aluminum lake, colloidal silicon dioxide, titanium dioxide, hypromellose, mineral oil. Contains: Milk

Directions: Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.

Tablets are enteric-coated to help protect your stomach.

Store in a cool, dry place. Protect contents from light and moisture. CC8-02450108-11 133R R0324

Caution: Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Iron-containing products may cause constipation or diarrhea. As with any dietary supplement, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or Poison Control Center immediately.

DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN, OR MISSING.

Questions or comments?

1-800-650-3789 Mon-Fri 8am to 5pm CST

Distributed by

UPSHER-SMITH LABORATORIES, LLC Maple Grove, MN 55369

© 2024 Upsher-Smith Laboratories, LLC



## FERROUS SULFATE ENTERIC-COATED

ferrous sulfate tablet

# **Product Information**

**Product Type DIETARY SUPPLEMENT Item Code (Source)** 

**Route of Administration** ORAL

NHRIC:0245-0108

# **Active Ingredient/Active Moiety**

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

MINERAL OIL (UNII: T5L8T28FGP)

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

#### **Ingredient Name**

**Basis of Strength Strength** 

Ferrous Sulfate (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW895810WR)

FERROUS CATION

65 mg

Inactive Ingredients					
Ingredient Name	Strength				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)					
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)					
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)					
HYPROMELLOSE PHTHALATE (24% PHTHALATE, 55 CST) (UNII: 87Y6436BKR)					
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)					
STEARIC ACID (UNII: 4ELV7Z65AP)					
MAGNESIUM STEARATE (UNII: 70097M6I30)					
FD&C RED NO. 40 (UNII: WZB9127XOA)					

P	Packaging						
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date			
1	NHRIC:0245-0108-11	100 in 1 BOTTLE					
2	NHRIC:0245-0108-10	1000 in 1 BOTTLE					
3	NHRIC:0245-0108-01	4 in 1 CARTON					
3	NHRIC:0245-0108-89	25 in 1 BLISTER PACK					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
Dietary Supplement		07/22/2002			

# Supplement Facts Serving Size: Amount Per Serving Color scoring 1 shape size (solid drugs) 10 mm