MEZEREUM- daphne mezereum bark pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Mezereum 6X

Mezereum 6X

(**contains 0.443 mg of the active ingredient per pellet)

Sinus Pain Or Oozing, Crusty Skin Rash*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



Sinus pain or oozing, crusty skin rash.*

Im 6 x

AL HOMEOPATHIC P ENCE. NOT FDA EW

S

Lot: Exp:

3 06960 48703 6

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-B0IRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073







Turn tube upside down.

Twist until 5 pellets are dispensed into cap.

Carefully remove cap and use it to pour pellets under the tongue.

MEZEREUM

daphne mezereum bark pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-3441

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------|----------|
| DAPHNE MEZEREUM BARK (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV) | DAPHNE MEZEREUM BARK | 6 [hp_X] |

Inactive Ingredients Strength **Ingredient Name** SUCROSE (UNII: C151H8M554) LACTOSE (UNII: J2B2A4N98G)

Product Characteristics

| Color | white | Score | |
|-------|-------|-------|-----|
| Shape | ROUND | Size | 4mm |

| Flavor | Imprint Code | |
|----------|--------------|--|
| Contains | | |

| 1 | Packaging | | | | |
|---|-----------|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | NDC:0220-3441- 41 | 80 in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983 | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 03/03/1983 | |
| | | | |

Labeler - Boiron (282560473)

Registrant - Boiron Inc. (014892269)

| Establishment | | | | |
|---------------|---------|-----------|------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Boiron | | 282560473 | manufacture(0220-3441) | |

Revised: 11/2023 Boiron