

**SINUS PRESSURE, PAIN AND COUGH- acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated  
DOLGENCORP, LLC**

-----  
**Dollar General 44-617 SPPC**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever  
Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves:
  - nasal congestion
  - headache
  - sinus congestion and pressure
  - minor aches and pains
  - cough due to the common cold
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily promotes nasal and/or sinus drainage

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- heart disease
- diabetes
- thyroid disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- liver disease
- high blood pressure
- cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

### ***Other information***

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

### ***Inactive ingredients***

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-888-309-9030**

### ***Principal display panel***

**DG™ | health**

**Compare to active ingredients of Maximum Strength Mucinex® SINUS-MAX® Pressure, Pain & Cough\***

Maximum Strength  
**Sinus Pressure, Pain & Cough**

**Acetaminophen** • Pain Reliever  
Dextromethorphan HBr • Cough Suppressant  
Guaifenesin • Expectorant  
Phenylephrine HCl • Nasal Decongestant

**20 Caplets**

Actual Caplet Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**PARENTS:**

Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex<sup>®</sup> SINUS-MAX<sup>®</sup> Pressure, Pain & Cough.

50844 REV0823A61709

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100%**  
**Satisfaction**  
**Guaranteed!**  
(888) 309-9030

**Drug Facts (continued)**

temporarily produces nasal and/or sinus drainage

**Warnings**

more than 4,000 mg of acetaminophen in 24 hours  
 other drugs containing acetaminophen  
 or more alcohol drinks every day while using this product  
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms  
 may include: ■ blisters ■ rash ■ skin redness  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

with any other drug containing acetaminophen (prescription or  
 over-the-counter). If you are not sure whether a drug contains acetaminophen,  
 ask a doctor or pharmacist.

if you are now taking a prescription monoamine oxidase inhibitor (MAOI)  
 (certain drugs for depression, psychiatric, or emotional conditions, or  
 Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do  
 not know if your prescription drug contains an MAOI, ask a doctor or  
 pharmacist before taking this product.

if you have ever had an allergic reaction to this product or any of its  
 ingredients

Ask a doctor before use if you have

liver disease ■ diabetes ■ heart disease ■ thyroid disease  
 persistent or chronic cough such as occurs with smoking, asthma, chronic  
 bronchitis, or emphysema ■ high blood pressure  
 cough that occurs with too much phlegm (mucus)

difficulty in urination due to enlargement of the prostate gland

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if you are taking the blood thinning  
 drug warfarin.

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

nauseas, dizziness, or sleeplessness occur  
 pain, nasal congestion, or cough gets worse or lasts more than 7 days  
 fever gets worse or lasts more than 3 days  
 redness or swelling is present ■ new symptoms occur  
 cough comes back or occurs with rash or headache that lasts. These could  
 be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or  
 contact a Poison Control Center right away. Prompt medical attention is  
 critical for adults as well as for children even if you do not notice any signs or  
 symptoms.

**Directions**

do not take more than directed  
 adults and children 12 years and over: take 2 caplets every 4 hours  
 children under 12 years: do not use

**Other information**

each caplet contains sodium 3 mg  
 TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR  
 BLISTER IS TORN OR BROKEN  
 store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ▲

**Drug Facts (continued)**

**Active ingredients (in each caplet)**

Acetaminophen 325 mg ..... Pain reliever  
 Dextromethorphan HBr 10 mg ..... Cough suppressant  
 Guaifenesin 200 mg ..... Expectorant  
 Phenylephrine HCl 5 mg ..... Nasal decongestant

**Purpose**

Pain reliever  
 Cough suppressant  
 Expectorant  
 Nasal decongestant

**Uses** ■ temporarily relieves: ■ headache  
 ■ sinus congestion and pressure ■ nasal aches and pains  
 ■ cough due to the common cold ■ nasal congestion

**Drug Facts (continued)**

temporarily relieves: ■ headache  
 ■ sinus congestion and pressure ■ nasal aches and pains  
 ■ cough due to the common cold ■ nasal congestion

helps loosen phlegm (mucus) and thin bronchial secretions to rid the  
 bronchial passageways of bothersome mucus and make coughs more  
 productive

8-0315-617-09-S  
 REV0023461709

\*This product is not manufactured or distributed by RB  
 Health (US) LLC, owner of the registered trademark  
 Maximum Strength Mucinex® SINUS-MAX® Pressure,  
 Pain & Cough. 50844 REV0023461709

DISTRIBUTED BY  
 OLD EAST MAIN CO.  
 100 MISSION RIDGE  
 GOODLETTSVILLE, TN 37072

**100%**  
 Satisfaction  
 Guaranteed!  
 (888) 309-9030

**PARENTS:**  
 Learn about this medicine here  
[www.DollarGeneral.com](http://www.DollarGeneral.com)

**DG™ health**

**Compare to active ingredients of Maximum Strength Mucinex® SINUS-MAX® Pressure, Pain & Cough\***

**Maximum Strength Sinus Pressure, Pain & Cough**

**Acetaminophen • Pain Reliever**  
**Dextromethorphan HBr • Cough Suppressant**  
**Guaifenesin • Expectorant**  
**Phenylephrine HCl • Nasal Decongestant**

**20 Caplets**

Actual Caplet Size



A1632

3 50844 61709 5

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

No print/No varnish  
 Lot & Exp date

**Drug Facts (continued)**

see end flap for expiration date and lot number

**Inactive ingredients** com starch, croscollon, FD&C red #40  
 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate,  
 maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl

**Drug Facts (continued)**

alcohol, povidone, silicon starch glycolate, stearic acid, talc,  
 titanium dioxide

**Questions or comments?** 1-888-309-9030

**Dollar General 44-617**

**SINUS PRESSURE, PAIN AND COUGH**  
 acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-613
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	44;617
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-613-09	2 in 1 CARTON	06/30/2023	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/30/2023	

**Labeler** - DOLGENCORP, LLC (068331990)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-613) , pack(55910-613)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-613)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55910-613)

Revised: 6/2025

DOLGENCORP, LLC