

**NEUTROGENA ULTRA SHEER FACE SUNSCREEN SPF 60- avobenzonone, homosalate, octisalate, octocrylene stick  
KDC/One Development Corporation, Inc.**

-----  
**Neutrogena Ultra Sheer Face Stick Sunscreen SPF 60**

***Drug Facts***

**Active ingredients**

Avobenzonone (3%),  
Homosalate (15%),  
Octisalate (5%),  
Octocrylene (10%)

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**• on damaged or broken skin

**When using this product**• keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**• rash occurs.

**Keep out of reach of children.**If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally and evenly 15 minutes before sun exposure
- ensure complete coverage to the area above the lip, nose and tops of ears
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying

- at least every 2 hours

### ■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics
- package contains small parts, which could cause a choking hazard
- Protect from freezing

### **Inactive ingredients**

Neopentyl Glycol Diethylhexanoate, Octyldodecyl Neopentanoate, Synthetic Wax, Isohexadecane, Butyloctyl Salicylate, Ozokerite, Paraffin, Synthetic Beeswax, C12-15 Alkyl Benzoate, VP/Eicosene Copolymer, Neopentyl Glycol Diisostearate, Dimethicone, Diethylhexyl 2,6-Naphthalate, Styrene/Acrylates Copolymer, Tocopheryl Acetate, Ascorbyl Palmitate

### **Questions or comments?**

Call toll-free **800-299-4786** or **215-273-8755**(collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**JOHNSON & JOHNSON**

**CONSUMER INC.**

Skillman, NJ 08558

**Neutrogena Ultra Sheer Face Stick Sunscreen SPF 60 - 13 g Canister in Blister Pack Label**

*New*

**Neutrogena** ®

DERMATOLOGIST RECOMMENDED BRAND

**ULTRA SHEER** ®

**Face Stick**

**Sunscreen**

**60**

**BROAD**

**SPECTRUM**

**SPF 60**

**Antioxidants**

**Vitamin C & E**

Invisible,

non-greasy

Shields skin

6 layers deep

**with**

**HELIOPLEX**®

Fragrance Free

For sensitive skin

Water resistant

(80 minutes)

NET WT

0.47 OZ (13g)

**NEW**

**Neutrogena®**

DERMATOLOGIST RECOMMENDED BRAND

**ULTRA SHEER®**  
Face Stick  
Sunscreen

**60**  
BROAD SPECTRUM SPF 60

Antioxidants Vitamin C & E

Invisible, non-greasy

Shields skin 6 layers deep

with HELIOPLEX®

Fragrance Free  
For sensitive skin  
Water resistant (80 minutes)

NET WT  
0.47 OZ (13 g)

**Neutrogena® Ultra Sheer® with Helioplex®** provides superior broad-spectrum protection against skin-aging UVA and burning UVB rays. This gentle formula is ideal for sensitive skin.

- Won't transfer or smudge • Dries instantly
- Spreads on easily • Mess-free, lightweight

**Drug Facts**

Active ingredients	Purpose
Avobenzone (3%), Homosalate (15%), Octisalate (5%), Octocrylene (10%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
**Do not use** • on damaged or broken skin  
**When using this product** • keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor if** • rash occurs  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions** • apply liberally and evenly 15 minutes before sun exposure • ensure complete coverage to the area above the lip, nose and tops of ears • reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics • package contains small parts, which could cause a choking hazard • Protect from freezing

**Inactive ingredients** Neopentyl Glycol Diethylhexanoate, Octyldodecyl Neopentanoate, Synthetic Wax, Isohexadecane, Butylcetyl Salicylate, Ozokerite, Paraffin, Synthetic Beeswax, C12-15 Alkyl Benzoate, VP/Eicosene Copolymer, Neopentyl Glycol Diisostearate, Dimethicone, Diethylhexyl 2,6-Naphthalate, Styrene/Acrylates Copolymer, Tocopheryl Acetate, Ascorbyl Palmitate

**Questions or Comments?** Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558 © J&JCI 2024 Made in Canada Pat. www.kenvuepat.com

Free of: Fragrance, oxybenzone, parabens and phthalates

Dermatologist tested

HELIOPLEX®: UVA/UVB protection + antioxidants vitamin C & E

how2recycle.info

0 86800 07269 0

3 0056166

From Curd  
Check Company  
PAPER | PLASTIC | PLASTIC  
CARD | TRAY | STICK  
No commingling at curbsides

## NEUTROGENA ULTRA SHEER FACE SUNSCREEN SPF 60

avobenzone, homosalate, octisalate, octocrylene stick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54565-1645
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

**HOMOSALATE** (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)

HOMOSALATE

150 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>NEOPENTYL GLYCOL DIETHYLHEXANOATE</b> (UNII: U68ZV6W62C)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>NEOPENTYL GLYCOL DIISOSTEARATE</b> (UNII: 4M6OQ34JWW)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54565-1645-2	1 in 1 BLISTER PACK	10/04/2024	
1	NDC:54565-1645-1	13 g in 1 CANISTER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/04/2024	

**Labeler** - KDC/One Development Corporation, Inc. (204006464)

### Establishment

Name	Address	ID/FEI	Business Operations
KDC/One Development Corporation, Inc		204006464	analysis(54565-1645) , manufacture(54565-1645) , pack(54565-1645) , label(54565-1645)

Revised: 10/2024

KDC/One Development Corporation, Inc.